



HAL
open science

Polymer nanocomposites enhance S-nitrosogluthathione intestinal absorption and promote the formation of releasable nitric oxide stores in rat aorta

Wen Wu, Caroline Perrin-Sarrado, Hui Ming, Isabelle Lartaud, Philippe Maincent, Xian-Ming Hu, Anne Sapin-Minet, Caroline Gaucher

► **To cite this version:**

Wen Wu, Caroline Perrin-Sarrado, Hui Ming, Isabelle Lartaud, Philippe Maincent, et al.. Polymer nanocomposites enhance S-nitrosogluthathione intestinal absorption and promote the formation of releasable nitric oxide stores in rat aorta. *Nanomedicine: Nanotechnology, Biology and Medicine*, 2016, 12 (7), pp.1795-1803. 10.1016/j.nano.2016.05.006 . hal-01493332

HAL Id: hal-01493332

<https://hal.univ-lorraine.fr/hal-01493332>

Submitted on 3 Apr 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Dear Author,

Please, note that changes made to the HTML content will be added to the article before publication, but are not reflected in this PDF.

Note also that this file should not be used for submitting corrections.



Polymer nanocomposites enhance *S*-nitrosoglutathione intestinal absorption and promote the formation of releasable nitric oxide stores in rat aorta

Wen Wu, PharmD, PhD^a, Caroline Perrin-Sarrado, PharmD, PhD^a, Hui Ming, PharmD^a, Isabelle Lartaud, PharmD, PhD^a, Philippe Maincent, PharmD, PhD^a, Xian-Ming Hu, PhD^b, Anne Sapin-Minet, PhD^a, Caroline Gaucher, PhD^{a,*}

^aCITHEFOR EA3452 “Drug targets, formulation and preclinical assessment”, Faculté de Pharmacie, Université de Lorraine, Nancy, France

^bState Key Laboratory of Virology, Ministry of Education Key Laboratory of Combinatorial Biosynthesis and Drug Discovery, Wuhan University School of Pharmaceutical Sciences, Wuhan, China

Received 16 October 2015; accepted 5 May 2016

Abstract

Alginate/chitosan nanocomposite particles (GSNO-acNCPs), *i.e.* *S*-nitrosoglutathione (GSNO) loaded polymeric nanoparticles incorporated into an alginate and chitosan matrix, were developed to increase the effective GSNO loading capacity, a nitric oxide (NO) donor, and to sustain its release from the intestine following oral administration. Compared with free GSNO and GSNO loaded nanoparticles, GSNO-acNCPs promoted 2.7-fold GSNO permeation through a model of intestinal barrier (Caco-2 cells). After oral administration to Wistar rats, GSNO-acNCPs promoted NO storage into the aorta during at least 17 h, as highlighted by (i) a long-lasting hyporeactivity to phenylephrine (decrease in maximum vasoconstrictive effect of aortic rings) and (ii) *N*-acetylcysteine (a thiol which can displace NO from tissues)-induced vasodilation of aortic rings precontracted with phenylephrine. In conclusion, GSNO-acNCPs enhance GSNO intestinal absorption and promote the formation of releasable NO stores into the rat aorta. GSNO-acNCPs are promising carriers for chronic oral application devoted to the treatment of cardiovascular diseases.

© 2016 Published by Elsevier Inc.

Key words: NO-donor; Polymer nanocomposites; Oral delivery; Isolated aorta vasoreactivity

In the cardiovascular system, deficiency of endogenous nitric oxide (NO) is the consequence of either insufficient synthesis (endothelium dysfunction)^{1,2} or excessive NO degradation^{3,4} (increased oxidative or nitrosative stresses, decreased antioxidant enzyme activity). NO depletion is one of the key factors in the initiation and progress of many diseases, such as atherosclerosis,⁵ pulmonary hypertension,⁶ thrombosis,⁷

ischemia⁸ and cardiac arrhythmia.⁹ To maintain an appropriate level of NO and treat NO deficiency, several NO-related therapeutics have been developed such as nitrosamines, organic nitrates, metal–NO complexes, *N*-diazoniumdiolates. However, all act at very short term and lead to tolerance phenomena. *S*-nitrosothiols (RSNOs) present the advantage of a longer half-life, with no tolerance nor oxidative stress induction. Under physiological conditions, *S*-nitrosoglutathione (GSNO), a major endogenous RSNO, is one of the main storage forms of NO in tissues.¹⁰ GSNO has been investigated for its powerful antiplatelet activity,^{11,12} arterio/venous selective vasodilator effects,^{13,14} antimicrobial¹⁵ and antithrombotic effects.¹⁶

Despite such therapeutic potencies, GSNO pharmaceutical forms are still lacking. This may be related to the fast and often unpredictable rate of decomposition of GSNO. *In vitro*, because of pH-, light- and temperature-dependent sensitivities, GSNO is susceptible to many degradation processes

Funding and conflicts of interest: This work was supported by the ‘Université de Lorraine and Région Lorraine’. W. Wu and H. Ming acknowledge Chinese Scholarships Council for their doctoral fellowships. X.-M. Hu was a guest professor at the Université de Lorraine, CITHEFOR EA 3452, for three months between 2014 and 2015.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

*Corresponding author.

E-mail address: caroline.gaucher@univ-lorraine.fr (C. Gaucher).

<http://dx.doi.org/10.1016/j.nano.2016.05.006>

1549-9634/© 2016 Published by Elsevier Inc.

including *S*-NO bond homolysis, metal ion-catalyzed decomposition, and hydrolysis. *In vivo*, it is subjected to enzymes-induced decomposition such as GSNO reductase¹⁷ and carbonyl reductase 1.¹⁸ For this reason, the bioavailability of GSNO when administrated orally is limited. Two main strategies were described to overcome such limitations, through either inhibiting GSNO reductases activity¹⁹ or improving the stability of GSNO. In respect to the latter, many researchers focused on the protection of GSNO – during storage and in biological media – through the combination with delivery systems to promote pharmaceutical and medical applications. For instance, Seabra and co-workers dispersed GSNO into polyethylene glycol (PEG)²⁰ or solid poly(vinyl alcohol)/poly(vinyl pyrrolidone) film²¹ to achieve the controlled release of NO adapted to topical application. de Mel and co-workers passively incorporated GSNO into a polyhedral oligomeric silsesquioxane poly(carbonate-urea)urethane (POSS-PCU) composite to produce a NO realizing implant for cardiovascular diseases treatment.²² Encapsulation followed by *S*-nitrosation of glutathione (GSH, the GSNO precursor) into mucoadhesive polymeric nanoparticles produced GSNO loaded nanoparticles, which slowed down GSNO decomposition at physiological temperature.^{23,24} Similarly, Shah et al described another way to prolong the release of NO by conjugating GSH on chitosan backbone and *S*-nitrosating the GSH thiol group.²⁵ In our previous work, polymeric nanoparticles based on poly(methyl) methacrylate were developed to load GSNO through direct encapsulation (GSNO-NP), which protect GSNO and preserve its availability during interaction with smooth muscle cells.²⁶ However, the release profile we obtained was not long enough for chronic *in vivo* therapeutic applications. In our following work,²⁷ we developed polymer nanocomposite particles (NCP), which refer to nanoparticles of nanometric size embedded in a polymer matrix forming a composite particle of micrometric size, as defined by Bhattacharya and coworkers.²⁸ Microparticles were composed in our case of an alginate or a chitosan matrix including our previously described GSNO-NP.²⁶ These GSNO-NPs embedded into chitosan or alginate nanocomposites increased the encapsulation efficiency of GSNO compared to GSNO-NPs (from 54% to 69% or 76%, respectively) and sustained the *in vitro* release of GSNO until 24 h.²⁷

From these promising results, in the present study, our aims were to further improve GSNO oral bioavailability, to control its delivery at the absorption site and to prolong the residence time into the gastrointestinal tract, by combining both alginate plus chitosan in the matrix. Alginate and chitosan were chosen as mucoadhesive polymers increasing the residence time on the intestine mucus layer.^{29–32} As alginate has the capacity to penetrate the mucus layer,³⁰ this will bring the drug closer to the intestinal cells, while chitosan exerts the property to open cells tight junction.^{31,32} Therefore, their combination will lead to increase drug permeability through the intestine. To broke new ground in the field of nanocomposite particles and merge mucopenetration and mucoadhesion properties in one system, we therefore developed GSNO-loaded alginate/chitosan nanocomposite particles (GSNO-acNCPs) formed through the incorporation of GSNO-NPs into a mix of alginate/chitosan matrix. The

efficient encapsulation capacity and the sustained release profile of GSNO encouraged us to further investigate GSNO permeability through an intestinal cell barrier model (Caco-2). Finally, for the first time, we administrated GSNO-acNCPs to Wistar rats by gavage in order to evaluate their vascular effects, more particularly their capacity to increase the NO-storage inside the vascular wall.

Methods

Materials

All reagents were of analytical grade and all solutions prepared with ultrapure deionized water (>18.2 m Ω .cm at 25 °C). Sodium nitrite was purchased from Merck (Germany). Acrylates/ammonium methacrylate copolymer (Eudragit® RL PO) was a generous gift from Evonik industries (Germany). Alginate sodium, chitosan (4–6 kDa), polyoxyethylene-polyoxypropylene block copolymer (Pluronic® F-68), mucin from porcine stomach, HBSS with Ca²⁺ and Mg²⁺ and all other reagents were obtained from Sigma-Aldrich (France). All experiments and assays involving GSNO were conducted under conditions of subdued light and at +4 °C in order to minimize light- and temperature-induced GSNO degradation.

Methods

GSNO synthesis

GSNO was synthesized according to a previously described method.³³ Briefly, reduced GSH was incubated with an equivalent of sodium nitrite under acidic condition (0.626 M HCl); after precipitation, the solid form of GSNO was obtained. The purity of GSNO was assessed by HPLC and UV spectrophotometry using the specific molar absorbance of the *S*-NO bond at 334 nm ($\epsilon = 922$ M⁻¹cm⁻¹).

Preparation of GSNO-loaded alginate/chitosan nanocomposite particles

GSNO-loaded alginate/chitosan nanocomposite particles (GSNO-acNCPs) were constituted by inner cores and external polymer matrix. The inner cores were GSNO-loaded nanoparticles (GSNO-NP) prepared by a double emulsion (water–oil–water) and solvent evaporation method as described in previous work.²⁶ Briefly, an aqueous solution containing GSNO in 0.1% (w/w) Pluronic® F-68 was emulsified by sonication with an organic phase containing Eudragit® RL PO (100 mg/mL in dichloromethane). Then, sodium alginate and sodium tripolyphosphate (TPP, 220 mg) were fully dissolved in the resulting GSNO-NP suspension. Over an ice bath, calcium chloride solution (CaCl₂, 2 M) was added dropwise into this mixture to cross-link alginate homogenized by sonication (40 W, ultrasonic processor, France). GSNO-loaded alginate/chitosan nanocomposites particles (GSNO-acNCPs) were finally formed by dropwise addition of GSNO-NP-alginate mixture into the chitosan solution (1 mg/mL in 1% (v/v) acetic acid), under mechanical stirring (1300 rpm) over ice bath.




Figure 1. Release kinetic of the payload (GSNO and nitrite ions) from polymer nanocomposite particles in phosphate buffered saline (0.148 M) at 37 °C. Data are shown as mean \pm sd, $n = 3$. *: $P < 0.05$ vs free GSNO and GSNO-NP (two-way ANOVA). GSNO-NP: GSNO-loaded nanoparticles, GSNO-acNCPs: GSNO-loaded alginate/chitosan nanocomposite particles.

157 Characterization of GSNO-loaded alginate/chitosan 158 nanocomposite particles

159 **Determination of size.** The volume particle size distribution of
160 GSNO-acNCPs was determined by the laser diffraction method
161 (Mastersizer 2000, Malvern Instruments, France). The
162 GSNO-acNCPs were suspended in ultrapure water. The size of
163 GSNO-acNCPs was described by the volume mean diameter
164 measured in triplicate.

165 **Evaluation of GSNO encapsulation efficiency.** Encapsulation
166 efficiency (EE) describes the quantity of the drug entrapped
167 within GSNO-acNCPs compared with the initial drug amount. It
168 was determined according to the following equation:

$$EE = m_e / m_i \times 100$$

169 where EE is the encapsulation efficiency in percent (%), m_e is the
170 mass of drug entrapped in particles, and m_i is the initial mass of
171 drug. The entrapped drug within particles was evaluated by a
172 two-step-liquid-liquid extraction. The external matrix of particles
173 composed of sodium alginate and chitosan was disrupted by
174 mechanical stirring followed by centrifugation and the amount of
175 GSNO remaining in the supernatant, subtracted by the free nitrite
176 ions quantified by the Griess assay,³⁴ was quantified by the Griess–
177 Saville assay using sulfanilamide and HgCl_2 in acidic conditions to
178 cleave the *S*-NO bond, and *N*-(1-naphthyl)ethylenediamine to form a
179 chromophoric azo product that absorbs at 540 nm.³⁴

180 The resulting pellet, which corresponds to GSNO-NPs, was
181 dissolved in 2 mL dichloromethane and the amount of GSNO in
182 the nanoparticles was extracted in phosphate buffered saline
183 (PBS) at pH 7.4 and determined by the Griess–Saville assay as
184 described above. All the samples were prepared in triplicate.

185 Core loading expressed in mg of GSNO/g of polymer was
186 estimated from initial GSNO, Eudragit® RL PO, sodium alginate
187 and chitosan amounts.

189 **In vitro release kinetic.** GSNO-acNCPs were suspended in
190 1 mL of PBS and were placed in cellulose dialysis tubing
191 (average flat width 10 mm (0.4 in), cut-off 14 kDa). Release

kinetic was measured as previously described²⁷ in 200 mL of
192 PBS at 37 °C protected from light. The GSNO and nitrite ions
193 released were monitored every 30 min during two hours, every
194 hour from two to six hours, then at 24 h, and immediately
195 quantified with a fluorometric method³⁵ using diaminonaphtha-
196 lene (added or not with HgCl_2 to cleave the *S*-NO bond)
197 producing naphthotriazole (emission 415 nm/excitation 375 nm,
198 JASCO FP-8300, France).
199

**Stability of GSNO in GSNO-loaded alginate/chitosan
200 nanocomposite particles.** The GSNO-acNCP or GSNO-NP
201 suspensions were centrifuged (15,000 g, 20 min, 4 °C) and the
202 resulting pellets were kept in a freezer at -20 °C, in a fridge at
203 $+4$ °C or at $+37$ °C in a humidified incubator. At predetermined
204 time intervals over 15 days (D) (1D, 2D, 3D, 4D, 5D and 15D),
205 the GSNO was extracted and analyzed by the Griess–Saville
206 assay as above to determine the remaining intact and decom-
207 posed GSNO. All the samples were prepared in triplicate.
208

209 Mucins binding assay

Changes in size and zeta potential of GSNO-NPs in contact
210 with a mucin dispersion were examined.³⁶ After centrifugation
211 (42,000 g, 30 min, 4 °C; Heraeus Instruments, France), nano-
212 particles were resuspended in a mucin dispersion at a
213 concentration of 5 mg/mL polymer in 1 mg/mL mucin (ratio
214 5:1). The volume particle size distribution of GSNO-NPs was
215 determined by the laser diffraction method (Mastersizer 2000,
216 Malvern Instruments, France) and zeta potential was estimated
217 by electrophoretic mobility (ZetaSizer NanoZS, Malvern
218 Instruments, France).
219

220 Cytocompatibility

The cytocompatibility of GSNO-acNCPs was evaluated on
221 intestinal Caco-2 cells ATCC® HTB-37™. Caco-2 cells were
222 grown in complete medium consisting of Eagle's Minimum
223 Essential Medium EMEM supplemented with 20% (v/v) fetal
224 bovine serum, 4 mM of glutamine, 100 U/mL of penicillin,
225 100 U/mL of streptomycin, 1% (v/v) of non-essential amino
226 acids. Cells were cultivated at 37 °C under 5% CO_2 (v/v) in a
227 humidified incubator. Caco-2 cells were seeded in 96-wells plates
228 at 20,000 cells/well 24 h before experiment. They were then
229 exposed to 0.5, 1.0, 5.0, 10.0 or 50.0 mg/mL of GSNO-acNCP for
230 24 h at 37 °C, complete medium being used as control. 231
Cytocompatibility expressed by metabolic activity was checked
232 with the 3(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bro-
233 mide (MTT) assay. The absorbance of extracted formazan crystals
234 was read at 570 nm with a reference at 630 nm (EL 800
235 microplate reader, Bio-TEK Instrument, Inc®, France). Metabolic
236 activity in control condition was considered as 100%.
237

238 In vitro cell permeability

The permeability of GSNO across the Caco-2 monolayer
239 was evaluated in the apical-to-basolateral direction in Hank's
240 Balanced Salt Solution (HBSS, pH 6.5). After seeding 10^6
241 cells on cell culture inserts (Transwell®, Corning, USA) with
242 0.4 μm pore size disposed in a 12-wells plate, the medium
243 was replaced every two days during the first week and every
244 day during the lasting days until the differentiated cell
245 monolayer was formed (14–18 days, 588 ± 44 Ω/cm^2). For
246




Figure 2. Stability of GSNO in polymer particles. GSNO-loaded alginate/chitosan nanocomposite particles (GSNO-acNCPs) or GSNO-loaded nanoparticles (GSNO-NP) suspensions were centrifuged and the resulting pellets were stored at $-20\text{ }^{\circ}\text{C}$ (A), $+4\text{ }^{\circ}\text{C}$ (B) and $+37\text{ }^{\circ}\text{C}$ (C) for 15 days. At regular intervals, the remaining intact GSNO was determined by the Griess–Saville assay. Data are expressed as mean \pm sd ($n = 3$). *: $P < 0.05$ vs free GSNO (two-way ANOVA).




Figure 3. *In vitro* cytotoxicity of polymer nanocomposite particles on Caco-2 cells. Caco-2 cells were treated with the indicated concentrations of GSNO-loaded alginate/chitosan nanocomposite particles (GSNO-acNCPs) for 24 h at $37\text{ }^{\circ}\text{C}$. Viability was estimated through mitochondrial activity by the MTT assay. Data are expressed as mean \pm sem ($n = 3$).

The integrity of the cell monolayer was checked before the permeability studies by measuring the transepithelial electrical resistance (TEER) using a Millicell[®]-Electrical Resistance system (Millipore, USA). In addition, the permeation of fluorescein sodium ($5\text{ }\mu\text{M}$) was also used to verify the integrity of monolayer.

The cumulative amounts of GSNO crossing the Caco-2 monolayer were calculated from the concentrations measured in basolateral compartments. The apparent permeability coefficient (Papp) values were calculated using the following equation:

$$P_{app} = \frac{dQ}{dt} \times \frac{1}{A \times C_0}$$

dQ/dt (mol/s) refers to the permeability rate (mol) of RSNO the basolateral compartment at the time of quantification, A (cm^2) refers to membrane diffusion area, and C_0 (mol/mL) refers to the initial concentration in the apical compartment.

The enhancement ratio (R) was calculated through the following equation:

$$R = P_{app1}/P_{app2}$$

P_{app1} refers to the apparent permeability coefficient of each treatment, and P_{app2} corresponds to the apparent permeability coefficient of free GSNO.

the permeation experiments, polymer nanocomposite particles containing $50\text{ }\mu\text{M}$ of GSNO were suspended in $500\text{ }\mu\text{L}$ of HBSS and introduced in the apical (donor) compartment, whereas, 1.5 mL of HBSS was placed in basolateral (receptor) compartment. After 1, 4 and 24 h, each basolateral compartment was withdrawn and replaced with the same volume of fresh HBSS. The GSNO, nitrite and nitrate ions permeated and presented in basolateral (for each time) and apical (after 24 h only) compartments were detected using the fluorometric method.²⁶




Figure 4. Caco-2 cell permeability of GSNO from polymer particles. Twenty five nmol of free GSNO or equivalent amount of GSNO-loaded nanoparticles (GSNO-NP) or GSNO-loaded alginate/chitosan nanocomposite particles (GSNO-acNCPs) were loaded in the apical compartment of a transwell® system seeded with Caco-2 cells 15 days before. (A) Amount of GSNO permeated from the apical to the basolateral compartment after 1 h, 4 h or 24 h. (B) Amount of the different nitric oxide species remained in the apical compartment after 24 h. Values presented have been corrected from control (cells without treatment for free GSNO, blank formulations for GSNO loaded formulations). Data are shown as mean \pm sem ($n = 3$). *: $P < 0.05$ vs free GSNO and GSNO-NP (two-way ANOVA).

279 Ex vivo pharmacological evaluation

280 *Animals used and ethical statement.* Vasorelaxation was
 281 evaluated on endothelium-removed aortic rings isolated from
 282 12 week-old, male, normotensive, Wistar rats (Janvier Labora-
 283 tories, Le Genest-St-Isle, France; 400-500 g). All experiments
 284 were performed in accordance with the European Community
 285 guidelines (2010/63/EU) for the use of experimental animals in
 286 the respect of the 3 Rs' requirements for Animal Welfare (C.
 287 Perrin-Sarrado permit number n°54-72, I. Lartaud n° 54-5; the
 288 project untitled "Nitro-Vivo" was positively evaluated the 19th of
 289 December 2014 by the CELMEA (regional ethical committee for
 290 animal experiments) and approved by the French Ministry of
 291 Research n°APAFIS1614-2015090216575422v2). Animals
 292 were kept under standard conditions (temperature: 21 ± 1 °C,
 293 hygrometry $60 \pm 10\%$, light on from 6 am to 6 pm) and had free
 294 access to standard diet (A04, Safe, Villemoisson-sur-Orge,
 295 France) and water (reverse osmosis system, Culligan, Brussels,
 296 Belgium).

297 *Treatment schedule.* GSNO-acNCPs (15 mg of GSNO/kg
 298 body weight), free GSNO (15 mg of GSNO/kg body weight),
 299 blank-acNCPs or PBS as controls were administrated by gavage
 300 (10 mL/kg of rat) to Wistar rats (fasted 8 h before gavage).
 301 Seventeen hours after gavage, rats were sacrificed by exsanguina-
 302 tion after anesthesia (sodium pentobarbitone 60 mg/kg,
 303 intraperitoneal, Sanofi Santé Nutrition Animale, Libourne,
 304 France) and intravenous administration of heparin (500 U,
 305 Heparine Choay). A segment (around 3 cm) of the descending
 306 thoracic aorta was removed and immediately placed in cold
 307 Krebs' solution. Vessels were cleaned from surrounding
 308 connective tissues and cut into 2-mm long rings (8 rings per
 309 rat). The endothelium was removed by rubbing the intimal
 310 surface of the rings with forceps and immediately used for *ex*
 311 *vivo* vasoactivity studies.

312 *Measurement of vasoactivity.* Aortic vasoactivity was mea-
 313 sured using an isometric tension recording system in 10 mL

organ chambers (EMKABATH, Emka Technology, France). 314
 Baths were filled with Krebs' solution (10 mL, 37 °C, pH 7.4) 315
 and continuously bubbled with 95% O₂ and 5% CO₂. Following 316
 60-min equilibration with a basal resting tension determined at 317
 2 g, viability of aortic rings was assessed with potassium 318
 chloride (KCl, 6×10^{-2} M) added in the baths. The contraction 319
 rapidly reached a steady state and was expressed, after 15 min 320
 exposure, as the developed tension from the basal resting tension 321
 of 2 g. Arteries showing less than 2.5 g of developed tension 322
 were excluded. After viability test and a 30 min wash-out period so 323
 that tension returns to baseline, aortic rings were tested with two 324
 protocols: i) vasoconstriction of aortic rings ($n = 10-12$ per group, 325
 from 4 different rats in each group) was measured with increasing 326
 concentrations of phenylephrine (PHE) (10^{-10} M to 3×10^{-5} M); ii) 327
 NO storage in the aorta was evaluated with *N*-acetylcysteine (NAC) 328
 used to displace NO from cysteine-NO residue. Rings ($n = 10-12$ per 329
 group, from 4 different rats in each group) precontracted with 10^{-6} M 330
 PHE, were added with NAC (10^{-5} M and 10^{-4} M). Contractile 331
 effects were expressed as induced developed tension (Delta T, g) and 332
 relaxant ones in percentage of contraction (100% being the stable 333
 tension caused by 10^{-6} M PHE). 334

The absence of functional endothelium was confirmed by the 335
 ability of carbachol 10^{-5} M, a muscarinic receptors agonist, to 336
 induce less than 10 % of relaxation on 10^{-6} M PHE-precontracted 337
 aortic rings. 338

339 Statistical analysis

Results are shown as either mean \pm standard deviation (sd) or 340
 mean \pm standard error of the mean (sem) values. The half 341
 maximal effective concentration (EC₅₀) and maximal response 342
 (E_{max}) were calculated by fitting each concentration response 343
 curve using the Hill logistic equation. For the comparison of 344
 Papp, and that of E_{max} and EC₅₀ for PHE, statistical comparisons 345
 were performed using the one-way ANOVA ($P < 0.05$). 346
 Other analyses were performed using the two-way ANOVA 347
 ($P_{\text{treatment}} < 0.05$; $P_{\text{time}} < 0.05$). Statistical analyses were per- 348
 formed using the GraphPad Prism software (GraphPad Software 349
 version 5.0, San Diego, USA). 350

t1.1 Table 1
t1.2 Apparent permeability coefficient (Papp) and enhancement ratio (R) of GSNO permeation across Caco-2 monolayers.

t1.3 Group	Papp (10^{-8} cm/s)	R
t1.4 Free GSNO	8.3 ± 0.3	1.0
t1.5 GSNO-NP	7.7 ± 3.1	0.9
t1.6 GSNO-acNCPs	34.1 ± 1.5*	4.1

Data are shown as mean ± sem, $n = 3$. All data sets were compared to free GSNO. *: $P < 0.05$ vs free GSNO (one-way ANOVA). GSNO-NP: GSNO-loaded nanoparticles, GSNO-acNCPs: GSNO-loaded alginate/chitosan nanocomposite particles.

351 Results

352 *Physico-chemical characterization of GSNO-loaded alginate/*
353 *chitosan nanocomposite particles*

354 The average size of the developed nanocomposite particles
355 was $56 \pm 15 \mu\text{m}$ (mean ± sd; $n = 3$). GSNO was entrapped
356 within the nanocomposite particles with a high encapsulation
357 efficiency ($76 \pm 10\%$), corresponding to an estimated core
358 loading of 15.0 ± 1.9 mg of GSNO/g of polymer. The inner
359 core of GSNO loaded nanoparticles presented an estimated core
360 loading of 5.7 mg of GSNO/g of polymer with a zeta potential of
361 $+40 \pm 6$ mV and a mean diameter of $0.289 \pm 0.014 \mu\text{m}$.²⁶ As
362 shown in Figure 1, $75 \pm 3\%$ of free GSNO was released from the
363 dialysis bag during the first hour. Similarly, GSNO-NPs showed
364 a release profile with a burst release of $95 \pm 2\%$ of the initially
365 loaded GSNO within the first 3 h. On the other hand, only $57 \pm$
366 6% of GSNO was released from GSNO-acNCPs within 3 h and
367 the remaining amount was released in a sustained way over the
368 next 21 h.

369 *Stability of GSNO in GSNO-loaded alginate/chitosan*
370 *nanocomposite particles*

371 The stability of GSNO within the polymer nanocomposite
372 particles was evaluated at -20°C , $+4^\circ\text{C}$ and $+37^\circ\text{C}$. After
373 5 days of storage at -20°C or $+4^\circ\text{C}$, $100 \pm 1\%$ or $70 \pm 5\%$ of
374 free GSNO respectively, was decomposed (Figure 2, A, B).
375 When incorporated into the polymer nanocomposite particles,
376 $16 \pm 5\%$ (-20°C) and $12 \pm 4\%$ ($+4^\circ\text{C}$) of intact GSNO was
377 preserved for 15 days, showing improvement of GSNO stability.
378 At $+37^\circ\text{C}$, GSNO degraded faster (Figure 2, C): $57 \pm 4\%$ of
379 free GSNO had decomposed within two days and $98 \pm 1\%$ after
380 4 days. Polymer nanocomposite particles increased the life-time
381 of GSNO as $46 \pm 9\%$ and $12 \pm 4\%$ of intact GSNO were
382 detected on the 4th and 15th days respectively.

383 *Mucin binding assay*

384 The mucoadhesion property of the polymeric GSNO-NPs
385 was also evaluated. The diameter of GSNO-NPs in contact with
386 mucin dispersion immediately increased from $0.2 \pm 0.0 \mu\text{m}$ to
387 $18.2 \pm 3.2 \mu\text{m}$ (100 times more) and estimated zeta potential
388 value was divided per 3 (from $+54 \pm 4$ mV to $+18 \pm 5$ mV,
389 (mean ± sd; $n = 3$)).




Figure 5. Contractile effect of phenylephrine (PHE) on aortic rings isolated from rats orally treated with free GSNO or GSNO-loaded polymer nanocomposite particles (GSNO-acNCPs) at 15 mg of GSNO/kg of body weight, 17 h before. Blank alginate/chitosan nanocomposite particles (Blank-acNCPs) and phosphate buffered saline (PBS) have been used as controls. Results are expressed as mean ± sem ($n = 10$ –12 per group, from 4 different rats in each group). *: $P < 0.05$ vs PBS (two-way ANOVA).

390 *Cytocompatibility and cell permeability*

391 The concentration-response curve built from the MTT
392 metabolic activity assay (Figure 3) gave an IC_{50} at $3.24 \pm$
393 0.38 mg/mL for GSNO-acNCPs. Therefore, a concentration of
394 1 mg/mL (containing $50 \mu\text{M}$ GSNO) that maintained $83 \pm 1\%$
395 of cell viability was chosen for Caco-2 permeability studies.

396 Caco-2 cell monolayers were incubated with $50 \mu\text{M}$
397 (representing 25 nmol of GSNO in 0.5 mL) free or
398 nanoparticle-associated GSNO in the apical compartment to
399 investigate GSNO permeability. After 1 h of incubation, a
400 similar concentration of GSNO was detected in the basolateral
401 compartment for all formulations (Figure 4, A). The
402 permeation kinetics of the GSNO were similar for GSNO
403 and GSNO-NPs: the amount transported rose rapidly to
404 0.59 ± 0.07 nmol and 0.51 ± 0.01 nmol, respectively, over
405 the first 4 h, and then remained at a plateau up to 24 h.
406 GSNO-acNCPs showed a steady penetration rate over the
407 whole 24 h, and promoted 2.7-fold more GSNO crossing the
408 cell monolayer than free GSNO or GSNO-NP (Figure 4, A).
409 The Papp value of GSNO (showing the ability of NPs and
410 acNCPs to help the transport of GSNO across Caco-2 cell
411 monolayer) did not change with NP, but significantly
412 increased after GSNO-NPs incorporation into nanocomposite
413 particles, showing an enhancement ratio of 4.1 (Table 1). In
414 contrast to free GSNO and GSNO-NPs, GSNO-acNCPs
415 retained 0.9 ± 0.1 nmol of intact GSNO in the apical
416 compartment after 24 h of incubation (Figure 4, B) showing
417 that GSNO-acNCPs could have an even longer release profile.

418 At the end of experiments, the test using the low molecular
419 weight hydrophilic tracer sodium fluorescein, showed that the
420 permeation of sodium fluorescein in the treated groups ($18 \pm$
421 5%) was higher than the positive control ($6.1 \pm 0.5\%$) and less
422 than negative control ($32 \pm 9\%$), in which cells were treated with
423 HBSS without Ca^{2+} and Mg^{2+} . Taken together, these results
424 confirmed the integrity of cells monolayer after incubation with
425 the GSNO-acNCPs with a slight opening of tight junction due to
426 chitosan.

427 GSNO-NPs²⁶ showed a core loading two times under the
428 GSNO-acNCPs core loading (5.7 mg of GSNO/g of polymer

t2.1 Table 2

t2.2 Half maximum effective concentration (EC_{50}) and maximum effect (E_{max}) of phenylephrine measured in isolated aortic rings.

t2.3 Group	EC_{50} (10^{-8} M)	E_{max} (g)
t2.4 PBS	3.1 ± 0.1	4.8 ± 0.1
t2.5 Blank-acNCPs	1.9 ± 0.2	4.8 ± 0.3
t2.6 Free GSNO	3.1 ± 0.1	4.9 ± 0.1
t2.7 GSNO-acNCPs	3.1 ± 0.1	$3.7 \pm 0.1^*$

Data are shown as mean \pm sem, ($n = 10-12$ per group, from 4 different rats in each group). *: $P < 0.05$ vs PBS (one-way ANOVA). PBS: phosphate buffered saline. Blank-acNCPs: blank alginate/chitosan nanocomposite particles, GSNO-acNCPs: GSNO-loaded alginate/chitosan nanocomposite particles.

t2.8

and 15.0 ± 1.9 mg of GSNO/g of polymer, respectively). Furthermore, the permeability studies failed in showing a higher and long lasting absorption of GSNO for the GSNO-NPs through intestinal cells compared to free GSNO. For these two reasons, the GSNO-NPs were moved aside from the *in vivo* studies

434 Pharmacological vascular effects

435 The dose-response curves to PHE were similar in aortic rings
436 from Wistar rats orally treated 17 h earlier with free GSNO,
437 blank-acNCP or PBS (Figure 5). In aortic rings from rats treated
438 with GSNO-acNCP (15 mg/kg body weight), the contractile
439 maximal effect (E_{max}) of PHE significantly decreased (from
440 4.8 g in control groups to 3.7 g in the GSNO-acNCP group, -
441 25%, $P < 0.05$) with no change in EC_{50} (Table 2).

442 In all the control groups, NAC failed to relax the vessels.
443 However, in the group treated with GSNO-acNCP, NAC
444 induced significant relaxation ($11 \pm 1\%$ at 10^{-5} M and $24 \pm$
445 3% at 10^{-4} M, $P < 0.05$ compared to controls, Figure 6).

446 Discussion

447 The encapsulation of the fragile molecule GSNO within drug
448 delivery systems is still challenging. Different approaches, either
449 through *S*-nitrosation of free or conjugated GSH^{23,25} or direct
450 encapsulation of GSNO^{21,37} are described in the literature. In the
451 present study, we adopted the second approach with gentle
452 formulation process to develop polymer nanocomposite particles
453 loaded with GSNO. The polymer nanocomposites were obtained
454 by incorporation of GSNO loaded Eudragit® RL nanoparticles
455 (GSNO-NP)²⁶ into a polymer matrix prepared from a mixture of
456 alginate and chitosan by ionic gelation. The challenge was to
457 control the loading of GSNO within the nanocomposite particles
458 in order to get potential pharmacological efficiency. We based our
459 calculations on the minimal concentration of NO required to stimulate
460 the synthesis of cyclic GMP by soluble guanylate cyclase in vascular
461 smooth muscle (approximately 10 nmol/L³⁸), and the dose of GSNO
462 that significantly decreases mean arterial blood pressure (*i.e.* 3 mg;
463 100 μ g/min for 30 min, intravenous, in human³⁹).

464 Compared to our previous published results on GSNO-NP,²⁶ the
465 newly formulated composite particles improved the loading capacity
466 of GSNO by 2.6-fold (from 5.7 to 15.0 mg of GSNO/g of polymer).
467 This improvement can probably be attributed to the use of alginate
468 and chitosan, which are hydrophilic and have good affinity for




Figure 6. Vascular effect of 10^{-5} M and 10^{-4} M *N*-acetylcysteine (NAC) on precontracted (10^{-6} M phenylephrine) aortic rings isolated from rats orally treated with free GSNO or GSNO-loaded polymer nanocomposite particles (GSNO-acNCPs) at 15 mg of GSNO/kg of body weight, 17 h before. Blank alginate/chitosan nanocomposite particles (Blank-acNCPs) and phosphate buffered saline (PBS) have been used as controls. Results are expressed as mean \pm sem ($n = 10-12$ per group, from 4 different rats in each group). *: $P < 0.05$ vs PBS (two-way ANOVA).

GSNO thus allowing the entrapment not only of GSNO-NP but also
of the free GSNO remaining outside the nanoparticles. This is
consistent with our previously reported polymer nanocomposites
based on chitosan or alginate separately.²⁷

Our results on *in vitro* release demonstrate that the polymer
nanocomposite particles prevented the burst release of hydro-
philic GSNO observed with GSNO-NP alone. This is in
agreement with the results of Hasan et al⁴⁰ showing that
composite particles were able to reduce the burst release.
GSNO-acNCPs present two polymer barriers to the diffusion of
GSNO: the first being formed by the hydrophobic Eudragit® RL
polymer and the second by the outer hydrophilic matrix
composed of chitosan and alginate. The combination of both
leads the diffusion distance to increase and the release rate to
slow down. Furthermore, as reported by de Seabra et al^{20,41,42}
increased microviscosity of the solvent improve the stability of
RSNO. The presence of alginate and chitosan, which build a
hydrophilic matrix for the particles, increases the viscosity
thereby protecting GSNO from thermal decomposition and
improved GSNO stability. Moreover, the increased stability we
obtained at +37 °C for GSNO-acNCPs was in accordance with
our previous observations using alginate or chitosan in polymer
nanocomposite particles.²⁷

GSNO-acNCPs also improved the permeability of GSNO
through the Caco-2 cells model, and increased the Papp value, a
marker of drug absorption. This permeation enhancement may
be attributed to three major factors: i) the positive charge of
GSNO-acNCPs (zeta potential approximately equal to $+18.5 \pm$
 0.8 mV), which allows electrostatic attraction with the nega-
tively charged cell membrane; ii) the composition of nanocom-
posite particles based on chitosan and alginate, which have
mucoadhesive properties and reinforce the interaction with cells;
iii) the high level of protection of GSNO afforded by the
nanocomposite particles. While we did not directly measure
GSNO crossing through intestinal tissue, our results augur a
promising oral delivery, for which intestinal absorption is one of
the key factors determining drug bioavailability. The mecha-
nisms involved in intestinal crossing remain to be evaluated.
However, the glycosidic bonds of chitosan were shown to be
rapidly hydrolyzed under gastric conditions,⁴³ so only a portion

of this polymer and the alginate of the complex matrix will be able to adhere on the mucus layer and to open tight junctions in the intestinal compartment.⁴⁴ Moreover, alginate will help the inner core made of GSNO-NPs to penetrate the mucus layer. GSNO-NPs will no longer stay at the nanometer size: as we showed they adsorb proteins like mucins or albumin²⁶ to reach a final size around 20 μm . Others also showed that the mucus layer strongly increase particle size and modify absorption of particles through the intestine.⁴⁵ Indeed, Bajka et al demonstrated that a particle diameter higher than 500 nm largely decreased particles diffusion.⁴⁵ Therefore, it is probable that only GSNO or other NO species will diffuse within the intestinal tight junctions, already opened by chitosan, and reach the vascular compartment.

Whatever the mechanisms involved in intestinal crossing, oral administration of GSNO-acNCPs to Wistar rats reveals NO-related vascular effects attesting that NO effectively reaches the blood stream. The decreased contractile response of aorta to PHE is the proof that the absorbed GSNO is transported from the intestine to the aortic wall by itself or through transnitrosation process of albumin or hemoglobin in the blood stream. Then, close to the vascular wall, transnitrosation processes occur again to generate a NO store inside the vascular wall. The final storage of NO in vascular smooth muscle cells was highlighted by aortic hyporeactivity to PHE and vasorelaxation in response to NAC. Indeed, in the absence of NO storage, NAC is not able to relax aortic rings, whereas, in presence of NO stores (*S*-nitrosation of proteins/peptides cysteine residues) within the vessel wall, NAC after entering into the cells displaces NO from vascular stores, which finally activates the guanylate cyclase/GMPc pathway inducing relaxation. Finally, the transnitrosation reactions with *S*-nitrosated proteins/peptides,⁴⁶ leading to the formation of unstable *S*-nitrosothiols may be involved, both in the storage processes during the 17 hours following gavage, and in the release of NO induced by NAC.⁴⁷ Similar results were obtained *ex vivo* in previous experiments where NO donors applied directly on the aortic rings, sustained hyporeactivity to vasoconstrictors from 1 to 4 hours.⁴⁷⁻⁵⁰ Oral administrations of PBS or blank-acNCPs, as that of free GSNO – due to its limited stability – were unable to form a reservoir of NO in vascular tissue, and NAC has no vasorelaxant effect.

Another hypothesis for the decreased response to PHE may relate to the *S*-nitrosation of the α_1 -adrenergic receptor leading to its decreased affinity for sympathetic ligands.⁵¹ This is unlikely in the present study as EC₅₀ remained similar in all groups of treatment.

In conclusion, we demonstrated the therapeutic potential of polymer nanocomposite particles based on poly(methyl) methacrylate inside an alginate plus chitosan matrix for oral delivery of GSNO. The efficient loading, protection and sustained release of GSNO provided by these formulations promote GSNO absorption through the intestinal barrier, allow GSNO to reach the blood stream and contribute to form a reservoir of NO by transnitrosation inside the vascular wall. Seventeen hours following oral administration, vascular hyporeactivity to the vasoconstrictor remained. These new drug delivery systems of NO donors may be particularly adapted for oral treatment of cardiovascular diseases.

Acknowledgments

Q4

The authors are grateful to Dr. François Dupuis, Patrick Liminana and Isabelle Fries (EA 3452, CITHEFOR, Lorraine University) for the helpful advices and technical support to experimental studies, Pr Gillian Barratt (UMR CNRS 861, Paris-Sud University) for manuscript spelling corrections.

References

Q3

- Versari D, Daghini E, Virdis A, Ghiadoni L, Taddei S. Endothelium-dependent contractions and endothelial dysfunction in human hypertension. *Pharmacol* 2009;**157**:527-36, <http://dx.doi.org/10.1111/j.1476-5381.2009.00240.x>. 574-575
- Davignon J, Ganz P. Role of endothelial dysfunction in atherosclerosis. *Circulation* 2004;**109**:27-32, <http://dx.doi.org/10.1161/01.CIR.0000131515.03336.f8>. 578-580
- Moncada S, Palmer RM, Higgs EA. Nitric oxide: Physiology, pathophysiology, and pharmacology. *Pharmacol Rev* 1991;**43**:109-42 [doi:0031-6997/91/4302-0109\$03.00/0]. 581-583
- Cai H, Harrison DG. Endothelial dysfunction in cardiovascular diseases: The role of oxidant stress. *Circ Res* 2000;**87**:840-4, <http://dx.doi.org/10.1161/01.RES.87.10.840>. 584-586
- Napoli C, de Nigris F, Williams-Ignarro S, Pignalosa O, Sica V, Ignarro LJ. Nitric oxide and atherosclerosis: An update. *Nitric Oxide* 2006;**15**:265-79. 587-589
- Sim Ji-Yeon. Nitric oxide and pulmonary hypertension. *Anesthesiol* 2010;**58**:4-14, <http://dx.doi.org/10.4097/kjae.2010.58.1.4>. 590-591
- Loscalzo J. Nitric oxide insufficiency, platelet activation, and arterial thrombosis. *Circ Res* 2001;**88**:756-62, <http://dx.doi.org/10.1161/hh0801.089861>. 592-594
- Bolaños JP, Almeida A. Roles of nitric oxide in brain hypoxia-ischemia. *Biochim Biophys Acta* 1999;**1411**:415-36, [http://dx.doi.org/10.1016/S0005-2728\(99\)00030-4](http://dx.doi.org/10.1016/S0005-2728(99)00030-4). 595-596
- Tamargo J, Caballero R, Gómez R, Delpón E. Cardiac electrophysiological effects of nitric oxide. *Cardiovasc Res* 2010;**87**:593-600, <http://dx.doi.org/10.1093/cvr/cvq214>. 598-600
- Hogg N, Singh RJ, Kalyanaram B. The role of glutathione in the transport and catabolism of nitric oxide. *FEBS Lett* 1996;**382**:223-8, [http://dx.doi.org/10.1016/0014-5793\(96\)00086-5](http://dx.doi.org/10.1016/0014-5793(96)00086-5). 601-603
- Riccio DA, Dobmeier KP, Hetrick EM, Privett BJ, Paul HS, Schoenfish MH. Nitric oxide-releasing *S*-nitrosothiol-modified xerogels. *Biomaterials* 2009;**30**:4494-502, <http://dx.doi.org/10.1016/j.biomaterials.2009.05.006>. 604-606
- Langford EJ, Brown AS, Wainwright RJ, de Belder AJ, Thomas MR, Smith RE, et al. Inhibition of platelet activity by *S*-nitrosoglutathione during coronary angioplasty. *Lancet* 1994;**344**:1458-60, [http://dx.doi.org/10.1016/S0140-6736\(94\)90287-9](http://dx.doi.org/10.1016/S0140-6736(94)90287-9). 609-611
- MacAllister RJ, Calver AL, Riezebos J, Collier J, Vallance P. Relative potency and arteriovenous selectivity of nitrovasodilators on human blood vessels: An insight into the targeting of nitric oxide delivery. *J Pharmacol Exp Ther* 1995;**273**:154-60. 612-615
- Rassaf T, Kleinbongard P, Preik M, Dejam A, Gharini P, Lauer T, et al. Plasma nitrosothiols contribute to the systemic vasodilator effects of intravenously applied NO: Experimental and clinical study on the fate of NO in human blood. *Circ Res* 2002;**91**:470-7, <http://dx.doi.org/10.1161/01.RES.0000035038.41739.CB>. 619-620
- Friedman AJ, Blecher K, Schairer D, Tuckman-Vernon C, Nacharaju P, Sanchez D, et al. Improved antimicrobial efficacy with nitric oxide releasing nanoparticle generated *S*-nitrosoglutathione. *Nitric Oxide* 2011;**25**:381-6, <http://dx.doi.org/10.1016/j.niox.2011.09.001>. 621-624
- Soraggi Cde L, Shishido SM, Lemos ME, Marcondes S, Antunes E, Krieger MH. *In vitro* evaluation of the safe margin, antithrombotic and antiproliferative actions for the treatment of restenosis: Nitric oxide 625-626

- 628 donor and polymers. *Cell Biochem Funct* 2011;**29**:207-14, <http://dx.doi.org/10.1002/cbf.1738>.
- 629
- 630 17. Jensen DE, Belka GK, Du Bois GC. S-Nitrosoglutathione is a substrate
631 for rat alcohol dehydrogenase class III isoenzyme. *Biochem J*
632 1998;**331**(Pt 2):659-68.
- 633 18. Bateman RL, Rauh D, Tavshanjian B, Shokat KM. Human carbonyl
634 reductase I is an S-nitrosoglutathione reductase. *J Biol Chem*
635 2008;**283**:35756-62, <http://dx.doi.org/10.1074/jbc.M807125200>.
- 636 19. Chen Q, Sievers RE, Varga M, Kharait S, Haddad DJ, Patton AK, et al.
637 Pharmacological inhibition of S-nitrosoglutathione reductase improves
638 endothelial vasodilatory function in rats *in vivo*. *J Appl Physiol*
639 2013;**114**:752-60, <http://dx.doi.org/10.1152/jappphysiol.01302.2012>.
- 640 20. Seabra AB, de Souza GF, da Rocha LL, Eberlin MN, de Oliveira MG. S-
641 Nitrosoglutathione incorporated in poly(ethylene glycol) matrix: Potent-
642 tial use for topical nitric oxide delivery. *Nitric Oxide* 2004;**11**:263-72,
643 <http://dx.doi.org/10.1016/j.niox.2004.09.005>.
- 644 21. Seabra AB, da Rocha LL, Eberlin MN, de Oliveira MG. Solid films of
645 blended poly(vinyl alcohol)/poly(vinyl pyrrolidone) for topical S-
646 nitrosoglutathione and nitric oxide release. *J Pharm Sci* 2005;**94**:994-
647 1003, <http://dx.doi.org/10.1002/jps.20314>.
- 648 22. de Mel A, Naghavi N, Cousins BG, Clatworthy I, Hamilton G,
649 Darbyshire A, et al. Nitric oxide-eluting nanocomposite for cardiovas-
650 cular implants. *J Mater Sci Mater Med* 2014;**25**:917-29, <http://dx.doi.org/10.1007/s10856-013-5103-2>.
- 651 23. Marcato PD, Adami LF, de Melo Barbosa R, Melo PS, Ferreira IR, de
652 Paula L, et al. Development of a sustained-release system for nitric oxide
653 delivery using alginate/chitosan nanoparticles. *Curr Nanosci*
654 2013;**9**:1-7, <http://dx.doi.org/10.2174/157341313805117848>.
- 655 24. Marcato PD, Adami LF, Melo PS, de Paula L, Durán N, Seabra AB.
656 Glutathione and S-nitrosoglutathione in alginate/chitosan nanoparticles:
657 Cytotoxicity. *JPCS* 2011;**304**:012045, <http://dx.doi.org/10.1088/1742-6596/304/1/012045>.
- 658 25. Shah SU, Martinho N, Socha M, Pinto Reis C, Gibaud S. Synthesis and
659 characterization of S-nitrosoglutathione-oligosaccharide-chitosan as a
660 nitric oxide donor. *Expert Opin Drug Deliv* 2015;**12**:1-15, <http://dx.doi.org/10.1517/17425247.2015.1028916>.
- 661 26. Wu W, Gaucher C, Diab R, Fries I, Xiao YL, Hu XM, et al. Time lasting
662 S-nitrosoglutathione polymeric nanoparticles delay cellular protein S-
663 nitrosation. *Pharm Biopharm* 2015;**89**:1-8, <http://dx.doi.org/10.1016/j.ejpb.2014.11.005>.
- 664 27. Wu W, Gaucher C, Fries I, Hu XM, Maincent P, Sapin-Minet A.
665 Polymer nanocomposite particles of S-nitrosoglutathione: A suitable
666 formulation for protection and sustained oral delivery. *Pharm*
667 2015;**495**:354-61, <http://dx.doi.org/10.1016/j.ijpharm.2015.08.074>.
- 668 28. Bhattacharya SN, Kamal MR, Gupta RK. *Polymeric Nanocomposites: Theory and Practice*. Carl Hanser Verlag GmbH & Co. KG978-3-446-40270-6; 2007:1-13.
- 669 29. Gomez-Orellana I. Strategies to improve oral drug bioavailability. *Expert Opin Drug Deliv* 2005;**2**:419-33, <http://dx.doi.org/10.1517/17425247.2.3.419>.
- 670 30. Zhang H, Zhang J, Streisand JB. Oral mucosal drug delivery: Clinical
671 pharmacokinetics and therapeutic applications. *Clin Pharmacokinet*
672 2002;**41**:661-80, <http://dx.doi.org/10.2165/00003088-200241090-00003>.
- 673 31. Dodane V, Amin Khan M, Merwin JR. Effect of chitosan on epithelial
674 permeability and structure. *Pharm* 1999;**182**:21-32.
- 675 32. Thanou M, Verhoef JC, Junginger HE. Oral drug absorption
676 enhancement by chitosan and its derivatives. *Adv Drug Deliv Rev*
677 2001;**52**:117-26, [http://dx.doi.org/10.1016/S0169-409X\(01\)00231-9](http://dx.doi.org/10.1016/S0169-409X(01)00231-9).
- 678 33. Parent M, Dahboul F, Schneider R, Clarot I, Maincent P, Lerroy P, et al.
679 A complete physicochemical identity card of S-nitrosoglutathione. *Curr Pharm Anal* 2013;**9**:31-42.
- 680 34. Sun J, Zhang X, Broderick M, Fein H. Measurement of nitric oxide
681 production in biological systems by using griess reaction assay. *Sensors*
682 2003;**3**:276-84, <http://dx.doi.org/10.3390/s30800276>.
- 683 35. Liu CY, Zhao M, Ren CY, YANG GP, Li PF, Han Y. Direct
684 measurement of nitric oxide in seawater medium by fluorometric
685 method. *Anal Chem* 2009;**37**:1463-7, [http://dx.doi.org/10.1016/S1872-2040\(08\)60136-X](http://dx.doi.org/10.1016/S1872-2040(08)60136-X).
- 686 36. Lim JH, You SK, Baek JS, Hwang CJ, Na YG, Shin SC, et al.
687 Preparation and evaluation of polymeric microparticulates for improving
688 cellular uptake of gemcitabine. *Nanomedicine* 2012;**7**:2307-14, <http://dx.doi.org/10.2147/IJN.S30465>.
- 689 37. Parent M, Boudier A, Fries I, Gostyńska A, Rychter M, Lulek J. Nitric
690 oxide-eluting scaffolds and their interaction with smooth muscle cells *in vitro*. *J Biomed Mater Res A* 2015;**103**:3303-11, <http://dx.doi.org/10.1002/jbm.a.35464>.
- 691 38. Hutchinson PJ, Palmer RM, Moncada S. Comparative pharmacology of
692 EDRF and nitric oxide on vascular strips. *Pharmacol* 1987;**141**:445-51,
693 [http://dx.doi.org/10.1016/0014-2999\(87\)90563-2](http://dx.doi.org/10.1016/0014-2999(87)90563-2).
- 694 39. Everett TR, Wilkinson IB, Mahendru AA, McEniery CM, Garner SF,
695 Goodall AH, et al. S-Nitrosoglutathione improves haemodynamics in
696 early-onset pre-eclampsia. *Clin Pharmacol* 2014;**78**:660-9, <http://dx.doi.org/10.1111/bcp.12379>.
- 697 40. Hasan AS, Socha M, Lamprecht A, Ghazouani FE, Sapin A, Hoffman
698 M, et al. Effect of the microencapsulation of nanoparticles on the
699 reduction of burst release. *Pharm* 2007;**344**:53-61, <http://dx.doi.org/10.1016/j.ijpharm.2007.05.066>.
- 700 41. Seabra AB, De Oliveira MG. Poly(vinyl alcohol) and poly(vinyl
701 pyrrolidone) blended films for local nitric oxide release. *Biomaterials*
702 2004;**25**:3773-82, <http://dx.doi.org/10.1016/j.biomaterials.2003.10.035>.
- 703 42. Seabra AB, Fitzpatrick A, Paul J, De Oliveira MG, Weller R. Topically
704 applied S-nitrosothiol-containing hydrogels as experimental and phar-
705 macological nitric oxide donors in human skin. *Dermatol*
706 2004;**151**:977-83, <http://dx.doi.org/10.1111/j.1365-2133.2004.06213.x>.
- 707 43. George M, Abraham TE. Polyionic hydrocolloids for the intestinal
708 delivery of protein drugs: Alginate and chitosan – a review. *J Control
709 Release* 2006;**114**:1-14, <http://dx.doi.org/10.1016/j.jconrel.2006.04.017>.
- 710 44. Garrait G, Beyssac E, Subirade M. Development of a novel drug delivery
711 system: Chitosan nanoparticles entrapped in alginate microparticles. *J
712 Microencapsul* 2014;**31**:363-72, <http://dx.doi.org/10.3109/02652048.2013.858792>.
- 713 45. Bajka BH, Rigby NM, Cross KL, Macierzanka A, Mackie AR. The
714 influence of small intestinal mucus structure on particle transport *ex vivo*.
715 *Colloids Surf B: Biointerfaces* 2015;**135**:73-80, <http://dx.doi.org/10.1016/j.colsurfb.2015.07.038>.
- 716 46. Gaucher C, Boudier A, Dahboul F, Parent M, Leroy P. S-nitrosation/
717 denitrosation in cardiovascular pathologies: Facts and concepts for the
718 rational design of S-nitrosothiols. *Curr Pharm Des* 2013;**19**:458-72.
- 719 47. Alencar JL, Lobysheva I, Geffard M, Sarr M, Schott C, Schini-Kerth
720 VB, et al. Role of S-nitrosation of cysteine residues in long-lasting
721 inhibitory effect of nitric oxide on arterial tone. *Mol Pharmacol*
722 2003;**63**:1148-58.
- 723 48. Khan SI, Abourashed EA, Khan IA, Walker LA. Transport of harman
724 alkaloids across Caco-2 cell monolayers. *Chem Pharm Bull*
725 2004;**52**:394-7, <http://dx.doi.org/10.1248/cpb.52.394>.
- 726 49. Megson IL, Greig IR, Gray GA, Webb DJ, Butler AR. Prolonged effect of a
727 novel S-nitrosated glyco-amino acid in endothelium-denuded rat femoral
728 arteries: Potential as a slow release nitric oxide donor drug. *Pharmacol*
729 1997;**122**:1617-24, <http://dx.doi.org/10.1038/sj.bjp.0701557>.
- 730 50. Megson IL, Morton S, Greig IR, Mazzei FA, Field RA, Butler AR. N-
731 Substituted analogues of S-nitroso-N-acetyl-D, L-penicillamine: Chem-
732 ical stability and prolonged nitric oxide mediated vasodilatation in
733 isolated rat femoral arteries. *Pharmacol* 1999;**126**:639-48, <http://dx.doi.org/10.1038/sj.bjp.0702346>.
- 734 51. Nozik-Grayck E, Whalen EJ, Stamler JS, McMahon TJ, Chitano P,
735 Piantadosi CA. S-nitrosoglutathione inhibits alpha1-adrenergic receptor-
736 mediated vasoconstriction and ligand binding in pulmonary artery.
737 *Physiol Lung Cell Mol Physiol* 2006;**290**:L136-43, <http://dx.doi.org/10.1152/ajplung.00230.2005>.
- 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757


Graphical Abstract

Polymer nanocomposites enhance S-nitrosoglutathione intestinal absorption and promote the formation of releasable nitric oxide stores in rat aorta
Nanomedicine: Nanotechnology, Biology, and Medicine xxx (2016) xxx–xxx

 Wen Wu, PharmD, PhD^a, Caroline Perrin-Sarrado, PharmD, PhD^a, Hui Ming, PharmD^a,
 Isabelle Lartaud, PharmD, PhD^a, Philippe Maincent, PharmD, PhD^a, Xian-Ming Hu, PhD^b,
 Anne Sapin-Minet, PhD^a, Caroline Gaucher, PhD^{a,*}
^aCITHEFOR EA3452 "Drug targets, formulation and preclinical assessment", Faculté de Pharmacie, Université de Lorraine, Nancy, France

^bState Key Laboratory of Virology, Ministry of Education Key Laboratory of Combinatorial Biosynthesis and Drug Discovery, Wuhan University School of Pharmaceutical Sciences, Wuhan, China

Novel alginate/chitosan nanocomposite particles were successfully developed for the delivery of S-nitrosoglutathione (GSNO), a physiological nitric oxide (NO) donor, with improved encapsulation efficiency, sustained-release. The developed nanocomposite particles enhanced intestinal absorption of GSNO and thus promoted the formation of NO stores in the blood vessels after oral administration to Wistar rats.



UNCORRECTED