

## Suspended Particulate Matter Collection Methods influence the Quantification of Polycyclic Aromatic Compounds in the River System

Fayez Abuhelou, Laurence Mansuy, Catherine Lorgeoux, Delphine Catteloin, Valéry Collin, Allan Bauer, Hussein Jaafar Kanbar, Renaud Gley, Luc Manceau, Fabien Thomas, et al.

### ▶ To cite this version:

Fayez Abuhelou, Laurence Mansuy, Catherine Lorgeoux, Delphine Catteloin, Valéry Collin, et al.. Suspended Particulate Matter Collection Methods influence the Quantification of Polycyclic Aromatic Compounds in the River System. Environmental Science and Pollution Research, 2017, 24 (28), pp.22717-22729. 10.1007/s11356-017-9840-5. hal-01760448

## HAL Id: hal-01760448 https://hal.univ-lorraine.fr/hal-01760448

Submitted on 6 Apr 2018  $\,$ 

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Suspended Particulate Matter Collection Methods influence the Quantification of Polycyclic Aromatic Compounds in the River System

3

# Fayez Abuhelou<sup>1</sup>, Laurence Mansuy-Huault<sup>1</sup>, Catherine Lorgeoux <sup>2</sup>, Delphine Catteloin<sup>2</sup>, Valéry Collin<sup>1</sup>, Allan Bauer<sup>1</sup>, Hussein Jaafar Kanbar<sup>1</sup>, Renaud Gley<sup>1</sup>, Luc Manceau<sup>3</sup>, Fabien Thomas<sup>1</sup>, Emmanuelle Montargès-Pelletier<sup>1</sup>.

<sup>1</sup> Laboratoire Interdisciplinaire des Environnements Continentaux, CNRS-Université de Lorraine-LTER-Zone
 Atelier Moselle, 54500 Vandœuvre-lès-Nancy, France.

- 9 <sup>2</sup> GeoRessources UMR 7359, CNRS-Université de Lorraine-CREGU, BP239, 54506 Vandœuvre-lès-Nancy, France.
- <sup>3</sup> Laboratoire d'Observation des Territoires, Université de Lorraine, Ile du Saulcy, F-57045 Metz 01, France

#### а 11 12 Université de Lorraine, LIEC, UMR7360, Vandœuvre-lès-Nancy 54506, France b 13 14 CNRS, LIEC, UMR7360, Vandœuvre-lès-Nancy 54506, France 15 с 16 Université de Lorraine, CNRS, CREGU, GeoRessources lab, UMR7359, Vandœuvre-lès-Nancy 54506, 17 France 18 19 20 **Corresponding author : L. Mansuy-Huault** 21 laurence.huault@univ-lorraine.fr

22 Tel : +(33) 3 72 74 55 25

- 23
- 24 25 Abstract

26 In this study, we compared the influence of two different collection methods, filtration (FT) and continuous flow 27 field centrifugation (CFC) on the concentration and the distribution of polycyclic aromatic compounds (PACs) in 28 suspended particulate matter (SPM) occurring in river waters. SPM samples were collected simultaneously with FT 29 and CFC from a river during six sampling campaigns over two years, covering different hydrological contexts. SPM 30 samples were analyzed to determine the concentration of PACs including 16 polycyclic aromatic hydrocarbons 31 (PAHs), 11 oxygenated PACs (O-PACs) and 5 nitrogen PACs (N-PACs). Results showed significant differences 32 between the two separation methods. In half of the sampling campaigns, PAC concentrations differed from a factor 2 33 to 30 comparing FT and CFC collected SPMs. The PAC distributions were also affected by the separation method. 34 FT-collected SPM were enriched in 2-3 ring PACs whereas CFC-collected SPM had PAC distributions dominated by 35 medium to high molecular weight compounds typical of combustion processes. This could be explained by distinct cut-off threshold of the two separation methods and strongly suggested the retention of colloidal and/or fine matter 36 37 on glass-fiber filters particularly enriched in low molecular PACs. These differences between FT and CFC were not

38 systematic but rather enhanced by high water flow rates.

41 Keywords: Continuous Flow Centrifuge, Filtration, Polycyclic Aromatic Compounds, Suspended Particulate Matter.

#### 42 Introduction

43 PACs constitute a wide group of organic micropollutants, ubiquitous in aquatic environments. They include the 16 44 PAHs identified as priority pollutants by the United States Environmental Protection Agency due to their mutagenic 45 and carcinogenic properties (Keith and Telliard 1979) (e.g. benzo(a)pyrene, benzo(a)anthracene, chrysene, 46 benzo(b)fluoranthene, benzo(k)fluoranthene, indeno(123-cd)pyrene and dibenzo(a,h)anthracene). PAHs 47 originate from pyrolytic or petrogenic sources and are used as markers of combustion processes, fuel spills or tar-oil 48 contaminations to trace inputs in the environment. Among PACs, oxygen (O-PACs) and nitrogen (N-PACs) 49 containing polycyclic aromatic compounds are emitted from the same sources as PAHs but can also be the products 50 of photochemical, chemical or microbial degradation of PAHs (Kochany and Maguire 1994; Bamford and Baker 51 2003; Tsapakis and Stephanou 2007; Lundstedt et al. 2007; Biache et al. 2017). These polar PACs have recently 52 received increasing attention in the monitoring of coking plant sites because of their toxicity. More soluble than their 53 parent PAHs, their transfer from soil to river should be enhanced but reports on their occurrence in aquatic 54 environments are scarce (Qiao et al. 2014; Siemers et al. 2015).

55 PACs enter the river systems through gas exchange at the air-water interface for the most volatile compounds, or associated to soot particles for the high molecular weight PACs, through atmospheric deposition and run-off or 56 57 leaching of terrestrial surfaces (Cousins et al. 1999; Heemken et al. 2000; Countway et al. 2003; Gocht et al. 2007). 58 These compounds partition among the entire water column, depending on their physical-chemical properties 59 (solubility, vapor pressure, and sorption coefficient), and the hydrologic conditions in the river (Zhou et al. 1999). 60 The low molecular weight PAHs are found in the dissolved phase whereas the high molecular PAHs are associated 61 to particulate or colloidal matter (Foster et al. 2000; Countway et al. 2003). Although less studied than the sediments 62 or the dissolved phase of the water column, the suspended particulate matter (SPM) plays a major role in the 63 transport and fate of hydrophobic micropollutants in rivers and numerous studies focus on their characterization (Fernandes et al. 1997; Bianchi et al. 2007; Patrolecco et al. 2010; Maioli et al. 2011; Chiffre et al. 2015; Le Meur et 64 65 al. 2017). In this perspective, the reliability of the process of sampling collection is a crucial prerequisite to ensure 66 the quality of the analyses and the conclusions that can be drawn from their study.

67 Several methods are used to collect SPM from aquatic systems (e.g. Bates et al. 1983; Rossé et al. 2006; Ademollo et
68 al. 2012). Sediment traps and field continuous flow centrifugation rely on the size and density properties of particles

69 to promote their separation from water, similarly to sedimentation occurring in natural systems. Both methods offer 70 the advantage of extracting SPM from a large volume of water (several hundred liters) and then provide a large 71 amount of SPM, statistically representative because it integrates a large time window of at least several hours. 72 Filtration is the most widespread technique used for SPM collection since it is easy to handle on the field and in the 73 lab. The separation is controlled by the pore size of the filters. It is generally performed on small volumes that 74 represent only a snapshot of river water. Several studies have pointed out the advantages and drawbacks of the 75 different techniques. The distribution of organic compounds between dissolved and particulate phases is strongly 76 affected by the separation technique. An overestimate of organic compounds in the particulate phase can be observed 77 when SPM are separated with filtration, assigned to the colloid clogging of the membrane during filtration but these 78 differences seem to depend on the amounts of suspended solids, the organic matter content as well as the ionic 79 strength in the river (Bates et al. 1983; Morrison and Benoit 2001; Rossé et al. 2006; Ademollo et al. 2012). Anyway, 80 most of the studies focus on the total concentrations of organic compounds in SPM and seldom discuss the influence 81 of the separation techniques on the distribution of organic compounds although these distributions are often used to 82 trace their origin such as in the case of PAHs.

In that perspective, we analyzed the concentration and the distribution of PACs in SPM collected in a river affected for more than one century by intense industrial activities (iron ore mining and steel-making plants) and the associated urbanization. Two sampling methods were compared i.e. field continuous flow centrifugation (CFC) and filtration on glass-fiber filters (FT). The study covered different hydrological situations and several sampling sites where the two sampling methods were applied. Two groups of PACs were explored: 16 PAHs representing a group of hydrophobic compounds ( $3.3 < \log K_{ow} < 6.75$ ) and 11 oxygenated and 5 nitrogen PACs, which represent a class of meanly hydrophobic properties ( $2 < \log K_{ow} < 5.32$ ).

90

#### 91 Material and methods

#### 92 Characteristics of sampling sites

93 The Orne River is a left side tributary of the Moselle River, northeast of the Lorraine region, France (Fig 1). It is a 94 small river (Strahler order 4), with an extended watershed area of 1,268 km<sup>2</sup>, covered by forest (26.5 %), agriculture

95 (67 %) and urban land (6 %). The Orne is 85.8 km long and flows from an altitude of 320 to 155 m asl. The monthly averaged flow fluctuates between 1.5 and 19 m<sup>3</sup> s<sup>-1</sup> with a mean flow of 8.1 m<sup>3</sup> s<sup>-1</sup> and maximum flow rates reaching 96 at 170 m<sup>3</sup> s<sup>-1</sup>. This river has been highly impacted by iron ore extraction and steel-making industries during the whole 97 20<sup>th</sup> century. Five different sampling sites were chosen based on criteria of representativeness and accessibility for 98 99 the field continuous flow centrifuge in the lower part of the Orne river, on the last 23 km before the confluence with 100 the Moselle River: Auboué (AUB), Homécourt (BARB), Joeuf (JOAB), Moyeuvre-Grande (BETH) and Richemont 101 (RICH). BETH site at Moyeuvre-Grande is located at a dam that influences the river hydrology: the water depth ranges between 3 and 4 m while it is meanly 1 m at the other sites and the water speed ( $<0.5 \text{ m s}^{-1}$  at the dam) is 1.5 102 103 to 5 times lower than at other sites.

#### 104 SPM collection

SPM were collected at six periods of time between May 2014 and May-June 2016 covering different hydrological
 situations (Table 1). The field continuous flow centrifugation (CFC) and filtration (FT) were applied to obtain
 SPM<sub>CFC</sub> and SPM<sub>FT</sub> respectively. Additionally, in May and June 2016, water samples from the inlet and outlet of the
 CFC were collected and filtered back in the laboratory, to obtain SPM<sub>FT In-CFC</sub> and SPM<sub>FT Out-CFC</sub>.

109 The CFC operation, as already mentioned by Le Meur et al. (2015), started with river water being pumped to the 110 mobile CFC (CEPA Z-41 running at 20000 RPM, equivalent to 17.000×g), located 10-50 m beside the river. The CFC feeding flow rate was set to 600 L h<sup>-1</sup>. The cut-off threshold of the field centrifuge was shown to be close to 5 111 112 um by measuring the grain-size of waters at the outlet of the centrifuge.m Depending on the campaign, the CFC was 113 run between 1h30 and 3h in order to obtain representative samples in sufficient amounts (from several grams to 100 g of dry matter). The SPM<sub>CFC</sub> was recovered from the Teflon plates covering the internal surface of the centrifuge 114 115 bowl and transferred into glass bottles, transported to the lab in an ice-box to be immediately frozen, freeze-dried and 116 stored at 4°C for further use.

117 Depending on the water turbidity, and in order to collect sufficient amount of  $SPM_{FT}$  on filters, 7.5 L of water were 118 collected in amber glass bottles and when necessary, additional 10 or 20 L were collected. All water samples were 119 brought back to the lab and filtered within 24 h. To facilitate the filtration process, especially for high turbidity 120 samples, waters were filtered sequentially on pre-weighted glass fiber filters, first on GFD (Whatman, 90 mm 121 diameter, nominal pore size = 2.7 µm) followed by GFF (Whatman, 90 mm diameter, nominal pore size = 0.7 µm). Filters were then wrapped in aluminum foil, frozen, freeze-dried and weighted individually, to  $\pm 0.01$  mg, and the SPM content on each filter in mg L<sup>-1</sup> was determined as the difference between the filter weight before and after filtration process.

125

#### 126 Analytical methods

#### 127 Global parameters and elemental content

128 Water temperature, electric conductivity (EC) and turbidity were measured using a portable multiparameter device (Hach®). The Dissolved Organic Carbon (DOC) was measured with an automated total organic C analyzer (TOC-129 VCPH. Shimadzu, Japan) on filtered water (0.22 µm syringe filters) stored in brown glass flasks at 4°C. The 130 131 Particulate Organic Carbon (POC) was determined on the carbonate-free freeze-dried samples of SPM<sub>CFC</sub> (1 M HCl; 132 left to stand 1 h; shaken 0.5 h) and measured using a CS Leco SC144 DRPC analyzer and/or a CS Horiba 133 EMIA320V2 analyzer at SARM-CRPG Laboratory. The grain size distribution of particles in raw waters (except for 134 the campaign of May 2014) was determined using laser diffraction (Helos, Sympatec). The raw waters were 135 introduced into the Sucell dispersing unit and were ultrasonicated for 20 seconds. Duplicate or triplicate 136 measurements were performed to improve the measurement quality with and without ultrasound treatment. The particle size distribution was then represented as volumetric percentage as a function of particle diameter. In 137 addition, the percentiles (Di) of the particles were calculated using Helos software. Di is the i<sup>th</sup> percentile, i.e. the 138 139 particle diameter at which i % of the particles in the sample is smaller than Di (in µm).

140 Sample treatment

Up to 2 g of dry matter of SPM<sub>CFC</sub> and from 0.06 to 1.4 g of dry matter SPM<sub>FT</sub> were extracted with an Accelerated Solvent Extractor (Dionex® ASE350). ASE cells were filled with activated copper powder (to remove molecular sulphur) and sodium sulfate (Na<sub>2</sub>SO<sub>4</sub> to remove remaining water) and pre-extracted for cleaning. Samples were extracted at 130°C and 100 bars with dichloromethane (DCM) with two cycles of 5 min (Biache et al. 2008). After adjusting the volume at 5 mL, a 1 mL aliquot was taken out for clean-up step. It was spiked with external extraction standards (mixture of 6 deuterated compounds:  $[^{2}H_{8}]$ Dibenzofuran,  $[^{2}H_{10}]$ Fluorene,  $[^{2}H_{10}]$ Anthracene,

 $[^{2}H_{8}]$ Anthraquinone,  $[^{2}H_{10}]$ Fluoranthene,  $[^{2}H_{12}]$ Benzo[ghi]perylene) to control the loss during the sample 147 148 preparation. The 1 mL aliquot was then evaporated to dryness using a gentle  $N_2$  flow, diluted into 200  $\mu$ L of hexane and transferred onto the top of a silica gel column pre-conditioned with hexane. The aliphatic fraction was eluted 149 using 3.5 mL of hexane. PAC fraction was eluted with 2.5 mL of hexane/DCM (65/35; v/v) and 2.5 mL of 150 methanol/DCM (50/50; v/v). The latter fraction was spiked with 20 µL at 12µg mL<sup>-1</sup> of internal quantification 151 152 standards (mixture of 8 deuterated compounds:  $[{}^{2}H_{8}]$ Naphthalene,  $[{}^{2}H_{10}]$ Acenaphthene,  $[{}^{2}H_{10}]$ Phenanthrene, 153  $[{}^{2}H_{10}]$ Pyrene,  $[{}^{2}H_{12}]$ Chrysene,  $[{}^{2}H_{12}]$ Perylene and  $[{}^{2}H_{8}]$ 9H-fluorenone) before evaporation and the volume was 154 adjusted to 100 µL with DCM. To improve the chromatographic resolution, the sample was derivatized by adding 155 BSTFA in (1:1; v/v) and finally injected in 200  $\mu$ L volume in the gas chromatograph–mass spectrometer (GC–MS).

156 Analysis

The instrument used was an Agilent 6890N gas chromatograph equipped with a DB 5-MS column (60 m × 0.25 mm i.d. × 0.25  $\mu$ m film thickness) coupled with an Agilent 5973 mass selective detector operating in single ion monitoring mode. The molecules were detected with a quadrupole analyzer following ionization by electronic impact. The temperature program was the following: from 70°C to 130°C at 15°C min<sup>-1</sup>, then from 130°C to 315°C at 3°C min<sup>-1</sup> and then a 15 min hold at 315°C. 1  $\mu$ L of sample was injected in splitless mode at 300°C. The carrier gas was helium at 1.4 mL min<sup>-1</sup> constant flow.

#### 163 Validation and quality control

The quantitative analyses of PACs were carried out using internal calibration using specific family standard (refer to supporting information S1). For each quantified compound, the GC/MS was calibrated between 0.06 and 9.6  $\mu$ g mL<sup>-1</sup> with 10 calibration levels. The calibration curves were drawn and satisfactory determination coefficients were obtained (r<sup>2</sup> >0.99).To verify the quantification, two calibration controls (lower and higher concentrations) were carried out every 6 samples and only a deviation lower than 20% was accepted. The limits of quantification (LOQ) for an extraction of 1 g of sample were between 0.06 and 0.12  $\mu$ g g<sup>-1</sup> (refer to supporting information S1). Experimental and analytical blanks were also monitored regularly to assess external contamination.

171 The whole analytical procedure was validated using reference materials (SRM 1941a, NIST) for PAHs. For O-PAC172 and N-PAC analysis, no commercial reference material was available. So the laboratory took part to an

intercomparison study on the analysis of O-PAC and N-PAC in contaminated soils (Lundstedt et al. 2014). The
methodology was then adapted to sediment and SPM. The recoveries of external standards, added in each sample,
were checked and the quantification was validated if it ranged between 60 and 125 % (refer to supporting
information S2).

177

#### 178 Results

179 Sampling campaign characteristics

180 The global parameters (Table 1) exhibited different hydrological situations in the successive sampling campaigns. 181 May 2014 and October 2015 corresponded to the lowest flow conditions with a daily mean water discharge around 182 1.5 m<sup>3</sup> s<sup>-1</sup> and rather high water temperature (13 to 17°C). The turbidity and the SPM contents were respectively lower than 3 NTU and 6 mg L<sup>-1</sup>. The water discharge in May 2015 ranged between 8 and 21 m<sup>3</sup> s<sup>-1</sup> with turbidity 183 values around 30 NTU and SPM contents from 16 to 54 mg L<sup>-1</sup>. Higher water discharges, although rather moderate 184 compared to that of a biennial flood reaching 130 m<sup>3</sup> s<sup>-1</sup>, were observed in November 2014 (22 m<sup>3</sup> s<sup>-1</sup> the first day 185 and 51 m<sup>3</sup> s<sup>-1</sup> the second day) and February 2015 (50 m<sup>3</sup> s<sup>-1</sup>). The highest flow rates of 120 m<sup>3</sup> s<sup>-1</sup> were observed 186 during the flood of May 2016. The highest turbidity and SPM content were observed during the first high flow of the 187 season the 5<sup>th</sup> of November 2014 (109 NTU and 122 mg L<sup>-1</sup>) and during the flood of May 2016 (94 NTU and 90 mg 188  $L^{-1}$ ). The POC ranged between 3 and 12.5 mg g<sup>-1</sup> and the highest value was recorded during the low flow event of 189 May 2014. DOC varied between 4 and 11 mg L<sup>-1</sup> with the highest DOC observed in May 2015 and the 5<sup>th</sup> November 190 2014. Concerning, the grain size distribution of raw waters, the decile D50 was shown to vary very slightly from 5 to 191 192 15 µm for the different reported campaigns. The lowest value of the D50 ( $\approx$  5µm) was measured in February 2015 193 during a high flow event (Table 1 and Fig 2). The measured particle size distributions covered relatively narrow 194 ranges from 1.5 to 102 µm and the increases of the flow regime resulted in a clear increase of particle loading (SPM 195 content) with no strong shift of particle size.

#### 196 *PAC concentration and distribution in SPM<sub>FT</sub> and SPM<sub>CFC</sub>*

Table 2 displays the contents in PAHs, O-PACs and N-PACs and the main characteristics of their distribution
 according to the sampling methods (CFC and FT) and to the sampling dates and locations. The comparison of the 16
 PAH concentrations in SPM<sub>FT</sub> and SPM<sub>CFC</sub> revealed a contrasted effect of the separation techniques.

200 When the whole set of data is considered, the sum of the 16 PAH concentrations in  $SPM_{CFC}$  ranged between 2 and 27.7 µg g<sup>-1</sup> with a median value at 4 µg g<sup>-1</sup>. Despite a high value measured at JOAB site on May 2014, the range 201 of variations was rather narrow, the 1<sup>st</sup> and 3<sup>rd</sup> quartiles being at 3.6 and 5.3 µg g<sup>-1</sup> respectively (Fig 3a). For SPM<sub>FT</sub> 202 samples, the PAH concentrations varied between 1.3 and 39  $\mu$ g g<sup>-1</sup> with a median value at 18.4  $\mu$ g g<sup>-1</sup> but a higher 203 dispersion of the PAH concentrations was observed, the 1<sup>st</sup> and 3<sup>rd</sup> quartiles being at 7.2 and 3.4 µg g<sup>-1</sup> respectively 204 (Fig. 3b). For all samples, O-PAC and N-PAC concentrations were much lower than PAHs, accounting for 10 to 205 30% of the total PACs except for BETH site in May 2014. The differences of O-PAC concentrations in  $SPM_{FT}$  and 206  $SPM_{CFC}$  were also less contrasted. They were in a very close range, between 0 and 5.4  $\mu$ g g<sup>-1</sup> and 0.1 and 3.8  $\mu$ g g<sup>-1</sup> 207 208 respectively in SPM<sub>FT</sub> and SPM<sub>CFC</sub>. However, as observed for PAHs, the dispersion of the O-PAC concentrations 209 was higher in SPM<sub>FT</sub> than in SPM<sub>CFC</sub> (Fig 2c and 2d).

210 The discrepancies in PAC concentrations between SPM<sub>FT</sub> and SPM<sub>CFC</sub> appeared more clearly when sampling 211 campaigns were distinguished. The ratios of the PAH concentrations in SPM<sub>FT</sub> and SPM<sub>CFC</sub> (Fig. 4a) and of the polar 212 PAC concentrations in SPM<sub>FT</sub> and SPM<sub>CFC</sub> (Fig. 4b) were calculated for each sample in order to highlight the 213 differences of concentration according to the separation method and the sampling campaign. The whole campaign of 214 May 2015, JOAB in May 2014 and BARB in November 2014 provided comparable PAH concentrations in SPM<sub>FT</sub> 215 and SPM<sub>CFC</sub> with a ratio close to 1. However, all the samples of February 2015 and May-June 2016, BETH in May 216 2014 and JOAB and BETH in November 2014 provided higher concentrations of PAHs with concentrations in 217 SPM<sub>FT</sub> two to eleven times higher than in SPM<sub>CFC</sub> (Fig. 4a).

The comparison of polar PAC concentrations in  $SPM_{FT}$  and  $SPM_{CFC}$  also revealed discrepancies between the two sampling methods (Fig 3b). In February 2015 and May-June 2016, polar PACS were six to thirty times more concentrated in  $SPM_{FT}$  than in  $SPM_{CFC}$ . In May 2014, polar PAC concentrations were fifteen times higher in  $SPM_{FT}$ at BETH than in  $SPM_{CFC}$ .

The distribution of individual PAHs was also strongly and diversely affected by the method of sampling. In SPM<sub>CFC</sub>,
 the 4 to 6 ring-PAHs were easily detected and well represented in the distribution, representing 50 to 90% of the all

224 PAHs (except in May 2014), even though they could vary in abundance according to the sampling campaign (Table 225 2). In SPM<sub>FT</sub>, 2 to 3 ring-PAHs were systematically more represented than in SPM<sub>CFC</sub> and accounted for 40 to 70% 226 of the total PAH concentration except during the November 2014 and May 2015 campaigns. The ratio of each 227 individual PAH concentration in SPM<sub>FT</sub> over its concentration in SPM<sub>CFC</sub> was plotted against the log  $K_{ow}$  of each 228 PAH for all the samples (Fig. 5). The ratio is close to 1 for the PAHs with log  $K_{ow}$  higher than 5.5 having more than 229 4 aromatic rings whereas it can vary from 0.5 to 38 for PAHs with 2 to 4 aromatic rings (log  $K_{ow}$  <5.2). The highest 230 differences were observed in Feb 2015 and May-June 2016 and to a lesser extent in Nov 2014, May 2014 and 231 October 2015. Thus, it appeared that the 2 to 3-ring PAHs and to a lesser extent the 4-ring PAHs were the molecules 232 the most affected by the sampling methods.

In the same way, any time we observed a significant difference of O-PAC concentration between the two sampling
 methods (February 2015 and May-June 2016), it could be attributed to a higher concentration in low molecular
 weight O-PACs, composed of three rings, mainly dibenzofuran, fluorenone and anthraquinone (Table 2).

Values of common PAH molecular ratios were compared (Table 2 and Fig. 6). Only, the ratios based on 3 and 4 rings could be calculated in SPM<sub>FT</sub> and compared to SPM<sub>CFC</sub>. Whatever the sampling method, the values of Flt/(Flt+Pyr) were found within a quite narrow range of 0.5-0.66 assigned to pyrogenic inputs. The values of Ant/(Ant+Phe) evolved between 0.07 and 0.37 in SPM<sub>CFC</sub> placing most of the samples in the pyrogenic domain and showing a variation in the contribution of these compounds according to the hydrology. Except for October 2015, the ratios Ant/(Ant+Phe) in SPM<sub>FT</sub> ranging between 0.06 and 0.17, were systematically lower than in the equivalent SPM<sub>CFC</sub> suggesting an influence of petrogenic PAHs.

243

#### 244 PACs in the filtered SPM of the inlet and outlet waters of the CFC

The analyses of the matter collected by filtration of the inlet waters of CFC (SPM<sub>FT In-CFC</sub>) and the matter collected by filtration of the outlet waters of the CFC (SPM<sub>FT Out-CFC</sub>) allowed to better understand the partitioning of SPM in the CFC and then by the filtration process. This test was carried out at AUB, RICH and BETH in May and June 2016. The quantification of the SPM collected by filtration of the inlet and outlet waters showed that CFC allowed to recover 80% of the SPM contained in the inlet waters (Table 3). In the three tests, as already described in the

250 previous paragraphs, the PAH concentrations are six to eleven times higher in SPM<sub>FT</sub> than in SPM<sub>CFC</sub>. The PAH 251 concentration in the residual SPM collected by filtration of the CFC outlet waters (SPM<sub>FT Out-CFC</sub>) is as high or even twice higher than in the inlet water. The PAH distributions displayed at figure 7 are representative of those observed 252 253 in most of the SPM<sub>FT</sub> and SPM<sub>CFC</sub>. PAH distributions in SPM<sub>CFC</sub> are characterized by the abundance of 4 to 6-ring 254 PAHs whereas they are in very low abundance in SPM<sub>FT</sub> and not detectable in SPM<sub>FT Out-CFC</sub>. Thus, the CFC retains 255 SPM containing low PAC concentrations made of high molecular weight compounds and the SPM not retained by 256 the CFC but collected by the filtration of the outlet waters is highly concentrated in PACs mainly made of 257 phenanthrene, fluoranthene and pyrene. The PAH distribution in SPM<sub>FT In- CFC</sub> and SPM<sub>FT Out-CFC</sub> are very similar 258 showing that the contribution of the fine matter collected in the outlet waters largely contributes to the SPM collected 259 in the total SPM collected on filters (figure 7).

260

#### 261 Discussion

262 Our results show that the two methods of SPM collection strongly influence not only the concentration but also the 263 distribution of PACs. PACs in SPM<sub>CFC</sub> were found in a narrow range of concentrations independently of the 264 sampling location and the hydrological situation. The PAH distributions were dominated by 4 to 6 ring- PAHs. On 265 the contrary, in SPM<sub>FT</sub>, the spreading of PAH concentrations was much higher, and the PAH distribution was 266 dominated by low molecular weight compounds when a noticeable discrepancy was observed compared to SPM<sub>CFC</sub>. 267 From reported results in literature, a non-exhaustive inventory of PAH concentrations and distributions according to 268 the SPM collection method, regardless of the spatial and hydrological context was summarized on Table 4. This 269 inventory shows that the concentrations remain in a relatively narrow range (the maximum concentration does not 270 exceed five times the minimum concentration) when the SPM collection method is CFC (Wölz et al. 2010; Le Meur 271 et al. 2017) or sediment traps (Zhang et al. 2009; Chiffre et al. 2015) or pressure-enhanced filtration system 272 (Countway et al. 2003; Ko and Baker 2004). When the SPM are collected by filtration, the PAH concentration range 273 can be really more highly spread from one to 40 times (Deng et al., 2006; Guo et al., 2007; Luo et al., 2009; Maioli 274 et al., 2011; Mitra and Bianchi, 2003; Sun et al., 2009; Zheng et al., 2016). One can argue that this variation might 275 obviously depend on the river and the hydrological situation. However, if we compare the PAH distributions, it 276 clearly appears that whenever the sampling method is filtration, 2 to 3-ring PAHs can largely dominate the distribution as indicated by the LMW/HMW ratios reported in Table 5. In SPM collected by CFC or sediment traps,
the low molecular weight PAHs seldom dominate the distribution.

Several studies have reported that filtration retains colloidal organic matter and their associated organic or metallic 279 280 contaminants leading to an overestimate of compounds associated to particulate matter. Bates et al. (1983) compared 281 centrifugation and filtration to collect particulate matter from wastewaters and riverine waters and observed a 282 systematic higher concentration of aliphatic hydrocarbons in SPM collected by filtration and a lower proportion of 283 dissolved hydrocarbons in the filtered water compared to the centrifuged one. They attributed it to the adsorption of 284 dissolved an colloidal matter on the glass-fiber filter and by the matter retained on its surface. Morrison and Benoit 285 (2001) showed that membrane clogging during filtration of riverine waters induces the decline of dissolved cation 286 concentrations in filtered waters. Our results show variations from a factor 2 to 9 for PAH contents and 2 to 30 for O-287 PAC contents when SPM are separated by filtration and could be explained by the retention of colloidal and fine 288 matter on filters. Gomez-Gutierrez et al. (2007) tested the adsorption of various organics on glass-fiber filters according to DOC values and salinity on synthetic waters. They showed an increase of the adsorption of the more 289 290 hydrophobic PAHs (4 to 6 rings) with the increase of DOC and salinity but a lower adsorption of low molecular 291 weight PAHs. In our natural waters, if we compare the PAC concentrations and distributions, we observed an 292 opposite trend with low molecular weight PAHs being more concentrated in SPM<sub>FT</sub> than in SPM<sub>CFC</sub>. The higher 293 concentration in SPM<sub>FT</sub> cannot be only related to PAH adsorption on filters but might be due to the retention of 294 colloidal or fine particulate matter (few microns), organic and mineral, particularly enriched in low molecular weight 295 PAHs. This hypothesis is strongly supported by the abundance of low molecular weight PACs highly concentrated in 296 the matter not retained by the centrifuge but collected by filtration of the outlet waters. Countway et al. (2003) 297 showed that high molecular weight PAHs were rather associated to soot and particles from sediment resuspension 298 whereas more volatile PAHs were associated to autochthonous organic matter. Wang et al. (2016) also observed 299 enrichment in low molecular weight hydrocarbons in the finer grain-size fractions of their sediments.

Surprisingly, those differences are not systematic and only occur in half of the collected samples. For the samples of February 2015 and May and June 2016, the highest differences between  $SPM_{FT}$  and  $SPM_{CFC}$  are concomitant of a high flow and the finest grain size distribution of SPM (D50 < 10 µm). In those cases, filtration allowed to recover most of the fine particles and colloids highly concentrated in PACs (18 to 43 µg g<sup>-1</sup>) while field centrifugation

collected coarser matter with much lower PAC concentrations (2 to 5.5 µg g<sup>-1</sup>). Previous studies observed similar 304 trends in other contexts. Wang et al. (2016) showed that small-size SPM (0,7 -3 µm) collected from estuarine and 305 306 riverine waters were particularly enriched in PAHs compared to large-size SPM (>3  $\mu$ m). El-Mufleh et al. (2014) 307 separated sediments from storm water infiltration basins into several density fractions and showed that the PAH 308 amounts were 100 times higher in the lighter fractions than in the denser ones. In their study of colloids and SPM in 309 river, Ran et al. (2000) showed the increasing content in organic carbon and ions with decreasing particle size and 310 highlighted the importance of colloidal matter in the concentrations of micropollutants. However, in our set of data, no significant correlation could be observed between the high amount of PACs in SPM<sub>FT</sub> and global parameters such 311 312 as particle grain-size, water discharge, organic carbon content of SPM, water conductivity or SPM amount.

313 This comparison of PACs in SPM<sub>FT</sub> and SPM<sub>CFC</sub> allowed evidencing the crucial role of colloidal and fine particulate 314 matter in the transfer of PACs. The predominant contribution of fine and/or colloidal matter in SPM<sub>FT</sub> in February 315 2015 and May-June 2016 campaigns revealed that this matter transfers mainly low molecular weight PACs compared to the coarser particulate fraction collected by SPM<sub>CFC</sub>. Also, the molecular ratios suggest a different 316 317 origin for PACs in colloidal and fine matter with a higher contribution of petroleum products. This suggests that 318 distinct transfer paths of PACs coexist in this river: the PACs associated to particulate matter with a quite 319 homogeneous molecular signature assigned to combustion corresponding to diffuse pollution in the catchment and 320 the PACs associated to colloidal and fine matter with a more variable molecular signature that could be assigned to 321 petrogenic contribution and could enter the river as a point-source during specific hydrological events.

322

#### 323 Conclusions

Filtration on glass fiber filters (0.7 μm), the most commonly used technique, is easy to handle, inexpensive, adapted to any field context and the separation between particulate and dissolved matter is based on particle size. In this study, we showed that this method might collect colloidal and fine matter that can significantly affect the amount of PACs measured in the SPM fraction inducing higher concentrations and distributions enriched in low molecular compounds. These differences were not systematic over the two-year period of our investigation in a small industrial river system. On the contrary, the second sampling technique we tested on the same samples, CFC, provided SPM a

330 large amount of SPM collected out of important volumes of water (500 L) with PAC concentrations quite stable from 331 one site to another and from one hydrological condition to another. PAC distributions were dominated by medium to 332 high molecular weight compounds that allowed to calculate various diagnostic molecular ratios easier to interpret 333 than with FT where the poor abundance of HMW PAC limited the interpretation of molecular ratios. Although 334 filtration presents numerous advantages to collect SPM, one must be very careful in the interpretations of some 335 variations that can also be attributed to the retention of some colloidal and fine matter, enriched in low molecular 336 PACs, especially during high flow events. On the other hand, this allows to access to supplemental information on 337 the nature of PACs transported by fine and colloidal matter. Thus, according to the sampling method, evaluation of 338 PAC distribution between dissolved and particulate phase can be appreciably different. These results suggest that the 339 choice of a SPM collection method is fundamental to comply with the objectives that one can defined for the 340 monitoring of surface waters.

341

#### 342 Acknowledgements

The authors would like to thank Long-Term Ecosystem Research (LTER) France, Agence Nationale de la Recherche (ANR) project number ANR-14-CE01-0019, RésEAU LorLux and Region Lorraine through the research network of Zone Atelier Moselle (ZAM) for partially funding the work, the Syndicat de Valorisation des Eaux de l'Orne (SVEO) and the city of Moyeuvre for granting us access to the sampling sites. We thank ERASMUS MUNDUS for funding the PhD of M. Abuhelou. The final manuscript was also improved by the valuable suggestions of four reviewers.

349

350


#### 351 References

- Ademollo N, Patrolecco L, Polesello S, et al (2012) The analytical problem of measuring total concentrations of
- organic pollutants in whole water. TrAC Trends Anal Chem 36:71 81. doi:
- 354 http://dx.doi.org/10.1016/j.trac.2012.01.008
- Bamford HA, Baker JE (2003) Nitro-polycyclic aromatic hydrocarbon concentrations and sources in urban and
- suburban atmospheres of the Mid-Atlantic region. Atmos Environ 37:2077 2091. doi:
- 357 http://dx.doi.org/10.1016/S1352-2310(03)00102-X
- 358 Bates TS, Hamilton SE, Cline JD (1983) Collection of Suspended Particulate Matter for Hydrocarbon Analyses:
- 359 Continuous Flow Centrifugation vs. Filtration. DEstuarine Coast Shelf Sci 16:107–112.
- Biache C, Mansuy-Huault L, Faure P, et al (2008) Effects of thermal desorption on the composition of two coking
   plant soils: Impact on solvent extractable organic compounds and metal bioavailability. Environ Pollut 156:671–677.
- **362** doi: 10.1016/j.envpol.2008.06.020
- Biache C, Ouali S, Cébron A, et al (2017) Bioremediation of PAH-contamined soils: Consequences on formation and
- degradation of polar-polycyclic aromatic compounds and microbial community abundance. J Hazard Mater 329:1 –
   10. doi: https://doi.org/10.1016/j.jhazmat.2017.01.026
- Bianchi TS, Wysocki LA, Stewart M, et al (2007) Temporal variability in terrestrially-derived sources of particulate
  organic carbon in the lower Mississippi River and its upper tributaries. Geochim Cosmochim Acta 71:4425 4437.
  doi: http://dx.doi.org/10.1016/j.gca.2007.07.011
- 369 Chiffre A, Degiorgi F, Morin-Crini N, et al (2015) PAH occurrence in chalk river systems from the Jura region
- 370 (France). Pertinence of suspended particulate matter and sediment as matrices for river quality monitoring. Environ
  371 Sci Pollut Res 22:17486–17498. doi: 10.1007/s11356-015-4897-5
- 372 Countway RE, Dickhut RM, Canuel EA (2003) Polycyclic aromatic hydrocarbon (PAH) distributions and
- associations with organic matter in surface waters of the York River, {VA} Estuary. Org Geochem 34:209 224.
  doi: http://dx.doi.org/10.1016/S0146-6380(02)00162-6
- 375 Cousins IT, Beck AJ, Jones KC (1999) A review of the processes involved in the exchange of semi-volatile organic
- 376 compounds (SVOC) across the air-soil interface. Sci Total Environ 228:5 24. doi:
- 377 http://dx.doi.org/10.1016/S0048-9697(99)00015-7
- 378 Deng H, Peng P, Huang W, Song J (2006) Distribution and loadings of polycyclic aromatic hydrocarbons in the
- 379 Xijiang River in Guangdong, South China. Chemosphere 64:1401 1411. doi:
- 380 http://dx.doi.org/10.1016/j.chemosphere.2005.12.027
- 381 El-Mufleh A, Béchet B, Basile-Doelsch I, et al (2014) Distribution of PAHs and trace metals in urban stormwater
- sediments: combination of density fractionation, mineralogy and microanalysis. Environ Sci Pollut Res 21:9764–
   9776. doi: 10.1007/s11356-014-2850-7
- Fernandes MB, Sicre M-A, Boireau A, Tronczynski J (1997) Polyaromatic hydrocarbon (PAH) distributions in the
   Seine River and its estuary. Mar Pollut Bull 34:857 867. doi: http://dx.doi.org/10.1016/S0025-326X(97)00063-5
- Foster GD, Jr ECR, Gruessner B, Velinsky DJ (2000) Hydrogeochemistry and transport of organic contaminants in
   an urban watershed of Chesapeake Bay (USA). Appl Geochem 15:901 915. doi: http://dx.doi.org/10.1016/S0883 2927(99)00107-9
- 389 Gocht T, Ligouis B, Hinderer M, Grathwohl P (2007) Accumulation of polycyclic aromatic hydrocarbons in rural

- soils based on mass balances at the catchment scale. Environ Toxicol Chem 26:591–600. doi: 10.1897/06-287R.1
- 391 Gomez-Gutierrez A, Jover E, Bayona JM, Albaigès J (2007) Influence of water filtration on the determination of a
- wide range of dissolved contaminants at parts-per-trillion levels. Anal Chim Acta 583 2007 583:202–209.
- Heemken PO, Stachel B, Theobald N, Wenclawiak WB (2000) Temporal Variability of Organic Micropollutants in
- 394 Suspended Particulate Matter of the River Elbe at Hamburg and the River Mulde at Dessau, Germany. Arch Environ
- **395** Contam Toxicol 38:11–31. doi: 10.1007/s002449910003
- Keith L, Telliard W (1979) ES&T Special Report: Priority pollutants: I-a perspective view. Environ Sci Technol
   13:416–423. doi: 10.1021/es60152a601
- 398 Kochany J, Maguire RJ (1994) Abiotic transformations of polynuclear aromatic hydrocarbons and polynuclear
- aromatic nitrogen heterocycles in aquatic environments. Sci Total Environ 144:17 31. doi:
- 400 http://dx.doi.org/10.1016/0048-9697(94)90424-3
- 401 Ko F-C, Baker JE (2004) Seasonal and annual loads of hydrophobic organic contaminants from the Susquehanna
- 402 River basin to the Chesapeake Bay. Mar Pollut Bull 48:840 851. doi:
- 403 http://dx.doi.org/10.1016/j.marpolbul.2003.10.014
- Le Meur M, Mansuy-Huault L, Lorgeoux C, et al (2017) Spatial and temporal variations of Particulate Organic
   Matter from Moselle River and tributaries: A multimolecular investigation.
- 406 Le Meur M, Montargès-Pelletier E, Bauer A, et al (2015) Characterization of suspended particulate matter in the
- Moselle River (Lorraine, France): evolution along the course of the river and in different hydrologic regimes. J Soils
  Sediments 1–18. doi: 10.1007/s11368-015-1335-8
- 409 Lundstedt S, Bandowe BAM, Wilcke W, et al (2014) First intercomparison study on the analysis of oxygenated
- polycyclic aromatic hydrocarbons (oxy-PAHs) and nitrogen heterocyclic polycyclic aromatic compounds (N-PACs)
   in contaminated soil. TrAC Trends Anal Chem 57:83 92. doi: http://dx.doi.org/10.1016/j.trac.2014.01.007
- 412 Lundstedt S, White PA, Lemieux CL, et al (2007) Sources, fate, and toxic hazards of oxygenated polycyclic aromatic
- 413 hydrocarbons (PAHs) at PAH-contaminated sites. AMBIO 36:475–485. doi: 10.1579/0044-
- 414 7447(2007)36[475:SFATHO]2.0.CO;2
- Luo J, Ma M, Liu C, et al (2009) Impacts of particulate organic carbon and dissolved organic carbon on removal of
- 416 polycyclic aromatic hydrocarbons, organochlorine pesticides, and nonylphenols in a wetland. J Soils Sediments
  417 9:180–187. doi: 10.1007/s11368-009-0081-1
- 418 Maioli OLG, Rodrigues KC, Knoppers BA, Azevedo DA (2011) Distribution and sources of aliphatic and polycyclic
   419 aromatic hydrocarbons in suspended particulate matter in water from two Brazilian estuarine systems. Cont Shelf
- 420 Res 31:1116 1127. doi: http://dx.doi.org/10.1016/j.csr.2011.04.004
- 421 Mitra S, Bianchi TS (2003) A preliminary assessment of polycyclic aromatic hydrocarbon distributions in the lower
- 422 Mississippi River and Gulf of Mexico. Mar Chem 82:273 288. doi: http://dx.doi.org/10.1016/S0304-
- 423 4203(03)00074-4
- Morrison MA, Benoit G (2001) Filtration Artifacts Caused by Overloading Membrane Filters. Environ Sci Technol
   35:3774–3779. doi: 10.1021/es010670k
- 426 Patrolecco L, Ademollo N, Capri S, et al (2010) Occurrence of priority hazardous PAHs in water, suspended
- 427 particulate matter, sediment and common eels (Anguilla anguilla) in the urban stretch of the River Tiber (Italy).

- 428 Chemosphere 81:1386 1392. doi: http://dx.doi.org/10.1016/j.chemosphere.2010.09.027
- 429 Qiao M, Qi W, Liu H, Qu J (2014) Oxygenated, nitrated, methyl and parent polycyclic aromatic hydrocarbons in
- 430 rivers of Haihe River System, China: Occurrence, possible formation, and source and fate in a water-shortage area.
- 431 Sci Total Environ 481:178 185. doi: http://dx.doi.org/10.1016/j.scitotenv.2014.02.050
- 432 Ran Y, Fu JM, Sheng GY, et al (2000) Fractionation and composition of colloidal and suspended particulate
- 433 materials in rivers. Chemosphere 41:33 43. doi: http://dx.doi.org/10.1016/S0045-6535(99)00387-2
- 434 Rossé P, Vignati D, Dominik J (2006) Effects of continuous flow centrifugation on measurements of trace elements
- 435 in river water: intrinsic contamination and particle fragmentation. Hydrol Process 20:2745–2754. doi:
- 436 10.1002/hyp.6064
- 437 Siemers A-K, Mänz JS, Palm W-U, Ruck WKL (2015) Development and application of a simultaneous SPE-method
- 438 for polycyclic aromatic hydrocarbons (PAHs), alkylated PAHs, heterocyclic {PAHs} (NSO-HET) and phenols in
- 439 aqueous samples from German Rivers and the North Sea. Chemosphere 122:105 114. doi:
- 440 http://dx.doi.org/10.1016/j.chemosphere.2014.11.022
- 441 Sun J-H, Wang G-L, Chai Y, et al (2009) Distribution of polycyclic aromatic hydrocarbons (PAHs) in Henan Reach
- 442 of the Yellow River, Middle China. Ecotoxicol Environ Saf 72:1614 1624. doi:
- 443 http://dx.doi.org/10.1016/j.ecoenv.2008.05.010
- Tsapakis M, Stephanou EG (2007) Diurnal Cycle of PAHs, Nitro-PAHs, and oxy-PAHs in a High Oxidation
  Capacity Marine Background Atmosphere. Environ Sci Technol 41:8011–8017. doi: 10.1021/es071160e
- Wang X, Yuan K, Chen B, et al (2016) Monthly variation and vertical distribution of parent and alkyl polycyclic
  aromatic hydrocarbons in estuarine water column: Role of suspended particulate matter. Environ Pollut 216:599 –
- 448 607. doi: http://dx.doi.org/10.1016/j.envpol.2016.06.018
- Wölz J, Fleig M, Schulze T, et al (2010) Impact of contaminants bound to suspended particulate matter in the context
  of flood events. J Soils Sediments 10:1174–1185. doi: 10.1007/s11368-010-0262-y
- Zhang L, Zhang J, Gong M (2009) Size distributions of hydrocarbons in suspended particles from the Yellow River.
  Appl Geochem 24:1168 1174. doi: http://dx.doi.org/10.1016/j.apgeochem.2008.12.033
- 453 Zheng B, Wang L, Lei K, Nan B (2016) Distribution and ecological risk assessment of polycyclic aromatic
- 454 hydrocarbons in water, suspended particulate matter and sediment from Daliao River estuary and the adjacent area,
- 455 China. Chemosphere 149:91 100. doi: http://dx.doi.org/10.1016/j.chemosphere.2016.01.039
- 456 Zhou JL, Fileman TW, Evans S, et al (1999) The partition of fluoranthene and pyrene between suspended particles
- 457 and dissolved phase in the Humber Estuary: a study of the controlling factors. Sci Total Environ 243–244:305 321.
- 458 doi: http://dx.doi.org/10.1016/S0048-9697(99)00404-0

459



**Fig. 1** Lower part of the Orne River catchment, showing the five selected sampling sites and the land cover and use (Map source: CORINE Land Cover, 2012).




Fig. 2 Grain size distribution deciles (d10, d50 and d90) of raw waters measured for the campaigns from November 2014 to May 2016.






Fig. 3 Box plots of  $\Sigma$ PAH, and  $\Sigma$ O-PAC concentrations in SPM<sub>CFC</sub> (a) and (c) and in SPM<sub>FT</sub> (b) and (d) for all samples. The boundaries of the box indicate the 25th and 75th percentiles; the line within the box marks the median; the + is the mean value; and values on the top and bottom of the box indicate the minimum and maximum of the distribution.




Sampling campaigns


**Fig. 4** Comparison of the ratios of PAH content in  $SPM_{FT}$  over PAH content in  $SPM_{CFC}$  (a) and of polar PAC content (11 O-PACs+ 5 N-PACs) in  $SPM_{FT}$  over polar PAC content in  $SPM_{CFC}$  (b) for each sample of the campaigns.




**Fig. 5** Ratios of individual PAH concentration in  $\text{SPM}_{\text{FT}}$  over their concentration in  $\text{SPM}_{\text{CFC}}$  plotted against the log  $K_{ow}$  of these PAHs. Black circles represent the campaigns of November 2014, February 2015 and May-June 2016, and white circles represent the other sampling campaigns.



**Fig. 6** Ant/(Ant+Phe) vs Flt/(Flt+Pyr) diagnostic ratios calculated in SPM<sub>CFC</sub> and SPM<sub>FT</sub>. Dashed lines represent the limits of petrogenic/ pyrogenic domains after Yunker et al. (2002)



**BETH SPM**<sub>CFC</sub>






Fig. 7 Distributions of PAHs in  $\mu g g^{-1}$  in (a) SPM<sub>FT In-CFC</sub> (b) the SPM<sub>CFC</sub>, (c) the SPM<sub>FT Out-CFC</sub>

Date	May	2014	]	Nov 201	4		Feb 2015	5		May	2015		Oct	2015	May	2016	June 2016
Site	JOAB	BETH	BARB	JOAB	BETH	AUB	BARB	BETH	AUB	JOAB	BETH	RICH	AUB	RICH	AUB	RICH	BETH
Water discharge (m <sup>3</sup> s <sup>-1</sup> )	1.5	1.4	22.4	22.4	50.5	49.4	49.2	49.4	23.5	11.2	11.2	23.5	1.5	1.5	120.0	120.0	29.5
Temperature (°C)	16.6	15.2	12.0	12.0	11.7	3.4	2.9	3.8	15.4	18.0	17.7	17.0	12.8	12.8	14.0	15.1	18.7
Turbidity (NTU)	1.8	2.1	19.7	24.6	108.8	35.3	31.7	34.3	37.7	35.4	33.7	29.6	2.2	2.2	93.4	94.0	56.7
EC ( $\mu$ S cm <sup>-1</sup> )	1039	1019	904	845	548	535	574	594	563	617	616	697	710	710	358	405	521
SPM content (mg L <sup>-1</sup> )	4.3	5.9	40.2	32.4	121.6	39.3	34.5	32.5	36.1	38.0	32.2	25.6	1.8	1.8	80.6	90.2	32.6
d50 (µm)	nd	nd	15.1	14.9	11.3	5.4	4.9	5.2	9.5	10.0	7.7	13.7	9.6	15.5	7.9	11.3	nd
POC (%)	6.9	12.5	5.4	3.9	3.3	3.3	3.1	3.2	4.2	4.8	4.9	5.8	nd	nd	3.3	4.2	3.5
$DOC (mg L^{-1})$	5.2	4.7	4.4	4.5	10.9	6.5	6.7	6.5	11.3	9.1	8.3	9.9	9.6	4.3	9.2	8.4	8.7

Table 1 Physical-chemical parameters at each sampling campaigns: daily integrated water discharge ( $m^3 s^{-1}$ ) (taken from the hydrometric station in Moyeuvre-Grande for May and November 2014 and calculated from the continuous recorded water level values at BETH for the campaigns of 2015 and 2016), temperature (°C), turbidity (NTU), electric conductivity EC ( $\mu$ S cm<sup>-1</sup>) measured on site and SPM concentration (mg L<sup>-1</sup>), decile 50 of the grain size distribution (d50 in  $\mu$ m), DOC (mg L<sup>-1</sup>), POC (% of SPM content) measured at the lab.

Date	May	2014	]	Nov 201	4		Feb 201	5		May	2015		Oct	2015	May	2016	June 2016
Site	JOAB	BETH	BARB	JOAB	BETH	AUB	BARB	BETH	AUB	JOAB	ветн	RICH	AUB	RICH	AUB	RICH	BETH
PACs in SPM <sub>CFC</sub>																	
Σ 16PAHs (µg g <sup>-1</sup> )	27.69	3.99	6.07	5.38	5.25	2.54	3.72	5.08	2.45	3.77	3.36	3.74	5.17	7.03	2.01	4.20	3.56
$\Sigma$ O-PACs (µg g- <sup>1</sup> )	2.66	1.09	0.91	0.91	0.68	0.19	0.12	0.42	0.51	0.96	0.95	1.1	2.48	3.76	0.09	0.00	0.13
$\Sigma$ N-PACs (µg g <sup>-1</sup> )	0.43	0.9	0.09	0.2	0.06	0.03	<lq< td=""><td>0.05</td><td><lq< td=""><td>0.04</td><td>0.03</td><td>0.04</td><td>0.10</td><td>0.30</td><td>0.18</td><td>0.10</td><td>0.12</td></lq<></td></lq<>	0.05	<lq< td=""><td>0.04</td><td>0.03</td><td>0.04</td><td>0.10</td><td>0.30</td><td>0.18</td><td>0.10</td><td>0.12</td></lq<>	0.04	0.03	0.04	0.10	0.30	0.18	0.10	0.12
$\Sigma$ All PACs (µg g <sup>-1</sup> )	30.77	5.99	7.07	6.49	5.98	2.76	3.84	5.55	2.96	4.77	4.35	4.88	7.75	11.09	2.28	4.30	3.81
Ant/(Ant+Phe)	0.15	0.18	0.24	0.3	0.37	0.21	0.18	0.15	0.32	0.32	0.34	0.36		0.07		0.20	0.20
Flt/(Flt+Pyr)	0.66	0.6	0.57	0.56	0.56	0.57	0.58	0.62	0.54	0.56	0.55	0.56	0.53	0.51	0.56	0.56	0.56
BaA/(BaA+Ch)		0.52	0.53	0.53	0.54	0.56	0.57	0.57	0.5	0.52	0.52	0.53	0.49	0.49	0.46	0.50	0.50
IP/(IP+Bghi)		0.63	0.55	0.55	0.57	0.6	0.62	0.62	0.52	0.53	0.54	0.54	0.55	0.52	0.51	0.51	0.51
2-3 ring PAHs (%)	85%	50%	20%	19%	14%	19%	36%	43%	9%	13%	11%	12%	21%	29%	13%	14%	16%
3-rings O-PACs (%)	100%	46%	34%	31%	15%	42%	100%	74%	36%	22%	20%	20%	21%	29%	100%		100%
PACs in SPM <sub>FT</sub>																	
Σ 16PAHs (µg g <sup>-1</sup> )	31.24	19.78	7.18	10.26	10.97	23.53	25.37	34.43	1.3	1.34	1.77	2.58	23.77	13.64	18.44	25.98	39.06
$\Sigma$ O-PACs (µg g- <sup>1</sup> )	3.25	0.89	0.94	0.97	0.72	2.55	3.36	3.73	0.09	0.19	<lq< td=""><td>0.11</td><td>3.30</td><td>5.43</td><td>1.89</td><td>4.07</td><td>3.93</td></lq<>	0.11	3.30	5.43	1.89	4.07	3.93
$\Sigma$ N-PACs (µg g <sup>-1</sup> )	1.78	29.41	0.12	0.11	0.12	0.11	0.26	0.14	0.16	0.23	<lq< td=""><td>0.45</td><td><lq< td=""><td><lq< td=""><td><lq< td=""><td><lq< td=""><td>0.15</td></lq<></td></lq<></td></lq<></td></lq<></td></lq<>	0.45	<lq< td=""><td><lq< td=""><td><lq< td=""><td><lq< td=""><td>0.15</td></lq<></td></lq<></td></lq<></td></lq<>	<lq< td=""><td><lq< td=""><td><lq< td=""><td>0.15</td></lq<></td></lq<></td></lq<>	<lq< td=""><td><lq< td=""><td>0.15</td></lq<></td></lq<>	<lq< td=""><td>0.15</td></lq<>	0.15
$\Sigma$ All PACs (µg g <sup>-1</sup> )	36.27	50.08	8.24	11.34	11.81	26.2	28.98	38.3	1.55	1.77	1.77	3.14	27.07	19.07	20.33	30.05	43.14
Ant/(Ant+Phe)	0.07		0.15	0.1	0.13	0.12	0.15	0.11					0.06	0.17	0.09	0.11	0.09
Flt/(Flt+Pyr)	0.53	0.59	0.6	0.62	0.61	0.65	0.56	0.61	0.58			0.57	0.58	0.61	0.59	0.53	0.52
BaA/(BaA+Ch)			0.55	0.6	0.59				0.59			0.59			0.59	0.54	0.59
IP/(IP+Bghi)			0.55	0.57	0.62		0.65	0.56	0.61			0.6			0.57	0.52	0.56
2-3 ring PAHs (%)	57%	33%	28%	31%	34%	79%	74%	84%	7%	25%	28%	24%	70%	55%	49%	49%	40%
3-ring O-PACs (%)	100%	100%	52%	63%	90%	96%	96%	100%	100%	100%		100%	100%	100%	100%	89%	100%

Table 2 PAC concentrations in SPM<sub>CFC</sub> and SPM<sub>FT</sub> (µg g<sup>-1</sup> dw) and molecular ratios of PACs. <LQ: under the limit of quantification.

Sample name		SPM content (mg L <sup>-1</sup> )	Σ16PAHs EPA	ΣO-PACs	ΣAllPACs
	$SPM_{FT\ In-\ CFC}$	83.14	18.44	1.89	20.33
AUB May 2016	SPM <sub>CFC</sub>		2.01	0.09	2.28
	SPM <sub>FT Out-CFC</sub>	17.96	16.71	5.30	22.00
	SPM <sub>FT In-CFC</sub>	94.60	25.98	4.07	30.05
RICH May 2016	SPM <sub>CFC</sub>		4.20	0.00	4.30
	SPM <sub>FT Out-CFC</sub>	16.84	26.67	4.00	30.67
	SPM <sub>FT In-CFC</sub>	23.47	39.06	3.93	43.14
BETH June 2016	SPM <sub>CFC</sub>		3.56	0.13	3.81
	SPM <sub>FT Out-CFC</sub>	4.67	89.76	18.01	107.77

Table 3 PAC concentrations in  $\mu g g^{-1}$  in the SPM<sub>CFC</sub> and in the SPM collected by filtration of the waters entering the CFC (SPM<sub>FT In-CFC</sub>) and of the waters collected at the outlet of the CFC (SPM<sub>FT Out-CFC</sub>). This campaign was performed at AUB, RICH and BETH in May-June 2016.

Authors	River	Sampling collection	<b>Particulate</b> <b>PAHs</b> (μg g <sup>-1</sup> )	LMW2-3 /HMW4-6
Chiffre et al 2015	Rivière Jura	Sediment trap	0.75-2.50	0.1-0.16
Wölz et al 2010	Neckars and Rhine	CFC	1.00-5.00	0.08-0.1
Le Meur et al 2017	Moselle River	CFC	2.00-8.00	0.06-0.36
Countway et al 2003	York River	Glass-fiber filters 1µm pressurized filtration	0.23-1.03	0.05-0.31
Ko and Baker 2004	Susquehanna River, USA	Glass-fiber filters 1 µm pressurized filtration	3.00-9.00	0.20
Mitra and Bianchi 2003	Mississippi	Glass-fiber filters 0.7µm	0.065-7.00	0.002-0.006
Sun et al 2009	Yellow River	Glass-fiber filters 0.7µm	0.500-10.50	0.1-1.3
Maioli et al 2011	Brasilian estuaries	Glass-fiber filters 1.2 µm	0.170-1.80	0.05-2.63
Deng et al 2006	Xijiang River, South China	Glass-fiber filters	0.04-0.66	0.59-2.49
Luo et al. 2004	Pearl River Estuary, China	Glass-fiber filters 0.7µm	1.80-89.00	0.87-4.8
Guo et al. 2007	Daliao River, China	PFFE - 0.45 μm	0.3-239	0.02-25
This study	Orne River, France	Glass-fiber filters 0.7µm	1.30-39.06	0.1-5.25
This study	Orne River, France	CFC	2.01-7.03	0.1-0.98

 Table 4 Comparison of PAH concentrations and LMW/HMW ratios in SPM according to the sampling methods, data extracted from literature.

S1: Analyzed compounds with their corresponding Internal standard compounds and specific ions selected for quantification and their limit of quantification (LOQ) associated calculated for 1 mg sample.

Internal Standard [m/z]	Compound [m/z]	LOQ (µg g <sup>-1</sup> )
РАН	•	
[ <sup>2</sup> H <sub>8</sub> ]Naphtalene [136]	Naphtalene [128]	0.12
[ <sup>2</sup> H <sub>10</sub> ]Acenaphtylene [164]	Acenaphtylene [152]	0.12
	Acenaphthene [153]	0.12
	Fluorene [166]	0.06
[ <sup>2</sup> H <sub>10</sub> ]Phenanthrene [188]	Phenanthrene [178]	0.06
	Anthracene [178]	0.06
[ <sup>2</sup> H <sub>10</sub> ]Pyrene [212]	Fluoranthene [202]	0.06
	Pyrene [202]	0.06
[ <sup>2</sup> H <sub>12</sub> ]Chysene [240]	Benz[a]anthracene [228]	0.06
	Chrysene [228]	0.06
	Benzo[b]fluoranthene [252]	0.06
	Benzo[k]fluoranthene [252]	0.06
[ <sup>2</sup> H <sub>12</sub> ]Perylene [264]	Benzo[a]pyrene [252]	0.06
	Perylene [252]	0.06
	Indeno[1,2,3-c,d]pyrene [276]	0.06
	Dibenzo(ah)anthracene [278]	0.12
	Benzo[ghi]perylene [276]	0.06
O-PAC	•	
[ <sup>2</sup> H <sub>10</sub> ]Acenaphtylene [164]	Dibenzofuran [168]	0.06
[ <sup>2</sup> H <sub>8</sub> ]9HFluorenone [188]	9H-fluorenone [180]	0.06
	Perinaphtenone [152]	0.12
	Anthraquinone [208]	0.06
	Cyclopenta(def)phenanthrone[204]	0.12
[ <sup>2</sup> H <sub>10</sub> ]Pyrene [212]	Methylanthracene-9.10-dione [165]	0.12
	Benzo(a)fluorenone [230]	0.12
<sup>[2</sup> H <sub>12</sub> ]Chysene [240]	Benzanthrone [258]	0.06
	Benzoanthracenedione [258]	0.06
	Naphtacene-5.12-dione [228]	0.06
	Benzo(cd)pyrenone [254]	0.12
N-PAC		0.112
[ <sup>2</sup> H <sub>7</sub> ]Quinoline [136]	Quinoline [129]	0.12
<sup>[2</sup> H <sub>8</sub> ]9HFluorenone [188]	Benzo(h)quinoline [179]	0.06
	Acridine [179]	0.06
	Carbazole [167]	0.06
[ <sup>2</sup> H <sub>10</sub> ]Pyrene [212]	Benzo(c)acridine [229]	0.06
[ 11]0]1 yiene [212]	Nitropyrene []	0.12
	Micropyrelle []	0.12

S2: Recoveries of external standards. Average and standard deviations evaluated for 34 samples (CFC and FT).

External Standard [m/z]	Mean ± SD (%)
[ <sup>2</sup> H <sub>8</sub> ]Dibenzofuran [176]	83.6 ± 17.0
[ <sup>2</sup> H <sub>10</sub> ]Fluorene [176]	93.5 ± 13.1
[ <sup>2</sup> H <sub>10</sub> ]Anthracene [188]	91.8 ± 12.0
[ <sup>2</sup> H <sub>8</sub> ]Anthraquinone [216]	77.9 ± 17.6
[ <sup>2</sup> H <sub>10</sub> ]Fluoranthène [212]	92.5 ± 12.4
[ <sup>2</sup> H <sub>12</sub> ] Benzo[ghi]perylene [288]	94.5 ± 16.8