

Tomographic reconstruction of COMPASS tokamak edge turbulence from single visible camera data and automatic turbulence stucture tracking

Jordan Cavalier, Nicolas Lemoine, F. Brochard, Vladimir Weinzettl, Jakub Seidl, Scott Silburn, Patrick Tamain, Renaud Dejarnac, Jiri Adamek,
Radomir Panek

▶ To cite this version:

Jordan Cavalier, Nicolas Lemoine, F. Brochard, Vladimir Weinzettl, Jakub Seidl, et al.. Tomographic reconstruction of COMPASS tokamak edge turbulence from single visible camera data and automatic turbulence stucture tracking. 3rd European Conference on Plasma Diagnostics, May 2019, Lisbon, Portugal. hal-02372093

HAL Id: hal-02372093 https://hal.univ-lorraine.fr/hal-02372093v1

Submitted on 20 Nov 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Tomographic reconstruction of COMPASS tokamak edge turbulence from single visible camera data and automatic turbulence stucture tracking

J. Cavalier^{1,2}, N. Lemoine², F. Brochard², V. Weinzettl¹, J. Seidl¹, S. Silburn³, P. Tamain⁴, R. Dejarnac¹, J. Adamek¹ and R. Panek¹

¹Institute of Plasma Physics of the CAS, Prague, Czech Republic ²Institut Jean Lamour IJL, Université de Lorraine, Vandœuvre-lès-Nancy, France ³CCFE, Culham Science Centre, Abingdon, Oxon, OX14 3DB, United Kingdom ⁴CEA, IRFM, F-13108 Saint-Paul-lèz-Durance, France

Contact: cavalier@ipp.cas.cz

Poster based on [Cavalier et al. 2019 Nucl. Fusion 59 056025]

A. MOTIVATION

- Importance of turbulence in fusion devices
- Hard to diagnose scrape-of-layer (high fluxes)
- Optical diagnostics popular → visible camera
- Light coming from interaction neutral/plasma

- Gas-puff imaging to have 2D poloidal section • Not passive diagnostic → perturbation [1]
- Tomography with one camera
- Light coming from neutral **naturally present** in vessel
- Passive diagnostic
- Just need 1 window + 1 camera

B. TOMOGRAPHIC TECHNIQUE [3,4]

Different from SVD or least-squre methods

Goal is to retrieve from a picture I_0 the plasma emissivity S_0 :

$$I_0(x,y) = \int_{s_c}^{+\infty} S_0(\psi(s_{xy}), \theta(s_{xy}), \varphi(s_{xy})) ds_{xy}$$

 ψ is a flux coordinate, θ a poloidal coordinate and ϕ the toroidal angle

3D (space) to 2D (camera chip) problem \rightarrow Assume constant emissivitiy along B $S_0(\Psi,\theta,\phi) \rightarrow S_0(\Psi,\theta)$

• At ϕ_r , discretize the poloidal plane so that for ψ_{λ} an orthogonal basis:

$$S_0 = \sum_{\lambda=1}^{N_{\lambda}} s_{\lambda} \psi_{\lambda} = \sum_{\lambda=1}^{N_{\lambda}} \langle \psi_{\lambda} | S_0 \rangle \psi_{\lambda} \qquad \rightarrow \qquad I_0 = K S_0 = \sum_{\lambda=1}^{N_{\lambda}} s_{\lambda} K \psi_{\lambda},$$

• Assuming K is inversible and taking advantage of the adjoint K*: $\langle Ka|b\rangle = \langle a|K^*b\rangle$ we define

$$K\psi_{\lambda} = \kappa_{\lambda}\chi_{\lambda}$$

 $K^*\xi_{\lambda} = \kappa_{\lambda}\psi_{\lambda}$ With k_{λ} such that $||\xi_{\lambda}||=1$

• From the previous equations and since the ψ_{λ} is an orthogonal basis, it follows that:


$$S_0 = \sum_{\lambda=1}^{N_{\lambda}} \langle I_0 | \xi_{\lambda} \rangle \, \kappa_{\lambda}^{-1} \psi_{\lambda}$$


$$S_0 = \sum_{\lambda=1}^{N_{\lambda}} \langle I_0 | \xi_{\lambda} \rangle \, \kappa_{\lambda}^{-1} \psi_{\lambda}$$
 and $\langle \xi_{\lambda} | \chi_{\lambda'} \rangle = \begin{cases} 1 & \text{if } \lambda = \lambda' \\ 0 & \text{otherwise} \end{cases}$

C. EXPERIMENTAL SETUP


<u>Camera details:</u>

- 12 bits SA-X2 photron camera
- CMOS sensor 20x20 µm²
- 270 kfps, 128x144 pixels, 2.1 µs
- Mostly Dα
- Resolution 0.4 mm at 28 cm






Data from COMPASS #15487 \sim 1150 ms L-mode n_e=3.10¹⁹ m⁻³ I_n=180 kA



Median filter calculated over 10 frames. Gaussian filter with 5 pixels standard deviation

Resulting image for comparison **D. VALIDATION** Original picture a) b) 0.15 0.1100 100 -0.1 0.05 **Academic case** 120 120 20 60 100 20 60 100 synthetic filament Reconstructed plane before denoising Reconstructed plane after denoising d) c) + noise -0.15 0.5 -0.2 -0.1 0.6 0.65 0.7 0.6 0.65 0.7 r (m) r (m)

- Validated using data from **TOKAM3X** [2]: emissivity slowly varying along B lines
- Experimental validation by correlation between 10000 images reconstruction and Isat measurement with **Langmuir probes** in the divertor:




E. STRUCTURE TRACKING


100


120

Example of blob evolution: $T_0=1150 \text{ ms} \rightarrow \text{tracking by } TRACK \text{ software } [4]$



• Complex turbulent dynamic: 626 positive structures tracked at least 5 images






TRACK provides positions, velocities, size, aspect ratio \rightarrow lot of infos and great statistics

CONCLUSION

- No pertubations
- No need to install in-vessel gas-puff
- Good alternative to GPI
- - **BUT**
- Lower signal to noise ratio than GPI
- No control on neutral influx



YOUTH AND SPORTS

 Compare statistics from this method and from standard GPI

V, (m/s) in the box

REFERENCES [1] S. J. Zweben et al. Review of Scientific Instruments 88 041101 2017. [2] Jordan Cavalier *et al.* 2019 Nucl. Fusion 59 056025 (16p) [3] Nguyen Van Yen et al. 2012 Nuclear Fusion, **52** 013005 (11p) [4] Track software. http://www.aprex-solutions.com/







