





Session 6 Biodiversity in urban soils: threats and opportunities


















What are soil invertebrates?

HIGH TAXONOMICAL BIODIVERSITY

Macro-invertebrates > 2mm



Mesoinvertebrates 0.2 << 2mm








Which roles played by soil invertebrates?

HIGH **FUNCTIONAL BIODIVERSITY**



Functional processes

Regulation

Degradation & Mineralization


Soil structuration

Coleman et al., 2004 Lavelle *et al.*, 2006 Blouin et al., 2013



Which services supplied by soil invertebrates?

HIGH FUNCTIONAL BIODIVERSITY



Functional processes

Regulation

Degradation & Mineralization

Soil structuration

Ecosystem services

Support

nutrient cycle, soil formation


Regulation

production and consommation of greenhouse gas, organic matter storage

Production

water supply

Coleman *et al.*, 2004 Lavelle *et al.*, 2006 Blouin et al., 2013







TIME (communities dynamic (dispersion, competition)

Context

Usual driven factors of soil invertebrates communities






Bardgett, 2005 Global soil biodiv. Atlas, 2016



Usual driven factors of soil invertebrates communities





Scientific approach

What about the effect of unusual physical and chemical soil properties of urban soils on soil communities?

- Soil properties of urban soils:
 - Presence of natural and anthropogenic materials (e.g., bricks, asphalt, sand, pavements, and demolition wastes) (Morel et al., 2015)
 - Heterogeneous surface relief (microtopography) induces a mosaic of microhabitats evolving with time: patches of bare soils, litter or plant cover, big mounts of different contaminated or uncontaminated materials that could be poor or rich of nutrients, acidic or alkaline.



Scientific approach

What about the effect of unusual physical and chemical soil properties of urban soils on soil communities?

- Soil properties of urban soils:
 - Presence of natural and anthropogenic materials (e.g., bricks, asphalt, sand, pavements, and demolition wastes) (Morel et al., 2015)
 - Heterogeneous surface relief (microtopography) induces a mosaic of microhabitats evolving with time: patches of bare soils, litter or plant cover, big mounts of different contaminated or uncontaminated materials that could be poor or rich of nutrients, acidic or alkaline.
- In this way, from an ecological perspective,
 Urban Soils might provide a high level of biodiversity service because they offer a wide variety of habitats across time.


TIME EFFECT: ecosystem evolution



Examples of results: soil communities description in urban soils

In situ study of invertebrates communities of 9 polluted birch forests in France

Regulating service of polluted soils: biodiversity



Soils within Cities
Global approaches to their sustainable management
Editors M. J. Levin, K. H. J. Kim, J. J. Morel, W. Burghartt,
P. Charyrights, R. K. Shaw
IUSS Working Group SUITMA

green: control forest / red: spoil heap sites / blue: derelict queries gravel and sand orange: sludge pond / First axis: 25 % and second axis: 16 %; Monte Carlo test N = 1000 randomizations, p= 0.001

→ Difference of community structure for each type of Urban sites


Auclerc, 2017



Examples of results: soil communities description in urban soils

In situ study of invertebrates communities of 9 polluted birch forests in France

Regulating service of polluted soils: biodiversity



1.0

green: control forest / red: spoil heaps sites / blue: derelict queries gravel and sand orange: sludge pond / First axis: 25 % and second axis: 16 %; Monte Carlo test N = 1000 randomizations, p= 0.001

→ Impact of litter quality on soil community structure

Auclerc, 2017



Examples of results: soil communities description in urban soils

In situ study of detritivores in a polluted

forest (sludge pond)

Contents lists available at ScienceDirect

Science of the Total Environment

journal homepage: www.elsevier.com/locate/scitoteny





Litter chemistry prevails over litter consumers in mediating effects of past steel industry activities on leaf litter decomposition

CrossMark

Pierre Lucisine ^a, Antoine Lecerf ^b, Michaël Danger ^a, Vincent Felten ^a, Delphine Aran ^a, Apolline Auclerc ^c, Elisabeth M. Gross a Hermine Huot C. Jean-Louis Morel C. Serge Muller

Johanne Na





→ Adaptation of invertebrates to special abiotic features



Regulating service of polluted soils: biodiversity



Soil	Huot, 2013
pH	7.8 (0.1)
CEC (cmol ⁺ ·kg ⁻¹)	60.7 (3.7)
Carbonates $(mg g^{-1})$	90 (23)
Organic carbon (mg	146 (16)
g^{-1})	
Nitrogen (mg g ⁻¹)	9.3 (1.1)
Phosphorus $(mg g^{-1})$	3.1 (0.1)
Cadmium ($\mu g g^{-1}$)	73 (8)
Lead ($\mu g g^{-1}$)	15,560 (2209)
Zinc ($\mu g g^{-1}$)	19,540 (1915)

and its decomposition function



 Urban soils can serve as suitable model for integrated ecological studies of communities' assemblage theory across time or soil animals' adaptation to special abiotic features



- Urban soils can serve as suitable model for integrated ecological studies of communities' assemblage theory across time or soil animals' adaptation to special abiotic features
- But because of the complexity of soil biodiversity itself and the low number of below-ground organisms' investigations, (i) the study of Urban Sites as soil biodiversity refuges and (ii) the knowledge of the influence of predominant ecological factors on the colonization success of soil organisms, are still lacking



- Urban soils can serve as suitable model for integrated ecological studies of communities' assemblage theory across time or soil animals' adaptation to special abiotic features
- But because of the complexity of soil biodiversity itself and the low number of below-ground organisms' investigations, (i) the study of Urban Sites as soil biodiversity refuges and (ii) the knowledge of the influence of predominant ecological factors on the colonization success of soil organisms, are still lacking
 - **→** Work together to have more datas?

 In a context of an increasing awareness of soil biodiversity decline as ecosystems and World threat (Orgiazzi et al., 2016), the human pressure on biodiversity in the case of Urban Sites reclamation or in city plan has to be seriously investigated



In a context of an increasing awareness of soil biodiversity
decline as ecosystems and World threat (Orgiazzi et al., 2016),
the human pressure on biodiversity in the case of Urban Sites
reclamation or in city plan has to be seriously investigated
Today, a major question to answer is which services, Urban Sites
have to provide and how man can help the biodiversity provide
services through its conservation.



- In a context of an increasing awareness of soil biodiversity
 decline as ecosystems and World threat (Orgiazzi et al., 2016),
 the human pressure on biodiversity in the case of Urban Sites
 reclamation or in city plan has to be seriously investigated
 Today, a major question to answer is which services, Urban Sites
 have to provide and how man can help the biodiversity provide
 services through its conservation.
- Ecological engineering: use the adaptation of organisms to special features of Urban Soils for exploring the richness of using biodiversity in sites reclamation for a sustainable approach:


 Nature Based Solutions & Functional Biodiversity



Thanks for your attention

Questions?





9.2. Regulating services providedby urban soils9.2.3 Biodiversity p.213-220



apolline.auclerc@univ-lorraine.fr

And a poster....

A study of abiotic, biotic and functional parameters of six derelict soils in the north-east of France - towards a potential use of derelict soils as a ressource.

Q. Vincent et al.



Material and Methods

Sampling methods of soil invertebrates

