

EMPEROR-REDUCED COMMITTEES AND INVESTIGATORS

EXECUTIVE COMMITTEE

Milton Packer MD (Chair), Baylor Heart and Vascular Institute Dallas, TX, USA and Imperial College, London, UK

Stefan Anker MD (Co-Chair), Berlin Institute of Health Center for Regenerative Therapies (BCRT); Berlin, Germany

Javed Butler MD, University of Mississippi Medical Center, Jackson, Mississippi, USA

Gerasimos Filippatos MD, National and Kapodistrian University of Athens School of Medicine, Athens, Greece

Stuart Pocock PhD, London School of Hygiene and Tropical Medicine, London, UK

Faiez Zannad MD, Université de Lorraine, Inserm INI-CRCT, CHRU, Nancy, France

Joao Pedro Ferreira MD, Université de Lorraine, Nancy, France

Martina Brueckmann MD, Boehringer Ingelheim International, Ingelheim, Germany

Jyothis George MD, Boehringer Ingelheim International, Ingelheim, Germany

Waheed Jamal, MD, Boehringer Ingelheim International, Ingelheim, Germany

DATA MONITORING COMMITTEE

Francine K. Welty MD, PhD (DMC Chair), Harvard Medical School, Boston, MA, USA

Mike Palmer BSc. FSS Ph.D (Independent Statistician), N Zero 1 Ltd, Wilmslow, Cheshire, UK

Tim Clayton, MSc (DMC Statistician), London School of Hygiene and Tropical Medicine, London, UK

Klaus G. Parhofer MD (DMC Member), University of Munich, Munich, Germany

Terje R. Pedersen MD, Oslo University Hospital, Ullevål and University of Oslo, Oslo, Norway

Barry Greenberg MD, UC San Diego Medical Center, La Jolla, CA, USA

Marvin A. Konstam MD, Tufts University School of Medicine, Tufts Medical Center, Boston, MA, USA

Kennedy R. Lees MD, University Department of Medicine and Therapeutics, Western Infirmary, Glasgow, UK

CLINICAL EVENT AJUDICATION COMMITTEE

Peter Carson MD (Chairman), Washington DC Veterans Affairs Medical Center, Washington, DC, USA

Wolfram Doehner MD (Cardiology), Charite Universitätsmedizin Berlin Campus Virchow-Medical Center, Berlin, Germany

Alan Miller MD (Cardiology), University of Florida Health, Jacksonville, FL 32209 USA

Markus Haas MD (Cardiology), Theresienkrankenhaus, Mannheim, Germany
Steen Pehrson MD (Cardiology), University Hospital Rigshospitalet Blegdamsvej, Copenhagen, Denmark
Michel Komajda MD (Cardiology), Institut de Cardiologie, Boulevard de l'Hôpital, Paris, France
Inder Anand MD (Cardiology), University of Minnesota Medical School and VA Medical Center La Jolla, CA, USA
John Teerlink MD (Cardiology), University of California San Francisco Medical Center, SF, CA, USA
Alejandro Rabinstein MD (Neurology), Mayo Clinic College of Medicine, Rochester, MN, USA
Thorsten Steiner MD (Neurology), Klinikum Frankfurt Höchst, Frankfurt, Germany
Hooman Kamel MD (Neurology) Presbyterian Hospital/Weill Cornell Medical Center, New York, NY, USA
Georgios Tsvigoulis MD (Neurology), University of Tennessee Health Science Center, Memphis, TN USA
James Lewis MD (Hepatology), Georgetown University Hospital, Potomac, Maryland, USA
James Freston MD (Hepatology), Kiawah Island, SC 29455 USA
Neil Kaplowitz MD (Hepatology), University of Southern California Medical Center, Los Angeles, CA, USA
Johannes Mann MD (Endocrinology), University of Erlangen-Nürnberg Munich General Hospitals, Munich, Germany
John Petrie MD (Endocrinology), Glasgow Cardiovascular Research Centre, University of Glasgow, Glasgow, Scotland

NATIONAL COORDINATORS

Sergio Perrone MD, Hospital El Cruce de Florencio Varela, Buenos Aires, Argentina
Stephen Nicholls MD, Monash Heart, Clayton, Victoria, Australia
Stefan Janssens MD, PhD, Universitair Ziekenhuis Leuven, Leuven, Belgium
Edmar Bocchi MD, Heart Institute of the University of Sao Paulo (InCor) Sao Paulo, Brazil
Nadia Giannetti MD, Centre Universitaire de Sante McGill, Montreal, QC Canada
Subodh Verma MD, PhD, St. Michael's Hospital, Toronto, Ontario, Canada
Jian Zhang MD, PhD, Fuwai Hospital Chinese Academic of Medical Science, Beijing, China
Jindrich Spinar MD, University Hospital, Masaryk University Hospital, Brno, Czech Republic
Marie-France Seronde MD, Centre Hospitalier Régional et Universitaire de Besançon, Besançon, France
Michael Boehm MD, PhD, Universitätsklinikum des Saarlandes und Medizinische Fakultät der Universität des Saarlandes, Homburg Germany
Bela Merkely MD, Heart and Vascular Center, Semmelweis University, Budapest, Hungary
Vijay Chopra MD, Medanta-The Medicity, Gurugram, India
Michele Senni MD, Ospedale Papa Giovanni XXIII, Bergamo, Italy

Stefano Taddi MD, Azienda Ospedaliero Universitaria Pisana, Pisa, Italy
Hiroyuki Tsutsui MD, Kyushu University, Fukuoka City, Japan
Dong-Ju Choi MD, Seoul National University Bundang Hospital, Seoul, Republic of Korea
Eduardo Chuquiure MD, Instituto Nacional de Cardiologia Dr Ignacio Chavez Riera, Ciudad de Mexico
Hans Pieter Brunner La Rocca MD, Maastricht University Medical Center, Maastricht, Netherlands,
Piotr Ponikowski MD, Wroclaw Medical University, Wroclaw, Poland
Jose Ramon Gonzalez Juanatey MD, Complejo Hospitalario Universitario de Santiago, A Coruña, Spain
Iain Squire MD, University of Leicester, Glenfield General Hospital, Leicester, UK
James Januzzi MD, Harvard Medical School, Massachusetts General Hospital, Boston, MA USA
Ileana Pina MD, Detroit Medical Center Specialty Center- Heart Hospital, Detroit, MI USA

SCIENTIFIC ADVISORS

Richard Bernstein MD, Feinberg School of Medicine, Northwestern University, Chicago, USA
Alfred Cheung MD, University of Utah, Salt Lake City, USA
Jennifer Green MD, Duke University Hospital and Clinical Research Institute, Durham, USA
James Januzzi MD, Harvard Medical School, Massachusetts General Hospital, Boston, MA, USA
Sanjay Kaul MD, Cedars-Sinai Medical Center, Los Angeles, USA
Carolyn Lam Su Ping MD, Yong Loo Lin School of Medicine, Singapore
Gregory Lip MD, University of Birmingham, Birmingham, UK
Nikolaus Marx MD, University Clinic RWTH Aachen, Aachen, Germany
Peter McCullough MD, Baylor University Medical Center, Dallas, USA
Cyrus Mehta MD, Harvard School of Public Health, Boston, USA
Piotr Ponikowski MD, Wroclaw Medical University, Wroclaw, Poland
Julio Rosenstock MD, Dallas Diabetes Research Center at Medical City and University of Texas Southwestern Medical Center, Dallas, USA
Naveed Sattar MD, University of Glasgow, Glasgow, UK
Benjamin Scirica MD, Harvard Medical School, Brigham and Women's Hospital, Boston, USA
Sanjiv Shah MD, Feinberg School of Medicine of Northwestern University, Chicago, USA
Hiroyuki Tsutsui MD, Kyushu University, Fukuoka City, Japan
Subodh Verma MD, PhD, St. Michael's Hospital, University of Toronto, Toronto, Canada
Christoph Wanner MD, University Clinic Wuerzburg, Wuerzburg, Germany

LIST OF PRINCIPAL INVESTIGATORS BY COUNTRY

Argentina

D. Aizenberg, Centro Medico Viamonte SRL, Buenos Aires, Ciudad Autónoma de Buenos Aires; L. Cartasegna, Hospita I Italiano de La Plata, La Plata, Buenos Aires; H. Colombo, Clinica Privada Colombo, Cordoba, Córdoba; M. Fernandez Moutin, Sanatorio Norte, Rosario, Santa Fe; J. Glenny, Glenny Corp. S.A. - Bioclinica Argentina, Ciudad Autónoma de Buenos Aires; C. Alvarez Lorio, Hospital Italiano Regional del Sur, Bahia Blanca, Buenos Aires; D. Anauch, Sanatorio Mayo Privado SA, Córdoba, Córdoba; R. Campos, Instituto Cardiovascular Buenos Aires, Ciudad Autonoma Buenos Aires, Buenos Aires; A. Facta, Hospital Privado de Comunidad, Mar del Plata, Buenos Aires; A. Fernandez, Instituto de Investigaciones Clinicas Quilmes, Quilmes, Buenos Aires; R. Ahuad Guerrero, Corporacion Medica de Gral. San Martin S.A., San Martin, Buenos Aires; L. Lobo Márquez; Instituto de Cardiología, San Miguel De Tucumán, Tucumán; R. Alfonso Leon de la Fuente, Centro Cardiovascular Salta, Salta; M. Mansilla, Clínica Mayo de Urgencias Medicas Cruz Blanca SRL, San Miguel de Tucuman, Tucuman; M. Hominal, Centro de Investigaciones Clínicas del Litoral, Santa Fe, Santa Fe; E. Hasbani, Investigaciones Clinicas Tucuman, San Miguel de Tucumán, Tucumán; M. Najenson, Instituto CAICI, Rosario, Santa Fe; H. Luquez, Centro Medico Luquez, San Vicente, Córdoba; L. Guzman, Instituto Médico DAMIC S.R.L., Cordoba, Córdoba; H. Sessa, Instituto Medico Fundación Grupo Colaborativo Rosario Investigación y Prevención Medica, Rosario, Santa Fe; Marcos Amuchástegui, Hospital Privado Centro Medico de Cordoba, Córdoba, Córdoba; O. Salomone, Hospital Privado Centro Medico de Cordoba, Córdoba, Córdoba; E. Perna, Instituto de Cardiología J.F Cabral, Corrientes, Corrientes; Daniel Piskorz, Sanatorio Britanico S.A., Rosario, Santa Fe; M. Sicer, Instituto de Investigaciones Clínicas Rosario, Rosario, Santa Fe; D. Perez de Arenaza, Hospital Italiano de Buenos Aires, CABA, Buenos Aires; C. Zaidman, CIPREC, Ciudad Autonoma Buenos Aires; S. Nani, Clínica Olivos, Vicente Lopez, Buenos Aires; C. Poy, Sanatorio Parque S.A., Rosario, Santa Fe; J. Resk, Centro de Investigaciones Clinicas Instituto del Corazon, Córdoba, Córdoba; R. Villarreal, Sanatorio Güemes, Ciudad Autonoma Buenos Aires; C. Majul, CEMEDIC - Centro de Especialidades Medicas, Villa Luro, Ciudad Autónoma de Buenos Aires; F. Colombo Berra, Instituto Médico CER, Quilmes, Buenos Aires; T. Smith Casabella, Prevencion Cardiovascular Salta, Salta, Salta; Sonia Sassone, Centro Medico Dra Laura Maffei, Ciudad Autonoma Buenos Aires; G. Carnero, Instituto Medico Elsa Perez SRL (IMEP), Ciudadela, Buenos Aires; A. Caccavo, Centro de Investigacion Clinica Coronel Suarez, Buenos Aires; M. Berli, Hospital Dr. Jose Maria Cullen, Santa Fé, Santa Fe; N. Budassi, Hospital Interzonal General de Agudos Dr Jose Penna, Bahia Blanca, Buenos Aires; J. Bono, Sanatorio Alle.nde, Córdoba, Córdoba; A. Alvarisqueta, Centro de Investigaciones Medicas Mar del Plata, Mar del Plata, Buenos Aires.

Australia

J. Amerena, The Geelong Hospital, Geelong, Victoria; K. Kostner, Mater Hospital Brisbane, South Brisbane, Queensland; A. Hamilton, Heart and Vascular Research, Fullarton., South Australia; A. Begg, SA Heart, Ashford, South Australia; D. Colquhoun, CORE Research Group, Milton, Queensland; A. Sverdlov, John Hunter Hospital, New Lambton, New South Wales; G. Vaddadi, The Northern Hospital, Epping, Victoria; J. Wong, Royal Melbourne Hospital, Parkville, Victoria; J. Collier, St Vincents Hospital Melbourne, Fitzroy, Victoria; D. Prior, St Vincents Hospital Melbourne, Fitzroy, Victoria .

Belgium

A. Friart, CHU de Tivoli, La Louvière; A. Leone, CHU de Tivoli, La Louvière; S. Janssens, UZ Leuven, Leuven; G. Vervoort, AZ Sint-Maarten Campus Leopoldstraat, Mechelen; P. Timmermans, Jessa Ziekenhuis - Campus Virga Jesse, Hasselt; T. Sarens, AZ Sint Blasius, Dendermonde; H.

Vandekerckhove, AZ Sint-Lucas, Gent; P. Van De Borne, Cliniques universitaires de Bruxelles - Hôpital Erasme, Bruxelles; F. Chenot, Grand Hôpital de Charleroi - Site Saint- Joseph, Gilly; J. De Sutter, A.Z. Maria Middelaers, Gent; E. De Vuyst, C.H.U. de Charleroi, Charleroi; P. Debonnaire, AZ Sint-Jan Brugge, Brugge; M. Dupont, Ziekenhuis Oost- Limburg - Campus Sint-Jan, Genk

Brazil

O. Pereira Dutra, Instituto de Cardiologia do Rio Grande do Sul, Porto Alegre; L.H. Canani, Centro de Pesquisas em Diabetes, Porto Alegre, Estado de Rio Grande do Sul; M. da Consolação Vieira Moreira, Hospital Felício Rocho, Belo Horizonte, Estado de Minas Gerais; W. de Souza, Via Médica, Goiania, Estado de Goiás; L. M. Backes, Hospital Sao Vicente de Paulo, Passo Fundo, Estado de Rio Grande do Sul; L. Maia, Fundacao Faculdade Regional de Medicina de Sao Jose do Rio Preto, Sao Jose do Rio Preto, Estado de São Paulo; B. De Souza Paolino, CCBR Brasil Centro de Pesquisas e Análises Clínicas Ltda., Rio de Janeiro, Estado de Rio de Janeiro; E. R. Manenti, Hospital Universitário, Canoas, Estado de Rio Grande do Sul; Wladimir Saporito, Pesquisare. Santo André, Estado de São Paulo; F. Villaça Guimarães Filho, ICM - Instituto do Coração de Marília, Marília, Estado de São Paulo; T. Franco Hirakawa, Dr. Consulta, São Paulo, Estado de São Paulo; L. A. Saliba, Dr. Consulta, São Paulo, Estado de São Paulo; F. C. Neuenschwander, Hospital Vera Cruz, Belo Horizonte, Estado de Minas Gerais; C. A. de Freitas Zerbini, CEPIC - Centro Paulista de Investigacao Clinica e Servicos Medicos, Sao Paulo, Estado de São Paulo; G. Gonçalves; Hospital de Câncer de Barretos - Fundação Pio XII., Barretos, Estado de São Paulo; Y. Gonçalves Mello, CAEP - Centro Avançado de Estudos e Pesquisas Ltda., Campinas, Estado de São Paulo; J. Ascenção de Souza, CECAP - Centro de Cardiologia Clínica, Brasília, Distrito Federal; L. Beck da Silva Neto; Hospital de Clínicas de Porto Alegre; Porto Alegre, Estado de Rio Grande do Sul; E. A. Bocchi, INCOR - Hospital das Clínicas da Universidade de Sao Paulo, Sao Paulo, Estado de São Paulo; J. Da Silveira, CEMEC – Centro Multidisciplinar de Estudos Clínicos, São Bernardo do Campo, Estado de São Paulo; João Batista de Moura Xavier Moraes Junior, Hospital Agamenon Magalhaes, Recife, Estado de Pernambuco; João David de Souza Neto, Hospital de Messejana Dr. Carlos Alberto Studart Gomes, Fortaleza, Estado de Ceará; M. Hernandez, Santa Casa de Votuporanga, Votuporanga, Estado de São Paulo; H. Carlos Finimundi, IPCEM - Instituto de Pesquisa Clínica para Estudos Multicêntricos, - Universidade de Caxias do Sul, Caxias do Su, Estado de Rio Grande do Sul; C. R. Sampaio, CPCLIN - Centro de Pesquisas Clínicas Ltda., Sao Paulo, Estado de São Paulo; E. Vasconcellos, L2IP – Instituto de Pesquisas Clínicas Ltda., Brasília, Distrito Federal; F. J. Neves Mancuso; CDEC BRASIL - Centro de Desenvolvimento em Estudos Clínicos Brasil, São Paulo, Estado de São Paulo; M. M. Noya Rabelo, CTD – Clínica de Terapia da Dor, Salvador, Estado de Bahia; M. Rodrigues Bacci, Praxis Pesquisa Médica, Santo André, Estado de São Paulo; F. Santos, Loema - Instituto de Pesquisa Clínica, Campinas, Estado de São Paulo; M. Vidotti, Loema - Instituto de Pesquisa Clínica, Campinas, Estado de São Paulo; M. V. Simões, Hospital das Clínicas da Faculdade de Medicina de Ribeirão Preto – USP, R. Preto, Estado de São Paulo; F. L. Gomes, CEDOES - Diagnóstico e Pesquisa do Espírito Santo, Vitória, Estado de Espírito Santo; C. Vieira Nascimento, ICDF - Instituto de Cardiologia do Distrito Federal, Brasília, Distrito Federal; D. Precoma, Núcleo de Pesquisa Clínica em Cardiologia da Sociedade Hospitalar Angelina Caron; Campina Grande do Sul. Estado de Paraná; J. A. Ribas Fortes, PUC Trials - Núcleo de Pesquisa Clínica da Escola de Medicina da PUC-PR, Curitiba, Estado de Paraná; P. E. Leães, Santa Casa de Misericórdia de Porto Alegre, Porto Alegre, Estado de Rio Grande do Sul; D. Campos de Albuquerque, HUPE-UERJ - Hospital Universitário Pedro Ernesto - Universidade Estadual do Rio de Janeiro, Rio de Janeiro, Estado de Rio de Janeiro; J.F. Kerr Saraiva, Hospital e Maternidade Celso Peirro – PUCCAMP, Campinas, Estado de São Paulo; Salvador Rassi, Departamento de clinica medica - sala de insuficiencia cardi, Goiania, Estado de Goiás; F. A. Alves da Costa, FGM - Clínica Paulista de Doenças Cardiovasculares, São Paulo, Estado de São Paulo; G. Reis, Cardresearch Cardiologia Assistencial e de Pesquisas Ltda, Belo Horizonte, Estado de Minas Gerais.

Canada

S. Zieroth, St. Boniface General Hospital, Winnipeg, Manitoba; D. Dion, Centre de sante et de services sociaux de Beauce, St. Georges-de-Beauce, Quebec; D. Savard, CSSS Haut-Richelieu-Rouville, St-Jean-sur-Richelieu, Quebec; R. Bourgeois, G.A. Research Associates Ltd/Ltee, Moncton, New Brunswick; C. Constance, Hopital Maisonneuve Rosemont Recherche Clinique Polyclinique, Montreal, Quebec; K. Anderson, Queen Elizabeth II Health Sciences Centre, Halifax, Nova Scotia; S. Verma, North York Diagnostic and Cardiac Centre, Toronto, Ontario; M. Leblanc, Institut Universitaire de Cardiologie et de Pneumologie de Quebec, Quebec., Quebec; Derek Yung, Heart Health Institute, Scarborough, Ontario; E. Swiggum, Victoria Heart Institute Foundation, Victoria, British Columbia; L. Pliamm, Canadian Phase Onward Inc., Toronto, Ontario; B. Tyrrell, Royal Alexandra Hospital, Edmonton, Alberta; T. Huynh, Montreal General Hospital, Montreal, Quebec; J. Spiegelman, Humber River Hospital, Toronto, Ontario; N. Giannetti, McGill University Health Centre/Glen Site / Royal Victoria Hospital, Montreal, Quebec; J. Lavoie, Centre de Dépistage et Recherche Cardiovasculaire Rive- Sud, Longeuil, Quebec; M. Hartleib, Kawartha Cardiology Clinical Trials, Peterborough, Ontario; R. Bhargava, Heart Care Research, Oshawa, Ontario; L. Straatman, Vancouver General Hospital, Vancouver, British Columbia; S. Virani, Vancouver General Hospital, Vancouver, British Columbia; A. Costa-Vitali, Cardiovascular Contract Research Organization LTD, Sudbury, Ontario; L. Hill, Brampton Cardio Pulmonary Clinic, Brampton, Ontario; M. Heffernan, M Heffernan Medicine Professional Corp., Oakville, Ontario; Yaariv Khaykin, PACE (Partners in Advanced Cardiac Evaluation), Newmarket, Ontario; J. Ricci, Scarborough Cardiology Research, Scarborough, Ontario; A. Zhai, Royal University Hospital, Saskatoon, Saskatchewan; B. Lubelsky, Willowdale, Ontario; M. Toma, St. Paul's Hospital, Vancouver, British Columbia; L. Yao, York, Ontario; L. Noronha, Toronto, Ontario; M. Babapulle, Waterloo, Ontario; A. Pandey, Cambridge Cardiac Care Inc., Cambridge, Ontario; G. Curnew, Curnew Medicine Professional Corporation, Ontario; J. Berlingieri, JBN Medical Diagnostics Services Inc., Burlington, Ontario; S. Kouz, C.H. Reg. de Lanaudiere, St. Charles- Borromeo, Quebec; E. Lonn, Hamilton General Hospital, Hamilton, Ontario; R. Chehayeb, ViaCar Recherche Clinique Inc., Greenfield Park, Quebec.

China

Y. Zheng, The First Hospital of Jilin University, Changchun, Jilin Province; Y. Sun, The First Hospital of China Medical University, Shenyang, Liaoning Province; Z. Fan, The Affiliated Hospital of Southwest Medical University, Luzhou, Sichuan Province; X. Han, General Hospital of Shenyang Military Region, Shenyang, Liaoning Province; X. Jiang, Renmin Hospital of Wuhan University, Wuhan, Hubei Province; Q. Tang, Renmin Hospital of Wuhan University, Wuhan, Hubei Province; Z. Zheng, Hunan Provincial People's Hospital, Changsha, Hunan Province; J. Zhang, National Center for Cardiovascular diseases China and Fu Wai Hospital, Beijing, Beijing Municipality; Y. Zhang, Cardiovascular Institute and Fu Wai Hospital, Beijing, Beijing Municipality; A. Shen, Beijing Friendship Hospital, Beijing, Beijing Municipality; J. Yu, The No.2 Hospital Affiliated to Lanzhou University, Lanzhou, Gansu Province; J. Ye, Dongguan People's Hospital, Dongguan, Guangdong Province; Y. Yao, The First Affiliated Hospital of Lanzhou University, Lanzhou, Gansu Province; J. Yan, Affiliated Hospital of Jiangsu University, Zhenjiang, Jiangsu Province; X. Xu, The First People Hospital of Yueyang, Yueyang, Hunan Province; J. Ma, Hainan General Hospital, Haikou, Hainan Province; Y. Li, Shanghai Huashan Hospital, Shanghai, Shanghai Municipality; S. Li, Nanchang University Affiliated 3rd Hospital, Nanchang, Jiangxi Province; S. Lu, Haikou People's Hospital, Haikou, Hainan Province; X. Kong, Jiangsu Province Hospital, Nanjing, Jiangsu Province; G. Yang, Yanbian University Hospital, Yanji, Jilin Province; Z. Yao, Tianjin Union Medical Center Nankai University Affiliated Hospital, Tianjin, Tianjin Municipality; Y. Zhang, The Third Hospital of Changsha, Changsha, Hunan Province; Yizhi Pan, Guangzhou First People's Hospital, Guangzhou, Guangdong Province; X. Guo, Tongji Hospital, Wuhan, Hubei Province; Z. Sun, Shengjing Hospital of China Medical University, Shenyang, Liaoning Province; Y. Dong, The First Affiliated Hospital, SUN YAT-SEN University, Guangzhou, Guangdong Province; D. Peng, The Second Xiangya Hospital of Central South University, Changsha, Hunan Province; Z. Yuan, First Affiliated Hospital of Xi'an

JiaoTong University, Xi'an, Shaanxi Province; J. Lin, The First Affiliated Hospital of Fujian Medical University, Fuzhou, Fujian Province.

Czech Republic

O. Jerabek, Kardiologická ambulance s.r.o., Příbram VIII; H. Burianová, Poliklinika Humanitas, Bilovec; T. Fiala, Angiocor s.r.o., Zlín; J. Hubac, MUDr. Jan Hubac, s.r.o. Kardiologická Ambulance, Chrudim; O. Ludka, MUDr. Alexandra Ludková, Brno; Z. Monhart, KIGE s.r.o., Znojmo; P. Vodnanský, PV - kardiologie s.r.o., Pardubice; K. Zeman, Nemocnice ve Frydku- Mistku, příspěvková organizace, Frydek-Místek; D. Foldyna, Internal and Cardiology Practice, Brno; Jiri Krupicka, Medicus Services Ltd, Brandýs nad Labem; Ivo Podpera, Hospital Kladno, Kladno; L. Busak, KardioLouny s.r.o., Louny; M. Radvan, Nemocnice Trebic p.o., Trebic; Z. Vomacka, Zdenek Vomacka, Olomouc; R. Prosecky, Fakultní nemocnice u sv. Anny v Brně, Brno; R. Cifková, Thomayerova nemocnice, Praha 4 – Krč; Vaclav Durdil, Fakultní nemocnice v Motole, Praha; J. Vesely, Edumed s. r. o., Broumov; J. Vaclavik, Kardio Vaclavik s.r.o., Olomouc; P. Cervinka, Masaryk Hospital in Usti n. Labem, Usti nad Labem; A. Linhart, Všeobecná fakultní nemocnice v Praze, Praha; T. Brabec, Vojenská nemocnice Brno, Brno; R. Miklik, Amkardia s.r.o, Brno.

France

E. Bonnefoy Cudraz, Hôpital Louis Pradel - Groupement Hospitalier Est - Hospices Civils de Lyon, Bron; A. Jobbe Duval, Hôpital Cardio- Vasculaire et Pneumologique Louis Pradel - GH Est - Hospices Civils, Bron; D. Tomasevic , Hôpital Cardio- Vasculaire et Pneumologique Louis Pradel - GH Est - Hospices Civils, Bron; G. Habib, Hôpital de la Timone - CHU de Marseille (AP- HM), Marseille; R. Isnard, Hôpital La Pitié Salpêtrière, Paris; F. Picard, Hôpital Haut-Lévêque - Groupe Hospitalier Sud - CHU de Bordeaux, Pessac; P. Khanoyan, Hôpital Saint Joseph, Marseille; J. Dubois- Rande, Hôpital Henri Mondor - AP-HP, Créteil; M. Galinier, Hôpital Rangueil - CHU de Toulouse, Toulouse; F. Roubille, Hôpital Arnaud de Villeneuve - CHU de Montpellier, Montpellier; J. Alexandre, Hôpital de la Côte de Nacre - CHU de Caen, Caen; Dominique Babuty, Hôpital Trousseau - CHRU de Tours, Chambray-lès-Tours; N. Delarche, Centre Hospitalier de Pau, Pau; M. Seronde, Hôpital Jean Minjoz - CHU de Besançon, Besançon; J. Berneau, Hôpital de Bayonne - Centre Hospitalier de la Côte Basque, Bayonne; N. Girerd, Institut Louis Mathieu - CHU de Nancy- Brabois, Vandœuvre-lès- Nancy.

Germany

H. Bourhaial, St. Johannes Hospital, Dortmund; H. Olbrich, Asklepios Klinik Langen-Seligenstadt GmbH, Langen; S. Genth-Zotz, Johannes-Gutenberg- Universität Mainz, Mainz; E. Kemala, Petrus-Krankenhaus, Wuppertal; B. Lemke, Märkische Gesundheitsholding GmbH & Co. KG, Lüdenscheid; M. Böhm, Universitätsklinikum des Saarlandes; Homburg/Saar; S. Schellong, Städtisches Klinikum Dresden-Friedrichstadt, Dresden; W. Rieker, Studienzentrum Rankestrasse, Berlin; M. Faghieh, Studienzentrum Bocholderstraße, Essen; A. Birkenfeld, GW T-TUD GmbH, Dresden; A. Begemann, Asklepios Klinik St. Georg, Hamburg; A. Ghanem, Asklepios Klinik St. Georg, Hamburg; A. Ujeyl, Asklepios Klinik St. Georg, Hamburg; S. von Haehling, Universitätsmedizin Göttingen, Georg-August-Universität, Göttingen; H. Ince, Universitätsmedizin Rostock, Berlin; T. Dorsel, Dr. med. Thomas Dorsel, Warendorf; J. Bauersachs, Medizinische Hochschule Hannover, Hannover; M. Prull, Augusta-Kranken- Anstalt gGmbH, Bochum; H. Darius, Vivantes-Klinikum Neukölln, Berlin; A. Wilke, Kardiologische Praxis Papenburg, Papenburg; J. Sauter, Zentrum für Klinische Forschung, Wangen; U. Rauch- Kroehnert, Charité - Universitätsmedizin Berlin, Berlin; N. Frey, Universitätsklinikum Schleswig-Holstein, Kiel; C. P. Schulze, Universitätsklinikum Jena, Jena; W. König, Deutsches Herzzentrum München, München; L. Maier, Universitätsklinikum Regensburg, Regensburg; F. Menzel, Praxis Dr. Menzel, Dessau-Roßlau; N. Proskynitopoulos, Kardiologische Gemeinschaftspraxis Nienburg, Nienburg; H. Ebert, Kardiologische Gemeinschaftspraxis, Riesa; H.

Sarnighausen, Praxis Oedeme, Lüneburg; H. Düngen, Universitätsklinikum Charité, Berlin; M. Licka, Universitätsklinikum Heidelberg, Heidelberg; N. Marx, Universitätsklinikum Aachen, Aachen; C. Stellbrink, Klinikum Bielefeld Mitte, Bielefeld; B. Winkelmann, ClinPhenomics GmbH & Co. KG, Frankfurt; N. Menck, HELIOS Klinikum Erfurt, Erfurt.

Hungary

L. Koenyves, Lausmed Kft. Outpatient Unit of Internal Medicine, Szent Rokus Hospital, Baja; F. Lakatos, Belgyogyaszati es Kardiologiai Maganrendelo, Bekescsaba; A. Matoltsy, Kanizsai Dorottya Korhaz, Nagykanizsa; E. Noori, Fejer Megyei Szent Gyorgy Egyetemi Oktato Korhaz, Szekesfehervar; P. Andrassy, Bajcsy Hospital, Budapest; S. Kancz, Gottsegen Gyorgy Hungarian Institute of Cardiology, Budapest; G. Simon, Bugat Pal Hospital, Gyongyos; T. Sydo, Veszpremi Sziv es Egeszseg Centrum, Veszprem; A. Vorobcsuk, Da Vinci Maganklinika, Pecs; B. Merkely, Semmelweis University Heart and Vascular Center, Budapest; R. Gabor Kiss, Magyar Honvedseg Egeszsegugyi Kozpont, Kalman Toth, Pecs Tudomanyegyetem, Pécs; I. Szakal, Selye Janos Hospital, Komarom; N. Laszlo Kardiologiai Maganrendeles, Oroshaza; T. Barany, Clinexpert Egeszsegugyi Szolg. es Ker. Kft., Budapest; A. Nagy, Uzsoki Utcai Korhaz, Budapest; E. Szolnoki, Medipulm Bt., Debrecen.

India

V. Chopra, Medanta-The Medicity, Gurgaon, Delhi; V. Rastogi, Fortis Escorts Heart Institute and Research Centre, New Dehi, Delhi; B. Shah, Doctor Jivraj Mehta Smarak Health Foundation, Ahmedabad, Gujarat; A. Mullasari, Madras Medical Mission, Chennai, Tamil Nadu; J. Shankar, Madras Medical Mission, Chennai, Tamil Nadu; V. Mehta, GB Pant Hospital, New Dehi, Delhi; A. Oomman, Apollo Speciality Hospital, Chennai, T. Nadu; Upendra Kaul, Batra Hospital And Research Centre, Delhi, Delhi; S. Komarlu, Narayana Institute of Cardiac Sciences, Bangalore, Karnataka; D. Kahali, B.M. Birla Heart Research Centre, Kolkatta, West Bengal; A. Bhagwat, Kamal Nayan Bajaj Hospital, Aurangabad, Maharashtra; V. Vijan, Vijan Cardiac and Critical Care Centre, Nasik, Maharashtra; N. Kamalakar Ghaisas, Siddhi Hospital, Nasik; A. Mehta, Sir Gangaram Hospital, New Delhi, Delhi; Y. Kothari, Rajarajeswari Medical College, Bengaluru, Karnataka.

Italy

S. Taddei, Azienda Ospedaliero Universitaria Pisana, Pisa, Toscana; M. Scherillo, Azienda Ospedaliera G. Rummo, Benevento, Campania; V. Zacà, A.O.U. Senese Policlinico Santa Maria alle Scotte, Siena, Toscana; S. Genovese, Centro Cardiologico Monzino-IRCCS, Milano, Lombardia; A. Salvioni, Centro Cardiologico Monzino-IRCCS, Milano, Lombardia; A. Fucili, Azienda Ospedaliera Universitaria Arcispedale Sant'Anna, Ferrara, Emilia-Romagna; F. Fedele, Umberto I Pol. di Roma-Università di Roma La Sapienza, Roma, Lazio; F. Cosmi, Ospedale della Val di Chiana Santa Margherita, Cortona, Toscana; M. Volpe, Azienda Ospedaliera Sant'Andrea- Università di Roma La Sapienza, Roma, Lazio; M. Senni, Azienda Socio Sanitaria Territoriale Papa Giovanni XXIII (Presidio Papa Giovanni XXIII), Bergamo, Lombardia; C. Mazzone, Azienda Servizi Sanitari 1 Triestina, Trieste, Friuli-Venezia Giulia; G. Esposito, Azienda Ospedaliera Universitaria "Federico II", Napoli, Campania.

Japan

M. Doi, Kagawa Prefectural Central Hospital, Kagawa, Takamatsu; H. Yamamoto, Yamamoto Clinic, Kanagawa, Sagami-hara; S. Sakagami, National Hospital Organization Kanazawa Medical Center, Ishikawa, Kanazawa; S. Oishi, Hyogo Brain and Heart Center, Hyogo, Himeji; Y. Yasaka, Hyogo Brain and Heart Center, Hyogo, Himeji; H. Tsuboi, Ogaki Municipal Hospital, Gifu, Ogaki; Y. Fujino, New Tokyo Heart Clinic, Chiba, Matsudo; S. Matsuoka, Seikeikai New Tokyo Heart Clinic, Chiba, Matsudo; Y. Watanabe, Seikeikai New Tokyo Heart Clinic, Chiba, Matsudo-shi; T. Himi, Kimitsu

Chuo Hospital, Chiba, Kisarazu; T. Ide, Kyushu University Hospital, Fukuoka, Fukuoka; M. Ichikawa, Higashiosaka City Medical Center, Osaka, Higashiosaka; Y. Kijima, Higashiosaka City Medical Center, Osaka, Higashiosaka; T. Koga, Steel Memorial Yawata Hospital, Fukuoka, Kitakyushu; S. Yuda, Teine Keijinkai Hospital, Hokkaido, Sapporo; K. Fukui, Kanagawa Cardiovascular and Respiratory Center, Kanagawa, Yokohama; T. Kubota, Saiseikai Fukuoka General Hospital, Fukuoka, Fukuoka; M. Manita, Naha City Hospital, Okinawa, Naha; H. Fujinaga, Tokushima Prefectural Central Hospital, Tokushima, Tokushima; T. Matsumura, Kumamoto Rosai Hospital, Kumamoto, Yatsushiro; Y. Fukumoto, Sendai Tokushukai Hospital, Miyagi, Sendai; Y. Kawai, Okayama City General Medical Center, Okayama, Okayama; G. Hiasa, Ehime Prefectural Central Hospital, Ehime, Matsuyama; Y. Kazatani, Ehime Prefectural Central Hospital, Ehime, Matsuyama; M. Mori, Japan Community Health Care Organization Kyushu Hospital, Fukuoka, Kitakyushu; A. Ogimoto, Uwajima City Hospital, Uwajima, Ehime; M. Inoko, Kitano Hospital, Osaka, Osaka; M. Oguri, Kasugai Municipal Hospital, Aichi, Kasugai; M. Kinoshita, Shobara Red Cross Hospital, Shobara-shi; K. Okuhara, Shobara Red Cross Hospital, Hiroshima, Shobara; N. Watanabe, Shobara Red Cross Hospital, Hiroshima, Shobara; Y. Ono, Ome Municipal General Hospital, Tokyo, Ome; K. Otomo, Ome Municipal General Hospital, Tokyo, Ome; Y. Sato, Hyogo Prefectural Amagasaki General Medical Center, Hyogo, Amagasaki; T. Matsunaga, Seiwakai Suizenji Touya Hospital, Kumamoto, Kumamoto; A. Takaishi, Mitoyo General Hospital, Kagawa, Kanonji; N. Miyagi, Jinaikai Urasoe General Hospital, Urasoe-shi; H. Uehara, Urasoe General Hospital, Okinawa, Urasoe; H. Takaishi, Yodogawa Christian Hospital, Osaka, Osaka; Masahiro Yagi, The Cardiovascular Center of Sendai, Miyagi, Sendai; M. Arikawa, Oita Medical Center, Oita, Oita; T. Hashizume, Minami Wakayama Medical Center, Wakayama, Tanabe; T. Koizumi, Mito Medical Center, Ibaraki, Higashiibaraki-gun; K. Nakayama, Mito Medical Center, Ibaraki, Higashiibaraki-gun; S. Taguchi, Mito Medical Center, Ibaraki, Higashiibaraki-gun; M. Nanasato, Japanese Red Cross Nagoya Daini Hospital, Aichi, Nagoya; Y. Yoshida, Japanese Red Cross Nagoya Daini Hospital, Aichi, Nagoya; S. Tsujiyama, JA Hiroshima General Hospital, Hiroshima, Hatsukaichi; T. Nakamura, National Hospital Organization Kyushu Medical Center, Fukuoka, Fukuoka; K. Oku, Nagasaki Medical Center, Nagasaki, Omura; M. Shimizu, National Hospital Organization Kobe Medical Center, Hyogo, Kobe; M. Suwa, Hokusetsu General Hospital, Osaka, Takatsuki; Y. Momiyama, National Hospital Organization Tokyo Medical Center, Tokyo, Meguro-ku; H. Sugiyama, Fukuyama City Hospital, Hiroshima, Fukuyama; K. Kobayashi, Toyota Memorial Hospital, Aichi, Toyota; S. Inoue, Aso Co., Ltd Iizuka Hospital, Fukuoka, Iizuka; T. Kadokami, Fukuokaken Saiseikai Futsukaichi Hospital, Fukuoka, Chikushino; K. Maeno, Fukuiken Saiseikai Hospital, Fukui, Fukui; K. Kawamitsu, Okinawatokushukai Nanbu Tokushukai Hospital, Okinawa, Shimajiri-gun; Y. Maruyama, Kosekai Iwatsuki-minami Hospital, Saitama, Saitama; A. Nakata, San-Ai Hospital, Saitama, Saitama; Y. Shibata, Miyazaki Medical Association Hospital, Miyazaki, Miyazaki; A. Wada, Kusatsu General Hospital, Shiga, Kusatsu; H. Urata, Fukuoka University Chikushi Hospital, Fukuoka, Chikushino; T. Kataoka, Seichokai Bell Land General Hospital, Osaka, Sakai; T. Matsumoto, Sendai Kousei Hospital, Miyagi, Sendai; N. Takahashi, Matsuyama Shimin Hospital, Ehime, Matsuyama; M. Imamaki, Chiba Heart Clinic, Chiba, Chiba; N. Watanabe, Hokushin General Hospital, Nagano, Nakano; T. Yoshitama, Tokyo Rosai Hospital, Tokyo, Ota-ku; T. Saito, Shirakawa Kosei General Hospital, Fukushima, Shirakawa; H. Sekino, Sekino Hospital, Tokyo, Toshima-ku; Y. Furutani, Kanmon Medical Center, Yamaguchi, Shimonoseki; M. Koda, Chuno Kosei Hospital, Gifu, Seki; S. Matsuoka, Uji-Tokushukai Medical Center, Kyoto, Uji; T. Shinozaki, National Hospital Organization Sendai Medical Center, Miyagi, Sendai; K. Hirabayashi, Tomakomai City Hospital, Hokkaido, Tomakomai; R. Tsunoda, Japanese Red Cross Kumamoto Hospital, Kumamoto, Kumamoto; K. Yonezawa, National Hospital Organization Hakodate Hospital, Hokkaido, Hakodate; H. Hori, Nagoya Kyoritsu Hospital, Aichi, Nagoya.

Mexico

G. Llamas Esperon, Hospital Cardiológica Aguascalientes, Aguascalientes, Aguascalientes; J. Illescas Díaz, Unidad de Investigación Clínica, Guadalajara, Jalisco – Guadalajara; P. Fajardo

Campos, Centro de Investigacion Cardiovascular y Metabolica, Tijuana; J. Almeida Alvarado, Centro Integral Medico SJR S.C., San Juan del Rio, Querétaro – Querétaro; A. Bazzoni Ruiz, Centro de Investigacion Alberto Bazzoni S.A. de C.V., Torreon, Coahuila – Saltillo; I. Lopez Alcocer, Hospital Universitario Dr Jose Eleuterio Gonzalez, Monterrey, Nuevo León – Monterrey; Leobardo Valle Molina, Centro de Investigacion Clinica Acelerada, S.C., Mexico, Ciudad de México; C. Hernandez Herrera, Instituto Cardiovascular de Monclova, S de RL de CV, Monclova, Coahuila – Saltillo; C. Calvo Vargas, Diseño y Planeación en Investigacion Medica S.C., Guadalajara, Jalisco – Guadalajara; F. G. Padilla Padilla, Cardiologia Clinica Intervencionista, Guadalajara, Jalisco – Guadalajara; I. Rodriguez Briones, Cardioarritmias e Investigación SC, San Luis Potosi; E. Chuquiure Valenzuela, Instituto Nacional de Cardiologia Ignacio Chavez, Distrito Federal, Ciudad de México; M. Aguilera Real, Centro de Investigacion Biomedica y Farmaceutica, S.C., Mexico, J. Carrillo Calvillo, Hospital Central "Dr. Ignacio Morones Prieto", San Luis Potosi; M. Alpizar Salaza , C. Esp. en Diabetes, Obesidad y Prevención de Enf. Cardiovasculares, S.C. (CEDOPEC, S.C), México, Ciudad de México; J. Cervantes Escárcega , C. Esp. en Diabetes, Obesidad y Prevención de Enf. Cardiovasculares, S.C. (CEDOPEC, S.C), México, Ciudad de México; R. Velasco Sanchez, Hospital Dr. ngel Leaño, Guadalajara, Jalisco – Guadalajara.

Netherlands

N. Al – Windy, Gelre Ziekenhuizen locatie Zutphen, ZUTPHEN; L. van Heerebeek, Onze Lieve Vrouwe Gasthuis, Amsterdam; L. Bellersen, Radboud Universitair Medisch Centrum, Nijmegen; H. Brunner- La Rocca, Maastricht Universitair Medisch Centrum, MAASTRICHT; J. Post, Catharina Ziekenhuis, EINDHOVEN; G.C.M. Linssen, ZGT Almelo, ALMELO; M. van de Wetering, BovenIJ Ziekenhuis, AMSTERDAM; R. Peters , Tergooiziekenhuizen locatie Blaricum, BLARICUM; R. van Stralen , Tergooiziekenhuizen locatie Blaricum, Blaricum; R. Groutars, Onze Lieve Vrouwe Gasthuis, Locatie West, Amsterdam; P. Smits, Maasstad Ziekenhuis, Rotterdam; A. Yilmaz, Maasstad Ziekenhuis, ROTTERDAM; W. E.M. Kok, Amsterdam UMC, Locatie AMC, Amsterdam; P. Van der Meer, Universitair Medisch Centrum Groningen, Groningen; P. Dijkmans, Zaans Medisch Centrum, ZAANDAM; R. Troquay, Vie Curi Medisch Centrum, VENLO; A. Pauline van Alem, HMC Bronovo, Den Haag; R. Van de Wal, Bernhoven Uden, UDEN; L. Handoko, Amsterdam UMC, location VUMC, AMSTERDAM; I.C.D. Westendorp, Rode Kruis Ziekenhuis Beverwijk, BEVERWIJK; P.F.M.M. van Bergen, Vasculair Onderzoek Centrum, HOORN; B. J.W.M. Rensing, St. Antonius Ziekenhuis, Nieuwegein; P. Hoogslag, Diaconessenhuis Meppel, Meppel; B. Kietselaer, Zuyderland Medisch Centrum – Heerlen, Heerlen; J. A. Kragten, Zuyderland Medisch Centrum, HEERLEN; F. R. den Hartog, Ziekenhuis Gelderse Vallei, EDE; Antonio Alings, Amphia Ziekenhuis, Breda.

Poland

L. Danilowicz- Szymanowicz, University Clinical Center, Gdansk; G. Raczak, University Clinical Center, Gdansk; W. Piesiewicz, ETG Lodz, Lodz; W. Zmuda, Medicome Sp. z o.o., Oswiecim; W. Kus, Individual Specialized Practice, Lodz; P. Podolec, Krakow Specialistic Hospital of John Paul II, Krakow; W. Musial, University Clinic Hospital in Bialystok, Bialystok; G. Drelich, Centermed Lublin, Lublin; G. Kania, ETG Skierniewice, Skierniewice; P. Miekus, NZOZ Pro-Cordis Sopockie, Gdynia; S. Mazur, Centrum Medyczne Medyk, Rzeszow; A. Janik, KO-MED Centra Kliniczne Staszow, Staszow; J. Spyra, Janusz Pyra Specjalistyczna Praktyka Lekarska, Ruda Slaska; J. Peruga, NZOZ SALUS, Lodz; P. Balsam, Samodzielny Publiczny Centralny Szpital Kliniczny, Warsaw; B. Krakowiak, 4 Military Clin. Hosp. Centre of Heart Diseases, Wroclaw; J. Szachniewicz, 4th Military Clinical Hospital with polyclinic - SP ZOZ, Wroclaw; M. Ginel, KLIMED Marek Klimkiewicz, Bialystok; J. Grzybowski, Instytut Kardiologii, Warsaw; Witold Chrustowski, Lowickie Cardiology Center, Lowicz; P. Wojewoda, Lowickie Cardiology Center, Lowicz; A. Kalinka, Polsko-Amerykanske Kliniki Serca, Chorzow; A. Zurakowski, Polsko-Amerykanske Kliniki Serca., Chrzanow; R. Koc, ClinicMed Badurski i wspolnicy Spolka Jawna, Bialystok; M. Debinski, American Heart of Poland Sp. z o.o., Dabrowa Gornicza; W. Fil, American Heart of Poland Sp. z o.o., Bielsko-Biala; M. Kujawiak, Lukmed

Lukasz Wozniak, Siedlce; J. Forys, Zgierskie Center of Cardiology MED-PRO, Zgierz; M. Kasprzak, NZOZ Centrum Medyczne KERmed, Bydgoszcz; M. Krol, American Heart of Poland Sp. z o.o., Ustron; P. Michalski, Specialist Hospital J. Dietla NZOZ Specialized Clinic "Gemini", Zychlin; E. Mirek-Bryniarska, Specialist Doctor Ewa Mirek-Bryniarska, Krakow; Kazimierz Radwan, American Heart of Poland Sp. z o.o., Tychy; G. Skonieczny, The Provincial Polyclinical Hospital in Torun, Torun; K. Stania, American Heart of Poland Sp. z o.o., Nysa; G. Skoczylas, ETG Warszawa, Warszawa; A. Madej, Szpital Zakonu Bonifratow Sp. z o.o., Katowice; J. Jurowiecki, Poradnia Kardiologiczna Jaroslaw Jurowiecki, Gdansk; B. Firek, NZOZ HEUREKA, Piaseczno; B. Wozakowska-Kaplon; Regional Hospital in Kielce Swietokrzyskie Center of Cardiology, Kielce; K. Cymerman, Indywidualna Specjalistyczna Praktyka Lekarska w Dziedzinie Kardiologii Lek.

Republic of Korea

H. Cho, Seoul National University Hospital, Seoul; J. Oh Na, Korea University Guro Hospital, Seoul; B. Yoo, Wonju Severance Christian Hospital, Wonju; J. Choi, Samsung Medical Center, Seoul; J. Shin, Ajou University Hospital, Suwon; M. Cho, Chungbuk National University Hospital, Cheongju; D. Choi, Seoul National University Bundang Hospital, Seongnam; S. Hwan Han, Gachon University Gil Medical Center, Incheon; J. Jeong, Chungnam National University Hospital, Daejeon; J. Kim, Asan Medical Center, Seoul; S. Min Kang, Severance Hospital, Seoul; D. Kim, Inje University Busan Paik Hospital, Busan; M. Hyun Kim, Dong-A University Hospital, Busan

Spain

J. López- Sendón, Hospital Universitario La Paz, Madrid, Madrid; L. de la Fuente Galán, Hospital Clínico Universitario de Valladolid, Valladolid, Valladolid; J. Delgado Jiménez, Hospital Universitario 12 de Octubre, Madrid, Lugo; N. Manito Lorite, Hospital Universitari de Bellvitge, L'Hospitalet de Llobregat, Barcelona; M. Pérez de Juan Romero, Complejo Hospitalario Universitario de Orense, Orense, Ourense; F. Cereto Castro, Hospital Quiron Barcelona, Barcelona, Barcelona; J. González Juanatey, Hospital Clínico Universitario de Santiago de Compostela, Santiago de Compostela, La Coruna; J. Gómez, Hospital Clínico Universitario Virgen de la Victoria, Málaga, Málaga; M. Sanmartín Fernández, Hospital Ramón y Cajal, Madrid, Madrid; X. Garcia-Moll Marimon, Hospital de la Santa Creu i Sant Pau, Barcelona, Barcelona; D. Pascual Figal, Hospital Universitario Virgen de la Arrixaca, El Palmar, Murcia; R. Bover Freire, Hospital Clínico San Carlos, Madrid; Madrid,

United Kingdom

M. Saxena, St Bartholomew's Hospital, London; Z. Yousef, University Hospital of Wales, Cardiff; C. Clifford, Wycombe General Hospital, High Wycombe; Christopher Arden, Park & St Francis Surgery, Eastleigh; A. Bakhai, Barnet General Hospital, Barnet; I. Squire, Glenfield Hospital, Leicester; G. Jenkins, Morriston Hospital, Swansea; C. Travill, Luton and Dunstable University Hospital, Luton; Dallas Price, St Mary's Hospital, Newport

United States

J. Neutel, Orange County Research Center, Tustin, California; K. Adams, University of North Carolina Chapel Hill, Chapel Hill, North Carolina; P. Balfour, Cardiology Consultants, Inc, Pensacola, Florida; A. Djamson, Metropolitan Cardiovascular Consultants, Beltsville, Maryland; P. Duncan, Cardiac Health Management Network, P.C., Chester, Virginia; M. Hong, Trinity Medical WNY-PC, Cheektowaga, New York; S. Woodhouse, Cardiovascular Group PC, Lawrenceville, Georgia; R. MacNevin, Palmetto Health, Columbia, South Carolina; B. Rama, Rama Research LLC, Marion, Ohio; K. Anderson, Marshfield Clinic, Marshfield, Wisconsin; C. Broome- Webster, Avail Clinical Research, Deland, Florida; S. Kindsvater, Baylor Scott & White The Heart Hospital Plano, Plano, Texas; M. Baretella, Peninsula Research, Inc., Ormond Beach, Florida; S. Pinney, Mount Sinai School of Medicine, New York, New York; A. Cohen, Aurora Denver Cardiology Associates, Aurora,

Colorado; K. Vora, Research Integrity, LLC, Owensboro, Kentucky; K. Challappa, Krishnan Challappa M.D. PSC, Elizabeth, Kentucky; S. West, Alpine Research Organization, Farmington, Utah; S. Baum, Integrated Heart Care, Boca Raton, Florida; J. Cox, Covigilant Research, LLC, Riverside, California; S. Jani, MedStar Health Research Institute, Baltimore, Maryland; A. Karim, AngioCardiac Care of Texas, Houston, Texas; A. Akhtar, BI Research Center, Houston, Texas; R. Goldberg, La Mesa Cardiac Center, La Mesa, California; Z. Bhatti, Columbus Regional Research Institute, Columbus, Georgia; M. Budoff, Los Angeles Biomedical Research Institute, Torrance, California; E. Bush, East Mountain Medical Associates, PC, Great Barrington, Massachusetts; A. Potler, East Mountain Medical Associates, PC, Great Barrington, Massachusetts; B. Ellis, Houston Methodist Reserach Institute – AOCT, Houston, Texas; J. Dy, Clinical Trials of America, Inc., Lenoir, North Carolina; J. Fialkow, Cardiovascular Research Center of South Florida, Miami, Florida; R. Sangrigoli, Doylestown Health Cardiology, a division of Doylestown Health Physicians, Doylestown, Pennsylvania; K. Ferdinand, Tulane University Heart & Vascular Institute, New Orleans, Louisiana; C. East, Soltero Cardiovascular Research Center, Dallas, Texas; S. Falkowski, Southeast Clinical Research, LLC, Chiefland, Florida; S. Donahoe, Northwell Health Physician Partners Cardiology, Riverhead, New York; R. Ebrahimi, VA Greater Los Angeles Healthcare System, Los Angeles, California; G. Kline, University of North Texas Health Science Center, Fort Worth, Texas; B. Harris, Integrative Research Associates, Fort Lauderdale, Florida; R. Khouzam, Methodist Hospital, Memphis, Tennessee; N. Jaffrani, Cambridge Medical Trials, Alexandria, Louisiana; N. Jarmukli, Salem Veterans Administration Medical Center, Salem, Virginia; N. Kazemi, Palm Research Center, Inc., Las Vegas, Nevada; M. Koren, Jacksonville Center for Clinical Research, Jacksonville, Florida; K. Friedman, Johns Hopkins University Hospital School of Medicine, Baltimore, Maryland; W. Herzog, Johns Hopkins University Hospital School of Medicine, Baltimore, Maryland; D. Cheung, Long Beach Center for Clinical Research, Long Beach, California; M. Grover-McKay, Long Beach Center for Clinical Research, Long Beach, California; P. Hauptman, Saint Louis University, Saint Louis, Missouri; D. Mikhalkova, Saint Louis University, St. Louis, Missouri; S. Khouri, University of Toledo, Toledo, Ohio; F. McGrew, Stern Cardiovascular Foundation, Inc., Germantown, Tennessee; P. McCullough, Baylor Heart & Vascular Hospital, Dallas, Texas; Ronald Littlefield, Palmetto Research Center, LLC, Spartanburg, South Carolina; P. Bradley, Meridian Clinical Research, LLC, Savannah, Georgia; Brent McLaurin, AnMed Health Clinical Research, Anderson, South Carolina; S. Lupovitch, Northwest Heart Clinical Research, LLC, Arlington Heights, Illinois; I. Labin, Indiana Heart Physicians, Indianapolis, Indiana; V. Rao, Franciscan Health Network, Indianapolis, Indiana; M. Leithe, Duke University, Durham, North Carolina; N. Lewis, Hunter Holmes McGuire Veterans Administration Medical Center, Richmond, Virginia; D. Lombardo, University of California at Irvine Medical Center, Orange, California; S. Mahal, Advanced Heart Care, LLC, Bridgewater, New Jersey; V. Malhotra, MultiCare Health System Institute for Research and Innovation, Tacoma, Washington; V. Mehta, Midwest Cardiovascular Research and Education Foundation, Elkhart, Indiana; I. Dauber, South Denver Cardiology Associates PC, Littleton, Colorado; A. Banerjee, Clinical Research of Gastonia, Gastonia, North Carolina; J. Needell, Clinical Research of Gastonia, Gastonia, North Carolina; G. Miller, Cardiology Consultants of Danville, Inc, Danville, Virginia; L. Paladino, Kings County Hospital Center, Brooklyn, New York; Kirubakaran Munuswamy, Holy Cross Hospital Inc., Fort Lauderdale, Florida; M. Nanna, Cardiac Center & Vascular Medicine PLLC, Bronx, New York; E. McMillan, Novant Health Heart & Vascular Institute, Charlotte, North Carolina; M. Mumma, Sarasota Memorial Hospital, Sarasota, Florida; M. Napoli, Clinical Trials of America LA, LLC, Monroe, Louisiana; W. Nelson, Regions Hospital, St. Paul, Minnesota; T. O'Brien, Ralph H. Johnson VA Medical Center, Charleston, South Carolina; A. Adlakha, Clinical Research of Rock Hill, Rock Hill, North Carolina; A. Onwuanyi, Grady Clinical Research Center, Atlanta, Georgia; H. Serota, St. Louis Heart and Vascular, P.C., St. Louis, Missouri; J. Schmedtje, Roanoke Heart Institute PLC, Roanoke, Virginia; A. Paraschos, Kernodle Clinic, Inc., Burlington, North Carolina; R. Potu, Nature Coast Clinical Research, Crystal River, Florida; C. Sai-Sudhakar, Baylor Scott and White Healthcare, Temple, Texas; A. Sauer, University of Kansas Medical Center Research Institute, Inc., Kansas City, Kansas; P. Shah, Capital Cardiology Associates, PC, Albany, New York; H. Skopicki, Stony Brook University Hospital, Stony Brook, New York; H. Bui, Blue Coast Cardiology, Vista,

California; K. Carr, Blue Coast Cardiology, Vista, California; G. Stevens, Shore University Hospital, Manhasset, New York; N. Tahirkheli, South Oklahoma Heart Research Group, Oklahoma City, Oklahoma; J. Tallaj, University of Alabama, Birmingham, Alabama; K. Yousuf, Spectrum Clinical Research, Inc., Towson, Maryland; B. Trichon, Asheville, Cardiology Associates, Asheville, North Carolina; J. Welker, Anne Arundel Health System, Annapolis, Maryland; A. Vest, Tufts Medical Center, Boston, Massachusetts; X. Wang, Rockford Cardiovascular Associates, Rockford, Illinois; R. Abadier, Nature Coast Clinical Research, LLC, PA, Inverness, Florida; S. Dunlap, Augusta University, Augusta, Georgia; N. Weintraub, Augusta University, Augusta, Georgia; A. Malik, York Hospital, York, Pennsylvania; P. Kotha, Purushotham, Akther & Roshan Kotha, MD Inc., La Mesa, California; V. Zaha, University of Texas Southwestern Medical Center, Dallas, Texas; G. Kim, University of Chicago Medicine, Chicago, Illinois; N. Uriel University of Chicago Medicine, Chicago, Illinois; T. Greene, East Coast Institute for Research, LLC, Jacksonville, Florida; A. Salacata, Alpena General Hospital, Alpena, Michigan; R. Arora, North Chicago V.A. Medical Center, North Chicago, Illinois; R. Gazmuri, Captain James A. Lovell Federal Health Care Center, North Chicago, Illinois; J. Kobayashi, Beacon Medical Group, South Bend, Indiana; B. Iteld, Louisiana Heart Center, Covington, Louisiana; R. Dab, Reid Hospital, Richmond, Indiana; Z. Mirza, Reid Hospital, Richmond, Indiana; V. Marques, AdventHealth - Tampa, Tampa, Florida; M. Nallasivan, Merced Vein and Vascular Center; Merced, California; H. Saint-Jacques, Harlem Cardiology on Madison Avenue, New York, New York; K. Barringhaus, WJB Dorne VA Medical Center, Columbia, South Carolina; J. Contreras, Mount Sinai – PRIME, New York, New York; A. Gupta, Orlando Health, Inc. Orlando, Florida; S. Koneru, Orlando Health, Inc., Orlando, Florida; V. Nguyen, Morton Plant Mease Health Care, Inc., Clearwater, Florida