

Respiratory and cardiac motion correction in dual gated PET/MR imaging

Hadi Fayad, Florian Monnier, Freedy Odille, Jacques Felblinger, Frederic Lamare, Dimitris Visvikis

▶ To cite this version:

Hadi Fayad, Florian Monnier, Freedy Odille, Jacques Felblinger, Frederic Lamare, et al.. Respiratory and cardiac motion correction in dual gated PET/MR imaging. EJNMMI Physics, 2015, 2 (S1), pp.A43. 10.1186/2197-7364-2-s1-a43. hal-03231162

HAL Id: hal-03231162 https://hal.univ-lorraine.fr/hal-03231162v1

Submitted on 20 May 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



MEETING ABSTRACT

Open Access

Respiratory and cardiac motion correction in dual gated PET/MR imaging

Hadi Fayad^{1*}, Florian Monnier¹, Freedy Odille², Jacques Felblinger², Frederic Lamare³, Dimitris Visvikis¹

From PSMR 2015: 4th Conference on PET/MR and SPECT/MR La Biodola, Isola d'Elba, Italy. 17-21 May 2015

¹LaTIM, INSERM, UMR 1101, Brest, France

Respiratory and cardiac motion in PET/MR imaging leads to reduced quantitative and qualitative image accuracy. Correction methodologies involve the use of double gated acquisitions which lead to low signal-to-noise ratio (SNR) and to issues concerning the combination of cardiac and respiratory frames. The objective of this work is to use a generalized reconstruction by inversion of coupled systems (GRICS) approach, previously used for PET/MR respiratory motion correction, combined with a cardiac phase signal and a reconstruction incorporated PET motion correction approach in order to reconstruct motion free images from dual gated PET acquisitions. The GRICS method consists of formulating parallel MRI in the presence of patient motion as a coupled inverse problem. Its resolution, using a fixed-point method, allows the reconstructed image to be improved using a motion model constructed from the raw MR data and two respiratory belts. GRICS obtained respiratory displacements are interpolated using the cardiac phase derived from an ECG to model simultaneous cardiac and respiratory motion. Three different volunteer datasets (4DMR acquisitions) were used for evaluation. GATE was used to simulate 4DPET datasets corresponding to the acquired 4DMR images. Simulated data were subsequently binned using 16 cardiac phases (M1) vs diastole only (M2), in combination with 8 respiratory amplitude gates. Respiratory and cardiac motion corrected PET images using either M1 or M2 were compared to respiratory only corrected images and evaluated in terms of SNR and contrast improvement. Significant visual improvements were obtained when correcting simultaneously for respiratory and cardiac motion (using 16 cardiac phase or diastole only) compared to respiratory motion only compensation. Results were confirmed by an associated increased SNR and contrast. Results indicate that using GRICS is an efficient tool for respiratory and cardiac motion correction in dual gated PET/MR imaging.

Authors' details

¹LaTIM, INSERM, UMR 1101, Brest, France. ²INSERM U947, University of Nancy, Nancy, France. ³INCIA, UMR5287, CNRS, CHU Bordeaux, Bordeaux, France.

Published: 18 May 2015

doi:10.1186/2197-7364-2-S1-A43

Cite this article as: Fayad et al.: Respiratory and cardiac motion correction in dual gated PET/MR imaging. EJNMMI Physics 2015 2(Suppl 1):A43.

