



HAL
open science

Reduction in the transfer of persistent organic pollutants from soils to laying hens with biochar and activated carbon amendments

Nadine El Wanny, Matthieu Delannoy, Moemen Baroudi, Thierry Woignier, Agnès Fournier, Cyril Feidt

► **To cite this version:**

Nadine El Wanny, Matthieu Delannoy, Moemen Baroudi, Thierry Woignier, Agnès Fournier, et al.. Reduction in the transfer of persistent organic pollutants from soils to laying hens with biochar and activated carbon amendments. SETAC Europe 31st Annual Meeting, May 2021, Virtual, Belgium. SETAC Europe 31st Annual Meeting Abstract Book, pp.174-175, 2021. hal-03956128

HAL Id: hal-03956128

<https://hal.univ-lorraine.fr/hal-03956128v1>

Submitted on 25 Jan 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License



HAL
open science

Reduction in the transfer of persistent organic pollutants from soils to laying hens with biochar and activated carbon amendments

El Wanny N, Matthieu Delannoy, Moemen Baroudi, Thierry Woignier, Cyril Feidt

► To cite this version:

El Wanny N, Matthieu Delannoy, Moemen Baroudi, Thierry Woignier, Cyril Feidt. Reduction in the transfer of persistent organic pollutants from soils to laying hens with biochar and activated carbon amendments. SETAC Europe 31st Annual Meeting, May 2021, Virtual, Belgium. SETAC Europe 31st Annual Meeting Abstract Book, pp.174-175, 2021. hal-03956128

HAL Id: hal-03956128

<https://hal.univ-lorraine.fr/hal-03956128>

Submitted on 25 Jan 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives | 4.0 International License

Context

- Polychlorinated Biphenyls (PCBs), Dioxins, Furans (PCDD/Fs), and Chlordecone (CLD) → Persistent Organic Pollutants (POPs) contaminating soils
- Laying hens → exposed species as they may ingest up to 30 g of soil per day in nonoptimal rearing conditions ⁽¹⁾
- Aim of this study → assess the reduction capacity of 6 different carbonaceous matrices to limit the transfer of POPs to laying hens**

Material and methods

1) Artificial Soil preparation: sand + kaolin + sphagnum peat (OECD, 1984)⁽²⁾

2) Maturation

2 months

3) Treatment (2% by weight)


Control SS (without any matrix)
3 Biochars (BCs)
3 Activated Carbons (ACs)

4) Maturation

3 months

5) Exposure

20 days




n=3
Oral administration via pellets (80 g of pellets containing 10% of soil/ 2kg of BW/ day)

6) Analysis

- Sampling of egg yolks from D18 to D20
- Quantification by chromatography and mass spectrometry: LC-MS/MS (CLD) and CPG-HRMS (PCBs and PCDD/Fs)
- Determination of pollutants concentrations

Results



Concentrations of CLD, ΣPCDD/Fs, PCB 77 and ΣNDL-PCBs (138, 153, 180) in egg yolks.

Values correspond to the mean ± SE (n=3) concentrations of POPs in egg yolks. Group mean values with superscript asterisks are statistically different from non-amended soil (SS) (*: 0.05>P>0.01; **: 0.01>P>0.001; ***: P< 0.001) using a variance analysis and a Dunnett post-hoc test. Groups mean concentrations with different superscript letter (a, b, c) are statistically different (P<0.05) from each other using a complementary variance analysis followed by a Tukey post-hoc test on previously found significant groups.

Matrix	Origin	Form	BET specific surface area (m ² ·g ⁻¹)	Relative surface between [0-30] Å	Relative surface between [30-44] Å	Relative surface between [44-200] Å	Relative surface between [200-3000] Å
BC 1	Oak	Powder	31 ± 2	0 %	0 %	0 %	100 %
BC 2	Oak	Powder	290 ± 11	12,3 %	85,7 %	0,1 %	1,9 %
BC 3	Knotweed	Powder	196 ± 6	14,9 %	68,2 %	13,8 %	3,1 %
AC 1	Peat	Granular	566 ± 5	13,2 %	47,1 %	35,4 %	4,3 %
AC 2	Peat	Powder	1142 ± 31	17,7 %	32,3 %	48 %	2 %
AC 3	Pine	Powder	776 ± 21	22,8 %	32,6 %	42,5 %	2,2 %

Physico-chemical characterization of ACs and BCs

- No reduction in transfer was obtained with BC 1 due to the absence of micropores and mesopores and the low specific surface area in comparison with the other matrices
- A slight reduction was obtained with BC 2 and BC 3 because of their limited microporous and mesoporous surfaces
- AC 2 and AC 3 were the most efficient in reducing the transfer given their highest specific surface area and highest mesoporous surface, whereas AC 1 was less efficient because of its granular form
- Reductions in transfer were congener-dependent as follows: PCDD/Fs > PCB77 > NDL-PCBs = CLD

Conclusion and perspectives

- This study leads to the following conclusions:
 - Activated carbon soil amendments can highly reduce the bioavailability of soil organic contaminants to laying hens especially for PCDD/Fs and PCB77
 - The contaminant reduction depends on both, the nature of pollutant and the characteristics of the matrix

- Amendment of contaminated zones by activated carbons could be subsequently applied on small areas

References

- (1) Jondreville, C., Travel, A., Besnard, J., Feidt, C., 2010. Intake of herbage and soil by free-range laying hens offered a complete diet compared to a whole-wheat diet. XIIIth European Poultry Conference, Tours, France, 23-27 August.
- (2) OECD, 1984. Test N° 207 Earthworm Acute Toxicity Test. In Section 4: Effects on Biotic Systems, Vol. 4. Guideline for Testing of Chemicals 207. Paris: OECD Publishing.