SUPPORTING INFORMATION

ТО

An easy and support-free synthesis of bimetallic borates for boosting the oxygen evolution reaction

Sergio García-Dalí^{1,2,*}, Javier Quílez-Bermejo^{1,3}, Raj Karthik¹, Rafael Luan Sehn Canevesi¹, María T. Izquierdo⁴, Mélanie Emo⁵, Alain Celzard^{1,6}, Vanessa Fierro^{1,*}.

¹Université de Lorraine, Centre National de la Recherche Scientifique (CNRS), Institut Jean Lamour (IJL), F-88000, Épinal, France.

²Departamento de Ciencia de los Materiales e Ingeniería Metalúrgica, Universidad de Oviedo, 33004, Oviedo, Spain.

³Departamento de Química Inorgánica and Instituto de Materiales, Universidad de Alicante, Ap. 99, 03080, Spain

⁴Instituto de Carboquímica (ICB-CSIQ), Miguel Luesma Castán 4, E-50018, Zaragoza, Spain.

⁵Université de Lorraine, Centre National de la Recherche Scientifique (CNRS), Institut Jean Lamour (IJL), F-54000, Nancy, France.

⁶Institut Universitaire de France (IUF)



 $\label{eq:s1:From top to bottom: XPS spectra of Fe $2p_{3/2}$ in Fe@CoB_i, Mn $2p_{3/2}$ in $Mn@CoB_i, Ni $2p_{3/2}$ in $Ni@CoB_i$ and $Zn $2p_{3/2}$ in $Zn@CoB_i$.}$



Figure S2: TEM of \mbox{CoB}_i with the corresponding SAED pattern (inset).



Figure S3: TEM of Fe@CoB_i with the corresponding SAED pattern (inset).



Figure S4: TEM of Mn@CoB_i with the corresponding SAED pattern (inset).



Figure S5: TEM of Ni@CoB_i with the corresponding SAED pattern (inset).



Figure S6: TEM of $Zn@CoB_i$ with the corresponding SAED pattern (inset).



Figure S7: EDX spectra of all doped cobalt borates.



Figure S8: Particle size distribution of CoB_i, Fe@CoB_i, Mn@CoB_i Ni@CoB_i and Zn@CoB_i.



Figure S9: From top to bottom: N2 adsorption isotherms of CoBi, Fe@CoBi, Mn@CoBi, Ni@CoBi and Zn@CoBi



 $Figure \ S10: \ Cyclic \ voltammetry \ (CV) \ curves \ of \ CoB_i, \ Fe@CoB_i, \ Mn@CoB_i, \ Ni@CoB_i \ and \ Zn@CoB_i \ in \ KOH \ 1M.$



Figure S11: (a) LSV curves of all non-treated materials for OER in 1 M KOH; LSV curves of (b) CoB_i and NT-CoB_i, (c), Fe@CoB_i and NT-Fe@CoB_i; (d), Mn@CoB_i and NT-Mn@CoB_i; (e), Ni@CoB_i and NT-Ni@CoB_i; and (f) Zn@CoB_i and NT-Zn@CoB_i electrocatalysts.



Figure S12: LSV curves of all materials for OER in 1 M Na_2SO_4 .



Figure S13: LSV curves of all M@CoB_is catalysts for OER in 1M KOH: (a) of the disk; and (b) of the Pt ring. (c) Oxygen faradaic efficiency.

Sample	E _{OER} / V	Overpotential / V	Reference
CoBi	1.63	0.40	This work
Ni@CoBi	1.56	0.33	This work
Co-Fe-B _i /non-supported	1.64	0.41	$[S^1]$
Co-Fe-B _i /Ni-foam	1.54	0.31	$[S^1]$
Co-B _i /Ni-foam	1.59	0.36	$[S^1]$
Fe-B _i /Ni-foam	1.65	0.42	$[S^1]$
Co-B _i /CC	1.65	0.42	$[S^2]$
Ni-Co-B _i /CC	1.62	0.39	$[S^2]$
NCBO/RGO	1.55	0.32	$[S^3]$
Co-B@Co-B _i	1.52	0.29	$[S^4]$
Ni-B@Ni-B _i	1.54	0.31	$[S^4]$
Co-B _i NS/G	1.53	0.30	$[S^5]$
Co-B _i	1.58	0.35	$[S^5]$
RuO ₂	1.51	0.28	This work

Table S1: Comparison of the results obtained for the catalytic activity in OER of the materials synthesized in this work with similar materials found in the literature.

References

- S¹ U. P. Suryawanshi, M. P. Suryawanshi, U. V. Ghorpade, S. W. Shin, J. Kim and J. H. Kim, *Appl. Surf. Sci.*, 2019, **495**, 143462.
- S² M. Ma, F. Qu, X. Ji, D. Liu, S. Hao, G. Du, A. M. Asiri, Y. Yao, L. Chen and X. Sun, *Small*.
- S³ Y. Qian, Y. Wu, F. Gu, Z. Zhou, Z. Huang, X. Tang, S. Pan, S. Zhang, S. Chen, Q. Zhang, Y. Chen and S. Wang, *Front. Chem.*, 2022, **10**, 1–14.
- S⁴ T. Tan, P. Han, H. Cong, G. Cheng and W. Luo, *ACS Sustain. Chem. Eng.*, 2019, **7**, 5620–5625.
- S⁵ P. Chen, K. Xu, T. Zhou, Y. Tong, J. Wu, H. Cheng, X. Lu, H. Ding, C. Wu and Y. Xie, *Angew. Chemie - Int. Ed.*, 2016, **55**, 2488–2492.