



**HAL**  
open science

## The lncRNA ANRIL-induced gene modulation depends on its Exon21 enriched in Transposable Elements

Aymeric Sanchez, Charbel Alfeghaly, Lilia Ayadi, Wassim Rhalloussi, Quentin Thuillier, Valérie Bourguignon-Igel, V. Marchand, Isabelle Behm-Ansmant, Yuri Motorin, Sylvain Maenner

### ► To cite this version:

Aymeric Sanchez, Charbel Alfeghaly, Lilia Ayadi, Wassim Rhalloussi, Quentin Thuillier, et al.. The lncRNA ANRIL-induced gene modulation depends on its Exon21 enriched in Transposable Elements. 12th SifrARN, Oct 2022, Bordeaux, France. hal-04577641

**HAL Id: hal-04577641**

**<https://hal.univ-lorraine.fr/hal-04577641v1>**

Submitted on 16 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Public Domain



# The lncRNA ANRIL-induced gene modulation depends on its Exon21 enriched in Transposable Elements

Aymeric Sanchez<sup>1</sup>, Charbel Alfeghaly<sup>1</sup>, Lilia Ayadi<sup>1</sup>, Wassim Rhalloussi<sup>2</sup>, Quentin Thuillier<sup>2</sup>, Valérie Igel-Bourguignon<sup>2</sup>, Virginie Marchand<sup>2</sup>, Isabelle Behm-Ansmant<sup>1</sup>, Yuri Motorin<sup>1</sup>, Sylvain Maenner<sup>1</sup>

<sup>1</sup> Université de Lorraine, CNRS, IMoPA, F-54000 Nancy, France  
<sup>2</sup> Université de Lorraine, CNRS, INSERM, UMS2008 IBSLor, Epitranscriptomics and RNA Sequencing (EpiRNA-Seq) Core Facility, F-54000 Nancy, France

**Abstract:** Long non-coding RNAs (longer than 200nts, lncRNAs) are critical regulators of gene expression. lncRNAs regulatory activities rely on functional domains within their sequences often including Transposable Elements (TE) derived sequences. Due to their important regulatory function, lncRNAs are consequently linked to various pathologies (cancers, cardiovascular diseases...). ANRIL (Antisense non-coding RNA in the INK4 locus), one of the disease-associated lncRNA is well described for its association with pathologies. However, the underlying molecular aspects of its function as well as the diseases association are not fully understood. We identified several exonic sequences noticeably enriched in TE within ANRIL, among which Exon 21 contains 67% of TE-derived sequences. The generation of the Exon 21 depleted HEK293 cell line allowed to investigate its function revealing its importance for the deposition of H3K27me3 at promoter level of a subset of genes. In parallel, the purification of Exon 21 associated proteins allowed to identify a promising protein partners named hnRNPK and SUZ12 presumably important for ANRIL functions.

